

**MEDECEAN SEBORRHEA- pyrithione zinc shampoo  
INNOGENE CO.,LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENT**

Active Ingredient: Zinc Pyrithione 1.0%

**INACTIVE INGREDIENT**

Inactive Ingredients: Sodium Laureth Sulfate, Water, Ammonium Lauryl Sulfate, Cocamidopropyl Betaine, Disodium Cocoamphodiacetate, Dimethiconol, Cocamide DEA, Brassica Campestris (Rapeseed) Sterols, Glycol Distearate, Glycerin, Panthenol, SD Alcohol 40-B, Silicone Quaternium-1, Propylene Glycol, Salicylic Acid, Climbazole, TEA-Dodecylbenzenesulfonate, Cetearyl Alcohol, Ammonium Glycyrrhizate, Aesculus Hippocastanum (Horse Chestnut) Seed Extract, Mannitol, Menthol, Zinc Gluconate, Caffeine, Polyquaternium-10, Hydrolyzed Yeast Protein, Allantoin, Niacinamide, Biotin, Pyridoxine HCL, Citric Acid, Guar Hydroxypropyltrimonium Chloride, Disodium EDTA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Hexamidine Diisethionate, Methylchloroisothiazolinone, Methylisothiazolinone

**PURPOSE**

Purpose: Antidandruff

**WARNINGS**

Warnings: 1. If the following conditions occur, you must stop using immediately. Continuous use will make the conditions worsen. Consult your dermatologist. a. Red swellings such as erythema, itchiness, or irritations. b. When directly sunlight causes the conditions mentioned above. 2. Do not apply on skin conditions such as wounds, eczema, ordermatitis. 3. Storage and Handling. a. Make sure to close the cap after use. b. Keep out of the reach of children. c. Avoid low temperature, high temperature, or direct sunlight. 4. When in eyes, wash immediately. 5. Not washing thoroughly after shampooing may cause hair loss or change in color. Make sure to wash thoroughly after use.

**KEEP OUT OF REACH OF CHILDREN**

KEEP OUT OF REACH OF CHILDREN

**INDICATIONS & USAGE**

Indications & Usage: Shampoo daily, massage your wel scalp and hair and leave on for 5 minutes before rinsing. BallVic Solution is recommended after you dry your hair.

**DOSAGE & ADMINISTRATION**

Dosage & Administration: Take 5g of this product for one use.

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

Just 3 Minutes

pH5.0<sup>0.5</sup>

### SEBORRHEA SHAMPOO

메디션 세보레아 샴푸

- Reduce ITCHING
- Reduce DANDRUFF
- Balance SEBUM

매일매일 내 두피의 상쾌한 선택

- 가려움 완화
- 비듬완화
- 약산성 샴푸
- 피지 분비 밸런스 유지

300 g



pH5.0<sup>0.5</sup>

### MEDECEAN SEBORRHEA SHAMPOO 메디션 세보레아 샴푸

#### Indications & Usage

Shampoo daily, massage your wet scalp and hair and leave on for **5 minutes** before rinsing. BallVic Solution is recommended after you dry your hair.

#### Warnings

- If the following conditions occur, you must stop using immediately. Continuous use will make the conditions worsen. Consult your dermatologist.
  - Red swellings such as erythema, itchiness, or irritations.
  - When directly sunlight causes the conditions mentioned above.
- Do not apply on skin conditions such as wounds, eczema, dermatitis.
- Storage and Handling.
  - Make sure to close the cap after use.
  - Keep out of the reach of children.
  - Avoid low temperature, high temperature, or direct sunlight.
- When in eyes, wash immediately.
- Not washing thoroughly after shampooing may cause hair loss or change in color. Make sure to wash thoroughly after use.

#### Dosage & Administration

Take 5g of this product for one use.

본 제품에 이상이 있을 경우 공정거래위원회 고시 소비자분쟁해결기준에 의해 교환 또는 보상해 드립니다.

☎ 소비자 상담실 : 1899-4298 [www.medicean.co.kr](http://www.medicean.co.kr)

연구개발 및 제조판매업자 : (주)이노진

서울시 구로구 디지털로 33길 28 우림이비지센터 301호

제조업자 : (주)이노진 안양공장

경기도 안양시 동안구 시민대로 387 에이플러스 105, 106, 107호

중량 : 300 g

제조번호 및 사용기한 : 별도표시


made in korea



### 메디션 세보레아 샴푸의 두피 피지 및 비듬 완화 인체적용 시험에 관한 연구

보고번호 : 엘리드 EL-140205067CW023

#### 비듬완화



피지 분비 밸런스 **95.5%**  
'제품 사용 후 두피의 유분감이 감소되었다'

가려움 완화 **90.9%**  
'제품 사용 후 두피 가려움이 완화되었다'

## MEDECEAN SEBORRHEA

pyrithione zinc shampoo

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70 540-0 10
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRITHIONE ZINC (UNII: R953O2RHZ5) (PYRITHIONE ZINC - UNII:R953O2RHZ5)	PYRITHIONE ZINC	3.0 g in 300 g

## Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Ammonium Lauryl Sulfate (UNII: Q7AO2R1M0B)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70540-010-01	300 g in 1 CARTON; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	02/01/2016	

**Labeler** - INNOGENE CO.,LTD (688201056)

**Registrant** - INNOGENE CO.,LTD (688201056)

## Establishment

Name	Address	ID/FEI	Business Operations
INNOGENE CO.,LTD		688201056	manufacture(70540-010)

Revised: 3/2016

INNOGENE CO.,LTD