AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 47N- octinoxate, octocrylene, titanium dioxide cream
Aekyung Industrial Co., Ltd.

67225-5212 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 47N

Octinoxate 6.50%
Octocrylene 3.00%
Titanium Dioxide 5.12%

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

■ damaged skin or broken skin

■ keep out of eyes. Rinse with water to remove.

if ■ rash occurs.

If swallowed, get medical help or contact poison control center right away.

WATER (AQUA), ETHYLHEXYL METHOXYCINNAMATE, TITANIUM DIOXIDE (NANO), BETULA PLATYPHYLLA JAPONICA JUICE, DIPROPYLENE GLYCOL PENTAERYTHRITYL STEARATE/CAPRATE/CAPRYLATE/ADIPATE, HYDROGENATED POLY(C6-14 OLEFIN), OCTOCRYLENE, PHENYL TRIMETHICONE NIACINAMIDE, EUPHORBIA CERIFERA (CANDELILLA) WAX, DIMETHICONE, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, TRIISOSTEARIN, 1,2-HEXANEDIOL, DISODODECANE, POLYMETHYLSILSESQUIOXANE, ISODECYL NEOPENTANOATE, PROPANEDIOL, VP/HEXADECENE COPOLYMER, ALUMINUM HYDROXIDE, CETYL PEG/PPG-10/1 DIMETHICONE, SODIUM GLUTAMATE, C30-45 ALKYL METHICONE, STEARIC ACID, P-ANISIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, C30-45 OLEFIN, GLYCERYL CAPRYLATE, BETULA PLATYPHYLLA JAPONICA BARK
EXTRACT, GLYCERIN, TRIETHOXYCAPRYLYLSILANE, PANTHENOL, TOCOPHERYL ACETATE, CERAMIDE NP, METHYL METHACRYLATE CROSSPOLYMER, STEARYL HEPTANOATE, ADENOSINE, SILICA, HYDROLYZED HYALURONIC ACID, POLYHYDROXYSTEARIC ACID, SODIUM HYALURONATE, LACTOBACILLUS FERMENT LYSATE, HAEMATOCOCCUS PLUVIALIS EXTRACT, LINOLEIC ACID, BHT, SODIUM CITRATE, BORON NITRIDE, ASTAXANTHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL, YDROXYHYDROCINNAMATE, TOCOPHEROL, APHANOTHECE SACRUM POLYSACCHARIDE, FRAGRANCE (PARFUM), Titanium Dioxide(CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

■ Protect the product in the container from excessive heat and avoid storing it under direct sun.

■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Directions

■ Apply liberally 15 minutes before sun exposure.

■ Children under 6 months of age: Ask a doctor.

■ Reapply at least every 2 hours.

■ Use a water-resistant sunscreen if swimming or sweating

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. Todecrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ Limit time in the sun, especially from 10 a.m. - 2 p.m.

■ Wear long-sleeved shirts, pants, hats, and sunglasses.

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 47N



CONFIRM SHEET

Printing Guide Line

상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 작아 인쇄될 경우, 표기사항 부분을 1:1 또는 확대하여 넣는 공간에 삽입하여 제출하시기 바랍니다.

제 품 명	사이즈(mm)	인쇄 컬러	원단재질 및 크팅 유무	특이 사항 기재란	디자인 개발 담당
AGE20'S SIGNATURE ESSENCE PACT INTENSE COVER	105 X 101 X 64 (mm) 도면참조	Black / 투명금 / White / 에칭	데드롱지 +에칭	특이사항 없음	애경디자인센터 CD팀 박누리 Tel. 02 2014 7048
날 짜: 2025. 06. 18	인쇄 방법: 옵셋 인쇄				원고담당 LINK 링크디자인 Tel. 02 2261 0315
프로그램 버전 및 화일명: Illustrator CS 3 단상자 25AGE20S 시그니쳐엑트(US)47N 본품1개입.ai					

*주의사항 : 반드시 담당자가 확인 후 승인 한 건에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER



AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 47N

octinoxate, octocrylene, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67225-5212
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.42 g in 14 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7186 g in 14 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.91 g in 14 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM GLUTAMATE (UNII: W81N5U6R6U)	
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
C30-45 OLEFIN (UNII: 6DWD51M0O8)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
BETULA PLATYPHYLLA JAPONICA BARK (UNII: ZF70YKN0YO)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WV9CM0O67Z)	
CERAMIDE NP (UNII: 4370DF050B)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
SILICA (UNII: ETJ7Z6XBU4)	
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)	
ADENOSINE (UNII: K72T3FS567)	
HYALURONIC ACID (UNII: S270N0TRQY)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
LIMOSILACTOBACILLUS FERMENTUM ME-3 (UNII: BQX4W45LG8)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31T0FF0472)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
BHT (UNII: 1P9D0Z171K)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
ASTAXANTHIN (UNII: 8XPW32PR7I)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CI 77492 (UNII: EX438O2MRT)	
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
PROPANEDIOL (UNII: 5965N8W85T)	
VP/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	

WATER (UNII: 059QF0KO0R)	
BETULA PLATYPHYLLA JAPONICA JUICE (UNII: 1B33PG6N4K)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
TRIISOSTEARIN (UNII: 71503RH8KG)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ISODODECANE (UNII: A8289P68Y2)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5212-2	1 in 1 PACKAGE	08/13/2025	
1	NDC:67225-5212-1	14 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/13/2025	

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5212)

Revised: 12/2025 Aekyung Industrial Co., Ltd.