

**BISACODYL - bisacodyl suppository**  
**Cardinal Health**

-----  
**Leader Bisacodyl Suppositories**

**Active ingredient (in each suppository)**

Bisacodyl USP, 10mg

**Purpose**

Stimulant Laxative

**Uses**

- for temporary relief of occasional constipation
- this product generally produces bowel movement in 15 minutes to 1 hour

**Warnings**

**For rectal use only.**

**Do not use unless directed by a doctor**

- if abdominal pain, nausea or vomiting are present
- for longer than 1 week

**Ask a Doctor before use if you have**

noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**When using this product**

it may cause abdominal discomfort, flatulence, rectal burning and mild cramps

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after using this product. These may indicate a serious condition.

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- detach one suppository from the strip
- remove wrapper before inserting into rectum
- carefully insert one suppository well into the rectum, pointed end first
- retain about 15 to 20 minutes

adults and children 12 years of age and over - 1 suppository once daily

children 6 to under 12 years of age - 1/2 suppository once daily

children under 6 - do not use

### Other information

- Store at room temperature do not to exceed 30°C (86°F)
- Lot No. & Exp. Date: see wrapper or box

### Inactive ingredients

hydrogenated vegetable oil

### Questions or comments?

(800) 492-5988

### Leader Bisacodyl Suppositories

LeaderBisSupp.jpg

NDC 70000-0573-2

**LEADER**<sup>TM</sup>

**Gentle Laxative**  
Bisacodyl USP Suppository, 10 mg | Stimulant Laxative

Actual Size

**COMPARE TO DULCOLAX<sup>®</sup> SUPPOSITORIES active ingredient\***

16 SUPPOSITORIES (COMFORT SHAPED)

100% Money Back Guarantee

**INDIVIDUALLY SEALED FOR YOUR PROTECTION. DO NOT USE IF WRAPPER IS TORN OR OPEN.**

## Drug Facts

**Active ingredient (in each suppository)**

Bisacodyl, USP 10 mg.....Stimulant Laxative

**Purpose**

**Uses** ■ for temporary relief of occasional constipation  
■ this product generally produces bowel movement in 15 minutes to 1 hour

## Warnings

For rectal use only.

Do not use unless directed by a doctor

■ if abdominal pain, nausea or vomiting are present ■ for longer than 1 week

Ask a doctor before use if you have noticed a sudden change in bowel habits that lasts over a period of 2 weeks

When using this product it may cause abdominal discomfort, faintness, rectal burning and mild cramps

Stop use and ask a doctor if you have rectal bleeding or you fail to have a bowel movement after using this

product. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

■ detach one suppository from the strip ■ remove wrapper before inserting into rectum ■ carefully insert one suppository well into the rectum, pointed end first ■ retain about 15 to 20 minutes

adults and children 12 years of age and over

1 suppository once daily

children 6 to under 12 years of age

1/2 suppository once daily

children under 6 years of age

do not use



## Drug Facts (continued)

**Other information** ■ Store at room temperature. Do not exceed 30° C (86° F)

■ Lot No. & Exp. Date: see wrapper or box

**Inactive ingredient** hydrogenated vegetable oil

## Questions or comments?

1-800-492-5988

\*This product is not manufactured or distributed by Boehringer Ingelheim Consumer Health Care, owner of the registered trademark Dulcolax®.

Back Guarantee

DO NOT SWALLOW

TO (COMFORT SHAPED)

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Bisacodyl Suppositories

Distributed by

Major Pharmaceuticals

Livonia, MI 48152

<b>BISACODYL</b>				
bisacodyl suppository				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0573	
<b>Route of Administration</b>	RECTAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)		BISACODYL	10 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
HYDROGENATED PALM KERNEL OIL (UNII: FM8D1RE2VP)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0573-2	4 in 1 CARTON	05/19/2021	
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:70000-0573-1	1 in 1 CARTON	05/19/2021	
2		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M007	05/19/2021		

**Labeler** - Cardinal Health (063997360)

**Registrant** - DSC Laboratories, Inc. (097807374)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
DSC Laboratories, Inc.		097807374	manufacture(70000-0573)

Revised: 10/2025

Cardinal Health