

**THERA PLUS HYDROCORTISONE MAXIMUM STRENGTH- hydrocortisone cream
FOURSTAR GROUP USA, INC.**

Thera Plus Hydrocortisone Cream, Maximum Strength

Drug Facts

Active ingredients

Hydrocortisone 1%

Purpose

Anti-itch

Uses

• temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to: • eczema • psoriasis • poison ivy, oak, sumac • insect bites • detergents • jewelry • cosmetics • soaps • seborrheic dermatitis • temporarily relieves external anal and genital itching • other uses of this product should be under advice and supervision of a doctor

Warnings

For external use only.

Do not use

• in the genital area if you have a vaginal discharge. Consult a doctor. • for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes.
- do not use more than directed unless told to do so by a doctor.
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persists for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching
- adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- store at room temperature 68 °- 77° F (20° - 25°C).

Inactive ingredients

aloe barbadensis leaf juice, cetyl alcohol, edetate disodium, methylparaben, mineral oil, mono- and di-glycerides, petrolatum, polyoxyl lauryl ether, polysorbate 20, propylene glycol, propylparaben, purified water, sorbitan monostearate

Questions?

1-800-639-3803 Weekdays 9 AM to 4 PM EST

Package Labeling:



NDC 80684-145-00

COMPARE TO THE ACTIVE INGREDIENT OF CORTAID® MAXIMUM STRENGTH HYDROCORTISONE CREAM*

Fast Itch Relief!

Helps deliver fast itch relief for Eczema, Psoriasis, Seborrheic Dermatitis, Insect Bites, Poison Ivy, and more



Relieves skin irritations

Maximum Strength Hydrocortisone Cream

1% Hydrocortisone Anti-Itch Cream



Relieves skin irritations

NET WT. 1.5 OZ (42.5 g)

MANUFACTURED FOR:
FOURSTAR GROUP USA, INC.
925 GRANT ST., AKRON, OH 44311 USA
MADE IN CHINA

\$1.25



*CORTAID® is a registered trademark of Bausch Health Ireland Limited. All trademarks and registered trademarks are the property of their respective owners. TheraPlus® is not manufactured or distributed by Bausch Health Ireland Limited.

Drug Facts

Active ingredients

Hydrocortisone 1%

Purpose

Anti-itch

Uses ■ temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to: ■ eczema ■ psoriasis ■ poison ivy, oak, sumac ■ insect bites ■ detergents ■ jewelry ■ cosmetics ■ soaps ■ seborrheic dermatitis ■ temporarily relieves external anal and genital itching ■ other uses of this product should be under advice and supervision of a doctor

Warnings

For external use only.

Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor.

When using this product ■ avoid contact with eyes. ■ do not use more than directed unless told to do so by a doctor. ■ do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if ■ condition worsens, symptoms persists for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

■ rectal bleeding occurs

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ for itching of skin irritation, inflammation, and rashes:
■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
■ children under 2 years of age: do not use, ask a doctor
■ for external anal and genital itching
■ adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly
■ gently dry by patting or blotting with toilet tissue or soft cloth before applying
■ apply to affected area not more than 3 to 4 times daily
■ children under 12 years of age: ask a doctor

Other information

■ store at room temperature 68° - 77° F (20° - 25°C).

Inactive ingredients

aloe barbadensis leaf juice, cetyl alcohol, edetate disodium, methylparaben, mineral oil, mono- and di-glycerides, petrolatum, polyoxyl lauryl ether, polysorbate 20, propylene glycol, propylparaben, purified water, sorbitan monostearate

Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

Continued Panel

■ be in bold text
■ be in regular text
8.5pt



NDC 80684-145-00

COMPARE TO THE ACTIVE INGREDIENT
OF CORTAID® MAXIMUM STRENGTH
HYDROCORTISONE CREAM

Maximum Strength Hydrocortisone Cream

1% Hydrocortisone Anti-Itch Cream

Relieves
skin irritationsHelps deliver fast itch relief for Eczema, Psoriasis,
Seborrheic Dermatitis, Insect Bites, Poison Ivy, and more

NET WT. 1.5 OZ (42.5 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients Hydrocortisone 1% **Purpose** Anti-itch **Uses** ■ temporarily relieves itching associated with minor skin irritations, inflammation and rashes due to: ■ eczema ■ psoriasis ■ poison ivy, oak, sumac ■ insect bites ■ detergents ■ jewelry ■ cosmetics ■ soaps ■ seborrheic dermatitis ■ temporarily relieves external anal and genital itching ■ other uses of this product should be under advice and supervision of a doctor **Warnings** For external use only. Do not use ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor. **When using this product** ■ avoid contact with eyes. ■ do not use more than directed unless told to do so by a doctor. ■ do not put directly into the rectum by using fingers or any mechanical device or applicator Stop use and ask a doctor if ■ condition worsens, symptoms persists for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor ■ rectal bleeding occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Directions** ■ for itching of skin irritation, inflammation, and rashes: ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: do not use, ask a doctor ■ for external anal and genital itching, ■ adults: when practical, clean the affected area with mild soap and warm water and rinse thoroughly ■ gently dry by patting or blotting with toilet tissue or soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor **Other information** ■ store at room temperature 68°-77° F (20°-25° C). **Inactive ingredients** aloe barbadensis leaf juice, cetyl alcohol, edetate disodium, methylparaben, mineral oil, mono- and di-glycerides, petrolatum, polyoxyl lauryl ether, polysorbate 20, propylene glycol, propylparaben, purified water, sorbitan monostearate

Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

*CORTAID® is a registered trademark of Bausch Health Ireland Limited. All trademarks and registered trademarks are the property of their respective owners. TheraPlus® is not manufactured or distributed by Bausch Health Ireland Limited.

MANUFACTURED FOR: FOURSTAR GROUP USA, INC.
925 GRANT ST., AKRON, OH 44311 USA
MADE IN CHINA LOT: EXP:

Thera Plus Hydrocortisone Maximum Strength

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80684-151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX25C1OH)	
WATER (UNII: 059QF0KO0R)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80684-151-00	42.5 g in 1 TUBE; Type 0: Not a Combination Product	03/03/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/03/2025	

Labeler - FOURSTAR GROUP USA, INC. (140099503)

Revised: 3/2025

FOURSTAR GROUP USA, INC.