

**POVIDONE IODINE SOLUTION FIRST AID ANTISEPTIC- povidone-iodine solution**

**Nice-Pak Products, LLC**

-----

**Swan 050.002/050AE**  
**Povidone-Iodine Solution, 10%**

**Active ingredient**

Povidone-iodine, 10%  
(1% available iodine)

**Purpose**

First aid antiseptic

**Uses**

first aid to help prevent the risk of infection in:

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor

**Ask a doctor before use**

in case of deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if**

condition persists or gets worse

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first.

**Other information**

store between 15° - 30°C (59°-86°F)

**Inactive ingredients**

C12-13 Pareth-9, citric acid, disodium phosphate, glycerin, sodium hydroxide, water

**Disclaimer**

\*This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Betadine<sup>®</sup> Antiseptic 10% Povidone-iodine First Aid Antiseptic.

**Adverse reaction**

Distributed by:

Consumer Product Partners, LLC

St. Louis, MO 63114

1-888-593-0593

**Principal display panel**

Swan<sup>®</sup>

POVIDONE-IODINE SOLUTION 10%

FIRST AID ANTISEPTIC

- HELPS PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

Compare to Betadine<sup>®</sup> First Aid Antiseptic\*

4 FL OZ (118 mL)



▶ HELPS PREVENT INFECTION IN MINOR CUTS, SCRAPES AND BURNS

Compare to Betadine® First Aid Antiseptic\*

4 FL OZ (118 mL)

|  |  |
|--|--|
| <b>Drug Facts</b>  | <b>Drug Facts (continued)</b>  |
| <b>Active ingredient Purpose</b><br>Povidone-iodine, 10% (1% available iodine).....First aid antiseptic  | Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.   |
| <b>Uses</b> first aid to help prevent the risk of infection in:<br>■ minor cuts ■ scrapes ■ burns  | <b>Directions</b><br>■ clean the affected area<br>■ apply a small amount of this product on the area 1 to 3 times daily<br>■ may be covered with a sterile bandage<br>■ if bandaged, let dry first |
| <b>Warnings</b><br>For external use only<br>Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week unless directed by a doctor<br>Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns<br>Stop use and ask a doctor if condition persists or gets worse | <b>Other information</b><br>■ store between 15°-30°C (59°-86°F)<br><b>Inactive ingredients</b> C12-13 Pareth-9, citric acid, disodium phosphate, glycerin, sodium hydroxide, water                 |

\*This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Betadine® Antiseptic 10% Povidone-iodine First Aid Antiseptic.

Distributed by:  
Consumer Product Partners, LLC,  
St. Louis, MO 63114  
1-888-593-0593



L0019832SB

0 72785 14099 8

## POVIDONE IODINE SOLUTION FIRST AID ANTISEPTIC

povidone-iodine solution

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11344-050 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| <b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | IODINE            | 10 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>C12-13 PARETH-9</b> (UNII: 9BXD858P37)                      |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)              |          |
| <b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                             |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)                     |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11344-050-26 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 05/07/2009           |                    |
| 2 | NDC:11344-050-34 | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/28/2024           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003                                     | 05/07/2009           |                    |

**Labeler** - Nice-Pak Products, LLC (119091520)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

| Name                   | Address | ID/FEI    | Business Operations    |
|------------------------|---------|-----------|------------------------|
| Nice-Pak Products, LLC |         | 119091514 | manufacture(11344-050) |

Revised: 3/2026

Nice-Pak Products, LLC