# LORATADINE - loratadine capsule, liquid filled MARKSANS PHARMA LIMITED

-----

Loratadine

# **ACTIVE INGREDIENT(S)**

Loratadine 10mg

## **PURPOSE**

Antihistamine

# USE(S)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- sneezing
- itchy, water eyes
- itching of the nose or throat

## WARNINGS

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

# ASK A DOCTOR BEFORE USE IF

you have liver or kidney disease. Your doctor should determine if you need a different dose.

# ASK A DOCTOR OR PHARMACIST BEFORE USE IF

# WHEN USING THIS PRODUCT

do not take more than directed. Taking more than directed may cause drowsiness.

# STOP USE AND ASK DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away

# OTHER REQUIRED WARNINGS

#### PREGNANCY/BREASTFEEDING

ask a health professional before use.

# KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

# **DIRECTIONS**

Adults and children 6 years and over: 1 capsule daily; Not more than 1 capsule in 24 hours.

**Children under 6 years of age**: ask a doctor.

**Consumers with Liver or kidney disease**: ask a doctor.

# **INACTIVE INGREDIENTS**

FD&C Blue no. 1, gelatine, mono and iglyceride of caprilic/capric acid, pharmaceutical ink, polysorbate 80, povidone, purified water, sorbitol, sorbitan solution.

## **STORAGE**

Store at 20°-25°C (68°-77°F).

Protect from freezing.

Safely sealed: do not use if the safety seal is open or torn.

## PRINCIPAL DISPLAY PANEL

NDC# 25000-021-13 Loratadine Capsules, 10 mg 600 counts Bottle Label



Drug Facts	Drug Facts (continued)	
Active ingredient (in each capsule) Purpose Loratadine 10 mgAntihistamine	Warnings  Do not use if you have ever had an allergic reaction to this product or any of its ingredients.	
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, water eyes	Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.	
■ itching of the nose or throat	When using this product do not take more than directed. Taking more than directed may cause drowsiness.	

Drug Facts (continued)	Drug Facts (continued)	
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.	Directions Adults and children 6 years and over: 1 capsule daily Not more than 1 capsule in 24 hours. Children under t years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor	
If pregnant or breast-feeding ask a health professional before use.		
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Other information  Store at 20°-25°C (68°-77°F)  protect from freezing.  Safety Sealed: do not use if safety seal is open of torn.	

Drug Facts (continued)	Manufactured for: Time-Cap Labs, Inc.
Inactive ingredients FD&C blue no.1, gelatin, mono and diglyceride of caprylic / capric acid, pharmaceutical ink, polysorbate 80, povidone, purified water, sorbitol sorbitan solution.	7 Michael Avenue, Farmingdale, NY 11735, USA Manufactured by: Marksans Pharma Ltd.
Questions or comments? Call at 1-877-376-4271	Plot No. L-82, L-83, Verna Indl. Estate, Verna, GOA - 403 722, India.
	Mfg. Lic. No. : GO/Drugs/515

# PRINCIPAL DISPLAY PANEL

NDC# 25000-021-34 Loratadine Capsules, 10 mg 28 counts Blister Pack



#### PANEL 2

Drug Facts (continued)		
liver or kidney disease : ask a doctor		
Other information  Store at 20"-25"C (68"-77"F)  protect from freezing,  Safety sealed: do not use if the individual blister until imprinted with Loratadine Capsules is open or form.	Manufactured for: Time-Cap Labs, Inc. 7 Michael Avenue,	
Inactive ingredients FD&C blue no.1, getatin, mono and diglyceride of caprylic / capric acid, pharmaceutical ink, polysorbate 80, povidone, purified water, sorbitol sorbitan solution.	Farmingdale, NY 11735, USA Manufactured by: Marksans Pharma Ltd. Plot No. L-82, L-83, Verna Indl. Estate.	,
Questions or comments? Call at 1-877-376-4271	Verna, GOA - 403 722, India.  Mfg. Lic. No. : GO/Drugs/515	$\langle M \rangle$

# LORATADINE

loratadine capsule, liquid filled

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:25000-021	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg		

Inactive Ingredients				
Ingredient Name	Strength			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
CAPRIC ACID (UNII: 4G9 EDB6 V73)				
POVIDONE K30 (UNII: U725QWY32X)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
SORBITAN (UNII: 6O92ICV9RU)				

Product Characteristics				
Color	BLUE (Light Blue)	Score	no score	
Shape	OVAL (oval shaped)	Size	3mm	
Flavor		Imprint Code	21	
Contains				

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1	NDC:25000-021- 08	100 in 1 BOTTLE; Type 0: Not a Combination Product	10 /0 1/20 16		
2	NDC:25000-021-13	600 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2016		
3	NDC:25000-021-46	8 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2016		
4	NDC:25000-021-34	28 in 1 BLISTER PACK; Type 0: Not a Combination Product	10 /0 1/20 16		
5	NDC:25000-021-21	4 in 1 BOX	10/01/2016		
5		7500 in 1 BAG; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA206214	10/01/2016		

# Labeler - MARKSANS PHARMA LIMITED (925822975)

Establishment				
Name	Address	ID/FEI	Business Operations	
MARKSANS PHARMA LIMITED		925822975	MANUFACTURE(25000-021)	

Revised: 10/2016 MARKSANS PHARMA LIMITED