

ELP ESSENTIAL DM- dextromethorphan hydrobromide, guaifenesin syrup
Dannso Corp./d.b.a. Essential Products

elp essential DM

Drug Facts

Active ingredients: (in each 5 ml)

Dextromethorphan HBr USP 10mg
Guaifenesin USP 100mg

Purpose

Cough Suppressant
Expectorant

Uses

- Help loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive.
- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warnings

Do not exceed recommended dosage.

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI ask your doctor or pharmacist before taking this product.
- If you have a chronic pulmonary disease or shortness of breath unless directed by a doctor.
- Avoid alcoholic beverages while you taking this product.

Ask the doctor before use if you have

- Cough that occurs with too much phlegm (mucus)
- Cough that last or is a chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

- Do not take more than 6 doses in any 24-hour period.
- Shake well before use.

Age	Dose
Adults and Children 12 years and over	10ml (2 tsps) every 4 hours
Children 6 to under 12 years of age.	5ml (1 tsps) every 4 hours
Children under 6 years of age	Do not use

Other Information

- Each 5 ml contains: sodium 8 mg
- Store Between 15-30° C (59-86° F)
- Tamper Evident Feature Do not use if seal under cap is torn, broken or missing

Inactive Ingredients

Blue Cohosh, Citric Acid, Echinacea, Eucalyptus Oil, Ginkgo Biloba, Golden Seal Root, Honey Pure, Honey flavor, Horehound Herb, Licorice Root, Menthol, Mullein, Myrrh, Potassium Sorbate, Slippery Elm Bark, Sodium Benzoate, Propylene Glycol, Purified Water, Sodium Chloride, Sucralose, Wild Cherry bark and Zinc Sulfate.

Questions or Comments?

Call Tel 786 6469178

Weekdays from 9:30 AM to 5 PM EST. Time.

New Formula

RELIEVES COUGH CHEST CONGESTION & MUCUS

ALCOHOL FREE

PARABEN FREE

Dextromethorphan & Guaifenesin Plus an Exceptional Herbal Blend

With Honey

Distributed by essential products Miami, FI, 33012

Made In U.S.A.

Packaging

INNER PACKAGE LABEL

Drug Facts

Active ingredients: (in each 5ml).. Purpose
 Dextromethorphan HBr USP 10mg.....Cough Suppressant
 Guaifenesin USP 100mg.....Expectorant

Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive.
- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warnings

Do not exceed recommended dosage.

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product.
- If you have a chronic pulmonary disease or shortness of breath unless directed by a doctor.
- Avoid alcoholic beverages while taking this product.


Ask the doctor before use if you have

- Cough that occurs with too much phlegm (mucus)
- Cough that last or is a chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign serious condition


If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.



**COUGH SUPPRESSANT
EXPECTORANT**

DM

RELIEVES COUGH, CHEST CONGESTION
& MUCUS



ALCOHOL FREE PARABEN FREE

Dextromethorphan & Guaifenesin
Plus an Exceptional Herbal Blend



With Honey

SYRUP

Net Wt. 6 fl. Oz. (177 ml)

Directions:

- Do not take more than 6 doses in any 24-hour period.
- Shake well before use

Age	Dose
Adults and Children 12 years and over	10ml (2 tsps) every 4 hours
Children 6 to under 12 years of age.	5ml (1 tsp) every 4 hours
Children under 6 years of age	Do not use

Other Information

- Each 5 ml contains: sodium 8 mg
- Store Between 15-30° C (59-86° F)
- Tamper Evident Feature: Do not use if seal under cap is torn, broken or missing

Inactive Ingredients

Blue Cohosh , Citric Acid, Echinacea , Eucalyptus Oil , Ginkgo Biloba, Golden Seal Root, Honey Pure, Honey flavor, Horehound Herb, Licorice Root, Menthol, Mullein, Myrrh, Potassium Sorbate, Slippery Elm Bark , Sodium Benzoate, Propylene Glycol, Purified Water, Sodium Chloride, Sucralose, Wild Cherry bark and Zinc Sulfate.

Questions or Comments? Call Tel 786 6469178
Weekdays from 9:30 AM a 5 PM EST. Time.

Distributed by essentialProducts Miami, FL, 33012
essentialproductsusa.com
Made In U.S.A.

Lot #.
Exp.Date.

OUTER PACKAGE LABEL

MUCUS
&
CHEST CONGESTION
RELIEVES COUGH

DM

COUGH SUPPRESSANT
EXPECTORANT



**COUGH SUPPRESSANT
EXPECTORANT**

DM

RELIEVES COUGH
CHEST CONGESTION
&
MUCUS



Drug Facts

Active ingredients: (in each 5ml).. Purpose
 Dextromethorphan HBr USP 10mg.....Cough Suppressant
 Guaifenesin USP 100mg.....Expectorant

Uses

- Help loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive.
- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warnings

Do not exceed recommended dosage.

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product.
- If you have a chronic pulmonary disease or shortness of breath unless directed by a doctor.
- Avoid alcoholic beverages while you taking this product.

Ask the doctor before use if you have

- Cough that occurs with too much phlegm (mucus)
- Cough that last or is a chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign serious condition

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Avoid alcoholic beverages while you taking this product.**

Directions:

- Do not take more than 6 doses in any 24-hour period.
- Shake well before use.

Age	Dose
Adults and Children 12 years and over	10ml (2 tsps) every 4 hours

ANTITUSIVO
EXPECTORANTE

DM

ALIVIA LA TOS
CONGESTIÓN DE PECHO
&
MUCOSIDAD



Información General

Ingredientes Activos:(En cada 5 ml) . Propósito
 Dextrometorfán HBr USP 10 mg..... Antitusivo
 Guaifenesina USP 100mg.....Expectorante

Usos

- Ayuda a aliviar la tos (mucosidad) y las secreciones bronquiales para drenar los tubos bronquiales, haciendo la tos más productiva
- Alivia temporalmente la tos debida a la irritación leve de la garganta o de los bronquios que suele ocurrir con un resfriado

Advertencias

No exceda la dosis recomendada.

No use este producto

- Si usted esta tomando un inhibidor de monoaminooxidasa (MAOI) (por Ej. Algunos medicamentos para la depresión, trastornos psiquiátricos o emocionales o para la enfermedad de Parkinson) espere 2 semanas después de suspender el MAOI antes de comenzar a tomarlo.
- Si usted no sabe si su medicamento con receta medica contiene un MAOI, consulte a su medico o farmacéutico antes de tomar este producto.
- Si tiene una enfermedad crónica pulmonar o dificultad para respirar a menos que lo indique su doctor.

Pregúntele a su medico antes de usar este producto si usted tiene

- Tos con mucha flema o (mucosidad)
- Tos persistente o crónica, como ocurre en casos de personas que fuman y/o asma, bronquitis crónica o enfisema.

Descontinúe el uso de este producto y consulte a su medico si

- Se produce nerviosismo, mareos o falta de sueño.
- La tos persiste por más de 1 semana, tiende a repetirse, o acompañada de fiebre, erupción o tos persistente, este puede ser un signo de enfermedad grave.

Si esta embarazada o en periodo de lactancia. Consulte con un profesional de la salud antes de usar este producto. **Mantenga fuera del alcance de los niños.** en caso de sobredosis obtenga ayuda medica o póngase en contacto con un centro de envenenamiento inmediatamente. Evite las bebidas alcohólicas mientras tome este producto.

Instrucciones :

- No tome mas de 6 dosis en un periodo de 24 horas.
- Agítelas antes de usar.

Edad	Dosis
Adults and Children 12 years and over	10ml (2 tsps) every 4 hours



ELP ESSENTIAL DM

dextromethorphan hydrobromide, guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70242-139
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CAULOPHYLLUM THALICTROIDES ROOT (UNII: JTJ6HH6YEH)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GINKGO (UNII: 19FUJ2C58T)	
GOLDENSEAL (UNII: ZW3Z11D0JV)	
HONEY (UNII: Y9H1V576FH)	
HOREHOUND (UNII: K08036XEJV)	
LICORICE (UNII: 61ZBX54883)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
VERBASCUM THAPSUS WHOLE (UNII: C9TD27U172)	
MYRRH (UNII: JC71GJ1F3L)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	

ULMUS RUBRA BARK (UNII: 91QY4PXU8Q)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PRUNUS SEROTINA BARK (UNII: 5D48E975HA)	
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	HONEY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70242-139-06	1 in 1 BOX	10/26/2023	
1		177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/26/2023	

Labeler - Daniso Corp./d.b.a. Essential Products (059741071)

Revised: 10/2023

Daniso Corp./d.b.a. Essential Products