

**RITE AID ZINC COLD THERAPY- zincum gluconicum tablet**  
**RITE AID CORPORATION**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Rite Aid Zinc Cold Therapy Chewable Tablets**

***Drug Facts***

**Active Ingredient (in each tablet)**

Zincum Gluconicum 1x (11mg Zinc)

**Purpose**

Cold Remedy

**Uses**

- may help reduce duration of cold symptoms:
  - sore throat
  - stuffy nose
  - sneezing
  - coughing

This product was formulated to help reduce the duration and severity of cold symptoms and was not formulated to be effective for flu or allergies.

**Warnings**

**Ask a doctor before use if you have**

- a sensitivity to zinc or are allergic zinc
- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines.

***Stop Use and ask a doctor***

If symptoms persist beyond 7 days.

**If pregnant or breast feeding**

As ask health professional before use.

**Keep Out of Reach of Children**

In case of overdose, get medical help or contact a Poison Control Center right away at

1-800-222-1222.

## Directions

- **for best results, use at the first sign of a cold and continue to use as directed**
- **adults and children 12 years of age and older:**
- chew one tablet completely at the onset of symptoms. Do not swallow tablets whole.
- repeat every 3 hours until symptoms are gone
- to avoid minor stomach upset, do not take on an empty stomach.
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- recommended daily dose is 6 tablets for adults and 4 tablets for ages 12 through 17
- **Children under 12 years of age:** Consult a doctor before use.

## Other information

- do not take zinc tablets on an empty stomach to avoid possible minor stomach upset.
- store at room temperature

## Inactive ingredients

ascorbic acid, crospovidone, flavors, magnesium stearate, sorbitol, starch ,sucralose.

## Questions or comments?

**1-866-467-2748**

## PRINCIPAL DISPLAY PANEL

NDC **11822-1183-5**

\*Compare to Ionizable Zinc Content in Zicam® Cold Remedy Rapid Melts®

## Zinc Cold Therapy

ZINCUM GLUCONICUM

May help reduce the duration of cold symptoms\*\*

Sugar Free

Homeopathic†

## Cherry Flavor

Naturally and Artificially Flavored

**25 CHEWABLE TABLETS**

**Package Contains One Bottle**

**DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.**

†CLAIM IS BASED ONLY ON THEORIES OF HOMEOPATHY FROM 1700S NOT ACCEPTED BY MOST MODERN MEDICAL EXPERTS .THERE IS NO SCIENTIFIC EVIDENCE THAT THE PRODUCT WORKS

\*\*THIS PRODUCT IS A HOMEOPATHIC REMEDY, AS SUCH, IT HAS NOT UNDERGONE REVIEW ON APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY CONDITION OR DISEASE.

**IMPORTANT:** Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by Matrixx Initiatives, Inc., owner of the registered trademarks Zicam<sup>®</sup> Cold Remedy Rapidmelts<sup>®</sup>

**Distributed by:**



## RITE AID ZINC COLD THERAPY

zincum gluconicum tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-1183
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
ascorbic acid (UNII: PQ6CK8PD0R)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
magnesium stearate (UNII: 70097M6I30)	
SORBITOL (UNII: 506T60A25R)	
STARCH, CORN (UNII: O8232NY3SJ)	
sucralose (UNII: 96K6UQ3ZD4)	

### Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND (Biconcave)	Size	16mm
Flavor	CHERRY	Imprint Code	RP118
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1183-5	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/13/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		04/13/2020	

**Labeler** - RITE AID CORPORATION (014578892)

Revised: 11/2023

RITE AID CORPORATION