

**SINUS PRESSURE AND PAIN- acetaminophen, guaifenesin, phenylephrine
hcl tablet, film coated
Walgreen Company**

Walgreens 44-628-SPP

Active ingredients (in each caplet)

Acetaminophen 325 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Expectorant
Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - headache
 - sinus congestion and pressure
 - minor aches and pains
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- liver disease
- high blood pressure
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

Walgreens

Compare to the active ingredients
in Maximum Strength Mucinex®
SINUS-MAX® Pressure & Pain^{††}

• WALGREENS •
PHARMACIST RECOMMENDED[†]

NDC 0363-6028-09

Sinus Pressure & Pain

ACETAMINOPHEN 325 mg / PAIN RELIEVER
GUAIFENESIN 200 mg / EXPECTORANT
PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

MAXIMUM STRENGTH

•Relieves sinus pressure & congestion, headache
and thins & loosens mucus

20
CAPLETS

ACTUAL SIZE

^{††}This product is not manufactured or distributed by RB
Health (US) LLC, owner of the registered trademark
Maximum Strength Mucinex® SINUS-MAX® Pressure & Pain.

50844 ORG041962809

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

**DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2021 Walgreen Co.**

Drug Facts (continued)
 Inactive ingredients: corn starch, croscopolone, D & C yellow #10 aluminum lake, FD & C yellow #6 aluminum lake, magnesium stearate, milled cellulose, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Drug Facts (continued)
 (Questions or comments? 1-800-426-9391)
 50844 ORG041962809
 Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Pressure & Pain.
 This product is not manufactured or distributed by RB

Drug Facts (continued)
 Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
 When using this product do not exceed recommended dosage.
 Stop use and ask a doctor if:
 ■ nervousness, dizziness, or sleeplessness occur
 ■ fever gets worse or lasts more than 3 days
 ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days
 ■ redness or swelling is present
 ■ new symptoms occur
 ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions
 ■ do not take more than directed
 ■ adults and children 12 years and over: take 2 caplets every 4 hours
 ■ children under 12 years: do not use
Other Information
 ■ PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Drug Facts (continued)
Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
Do not use
 ■ if you are not sure whether a drug contains acetaminophen (prescription or nonprescription), ask a doctor or pharmacist
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have
 ■ heart disease ■ diabetes ■ thyroid disease
 ■ difficulty in urination due to enlargement of the prostate gland
 ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 ■ liver disease ■ high blood pressure
 ■ cough that occurs with too much phlegm (mucus)

Drug Facts (continued)
Uses ■ temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains
 ■ temporarily promotes nasal and/or sinus drainage
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Drug Facts
Active ingredients (in each caplet)
 Acetaminophen 325 mg Pain reliever
 Guaifenesin 200 mg Expectorant
 Phenylephrine HCl 5 mg Nasal decongestant

Purpose
 Pain reliever

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print / No Varnish Lot no. & Exp. date

DISTRIBUTED BY: WALGREEN CO.
 200 WILLIAMS RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2021 Walgreen Co.

ITEM 357646 W00000-0000-0
 1 1 9 1 7 1 1 6 8 6 0 9

B-2201-628-09-HR
 ORG041962809

NDC 0363-6028-09



Compare to the active ingredients in Maximum Strength Mucinex® SINUS-MAX® Pressure & Pain*

Sinus Pressure & Pain

ACETAMINOPHEN 325 mg / PAIN RELIEVER
 GUAIFENESIN 200 mg / EXPECTORANT
 PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Maximum Strength

• Relieves sinus pressure & congestion, headache and thins & loosens mucus

20
CAPLETS



Walgreens 44-628

SINUS PRESSURE AND PAIN

acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-6028 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561) | |
| D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| MAGNESIUM STEARATE (UNII: 70097M6130) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | yellow | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | 44;628 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0363-6028-09 | 2 in 1 CARTON | 05/03/2013 | |
| 1 | | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
| | | | |

| Category | Citation | Date | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M012 | 05/03/2013 | |

Labeler - Walgreen Company (008965063)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(0363-6028) , pack(0363-6028) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867894 | manufacture(0363-6028) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 117025878 | manufacture(0363-6028) |

Revised: 8/2023

Walgreen Company