

PLEO UT S- mycobacterium phlei solution/ drops
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Ut "S"
PORTABLE SIPS 6X

Oral Homeopathic Medicine

50 doses, each 1 mL
(.03 fl oz)

INDICATIONS

For temporary relief of flu symptoms.

DIRECTIONS FOR USE

Snap off top portion of sipping container. Insert glass sipping straw.

DOSAGE

1–2 × weekly 1 sip.

INGREDIENTS

1 mL contains Mycobacterium phlei 6X, in a base of purified saline solution.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if the glass vial is broken.

Manufactured by:
Sanum-Kehlbeck GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road,
Ferndale, WA 98248

Rev. 12/2011

PRINCIPAL DISPLAY PANEL - 1 mL Carton

5407-1

Pleo® Ut "S"

PORTABLE SIPS 6X

Oral Homeopathic Medicine

The original

SANUM®

brand remedies

INDICATIONS: For temporary relief of flu symptoms.

DIRECTIONS FOR USE: Snap off top portion of sipping container. Insert glass sipping straw.

DOSAGE: 1–2 x weekly 1 sip.

INGREDIENTS: 1 mL contains Mycobacterium phlei 6X, in a base of purified saline solution.

Tamper Evident: Do not use this product if the glass vial is broken.

**convenient, disposable
single dose containers**

**10 doses, each 1 mL
(.03 fl oz)**

Rev. 12/2011

5407-1

Pleo[®] Ut "S"
PORTABLE SIPS 6X
Oral Homeopathic Medicine

The original
SANUM[®]
brand remedies

INDICATIONS: For temporary relief of flu symptoms.

DIRECTIONS FOR USE: Snap off top portion of sipping container. Insert glass sipping straw.

DOSAGE: 1-2 x weekly 1 sip.

INGREDIENTS: 1 mL contains Mycobacterium phlei 6X, in a base of purified saline solution.

Tamper Evident: Do not use this product if the glass vial is broken.

**convenient, disposable
single dose containers**

**10 doses, each 1 mL
(.03 fl oz)**

8201N9XSE10US712

Rev. 12/2011

9991N00FS10US908

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Tamper Evident: Do not use this product if the glass vial is broken.

Lot #:

Exp.:

Made in Germany

Manufactured by:
SANUM-Kehlbeck
GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road,
Ferndale, WA 98248

PLEO UT S

mycobacterium phlei solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-5407
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
mycobacterium phlei (UNII: T67520T45F) (mycobacterium phlei - UNII:T67520T45F)	mycobacterium phlei	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
sodium chloride (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-5407-1	10 in 1 CARTON		
1		1 mL in 1 VIAL, GLASS		
2	NDC:60681-5407-2	50 in 1 CARTON		
2		1 mL in 1 VIAL, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		11/01/2005	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)