

**CLEAR EYES MAXIMUM REDNESS RELIEF- naphazoline hydrochloride and glycerin liquid**  
**Prestige Brands Holdings, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Clear Eyes Max Redness Relief**

***Drug Facts***

***Active ingredients***

Glycerin 0.5%

***Purpose***

Lubricant

***Active ingredients***

Naphazoline hydrochloride 0.03%

***Purpose***

Redness Reliever

***Uses***

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to the dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

***Warnings***

**For external use only.**

**Do not use**

if solution changes color or becomes cloudy.

**Ask a doctor before use if**

you have narrow angle glaucoma.

**When using this product**

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become temporarily enlarged

**Stop use & ask a doctor if:**

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or symptoms last for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

Instill 1 to 2 drops in the affected eye(s) up to four times daily.

***Other information***

- store at 20°-25°C (68°-77°F)
- remove contact lenses before using

***Inactive ingredients***

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

***Questions?***

1-877-274-1787 [www.cleareyes.com](http://www.cleareyes.com)

**PRINCIPAL DISPLAY PANEL**

CLEAR EYES®  
MAXIMUM  
REDNESS RELIEF  
LUBRICANT/REDNESS RELIEVER EYE DROPS  
STERILE 1 FL OZ (30 mL)

**Drug Facts**

**Active ingredients**  
Glycerin 0.5%.....Lubricant  
Naphazoline hydrochloride 0.02%.....Redness reliever

**Purposes**

**Uses** • for the relief of redness of the eye due to minor eye irritations • for the temporary relief of burning and irritation due to dryness of the eye • for use as a protectant against further irritation or to relieve dryness of the eye

**Warnings**  
For external use only.  
Do not use if solution changes color or becomes cloudy.  
Ask a doctor before use if you have narrow angle glaucoma.  
**When using this product**  
• to avoid contamination, do not touch tip to any surface  
• replace cap after using  
• overuse may produce increased redness of the eye  
• pupils may become temporarily enlarged.  
**Stop use and ask a doctor if**  
• you experience eye pain  
• you experience changes in vision  
• you experience continued redness or irritation of the eye  
• the condition worsens or symptoms last for more than 72 hours  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** Instill 1 to 2 drops in the affected eye(s) up to four times daily.

**Other information** • store at 20°-25°C (68°-77°F)  
• remove contact lenses before using

**Inactive ingredients** benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**Questions?** 1-877-274-1787 Cleareyes.com

BOTTLE IMAGE IS ACTUAL SIZE

UP TO 12 HOURS OF SOOTHING COMFORT



**— MAXIMUM —  
REDNESS  
RELIEF**

To open cap, push down and turn.



6 78112 25510 8

UP TO 12 HOURS OF SOOTHING COMFORT

MAXIMUM strength

TRANSFORM YOUR DAY™



**CLEAR EYES®**

**— MAXIMUM —  
REDNESS  
RELIEF**

LUBRICANT/REDNESS RELIEVER EYE DROPS

relieves redness,  
dryness, burning & irritation

STERILE 1 fl oz (30mL)

## CLEAR EYES MAXIMUM REDNESS RELIEF

naphazoline hydrochloride and glycerin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67172-696
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NAPHAZOLINE HYDROCHLORIDE</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.3 mg in 1 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-696-01	1 in 1 CARTON	09/01/2010	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:67172-696-02	1 in 1 CARTON	09/01/2010	
2		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	09/01/2010	

**Labeler** - Prestige Brands Holdings, Inc. (159655021)

Revised: 6/2023

Prestige Brands Holdings, Inc.