

CALCIUM POLYCARBOPHIL- calcium polycarbophil tablet, film coated
CVS Pharmacy, Inc

0339-CVS

Drug Facts

Active ingredient (in each caplet)

Calcium polycarbophil 625 mg (equivalent to polycarbophil 500 mg)

Purpose

Bulk-forming laxative

Uses

relieves occasional constipation (irregularity)

generally produces bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

When using this product

- do not use for more than 7 days unless directed by a doctor

Stop use and ask a doctor if

you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

☐ take each dose of this product with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.

Adults and children 12 years of age and over	2 caplets, 1 to 4 times per day. Do not take more than 8 caplets in a 24-hour period unless directed by a doctor.
children under 12 years of age	ask a doctor

Other information

☐ **each caplet contains:** calcium 125 mg

☐ do not use if printed seal under cap is torn or missing ☐ store in a dry place at 15° - 30°C (59° - 86°F)

☐ protect contents from moisture

Inactive ingredients

caramel, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, polyethylene glycol, silicon dioxide, sodium lauryl sulfate, stearic acid, talc.

Questions or comments?

1-800-231-4670

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

*CVS™ is not affiliated with the owner of the registered trademark FiberCon®.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2026 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

Compare to FiberCon® active ingredient*

CVS™

NDC 69842-846-02

FIBER LAXATIVE

Plus Calcium

Calcium Polycarbophil, 625 mg

Bulk-Forming Laxative

Fiber Therapy for Regularity

250 CAPLETS

Compare to FiberCon® active ingredient*




actual size

FIBER LAXATIVE
Plus Calcium
Calcium Polycarbophil, 625 mg
Bulk-Forming Laxative

Fiber Therapy for Regularity

250 CAPLETS

NDC 69842-846-02

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.PesticideWarnings.ca.gov.

Drug Facts

Active ingredient (in each caplet)
Calcium polycarbophil 625 mg (equivalent to polycarbophil 500 mg) Bulk-forming laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing, if you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have: ■ abdominal pain, nausea, or vomiting ■ a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

When using this product do not use for more than 7 days unless directed by a doctor

Stop use and ask a doctor if you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take each dose of this product with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.

Adults and children 12 years of age and over
2 caplets, 1 to 4 times per day. Do not take more than 8 caplets in a 24-hour period unless directed by a doctor.

Children under 12 years of age
ask a doctor

Other information ■ each caplet contains: calcium 125 mg ■ do not use if printed seal under cap is torn or missing ■ store in a dry place at 15° - 30°C (59° - 86°F) ■ protect contents from moisture

Inactive ingredients caramel, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, polyethylene glycol, silicon dioxide, sodium lauryl sulfate, stearic acid, talc.

Questions or comments? 1-800-231-4670

*CVS™ is not affiliated with the owner of the registered trademark FiberCon®.



8818
#593765
0 50428 00246 9

Distributed by: CVS Pharmacy, Inc.
10000 Woodloch Forest Dr., Suite 100
© 2015 CVS Pharmacy, Inc., Woonsocket, RI 02896
CVS.com™ 1-800-SHOP-CVS
V-300287

100% money back guaranteed.
CVS.com/returnpolicy

CALCIUM POLYCARBOPHIL

calcium polycarbophil tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-846
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)	CALCIUM POLYCARBOPHIL	625 mg

Inactive Ingredients

Ingredient Name	Strength
CARAMEL (UNII: T9D99G2B1R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CROSPVIDONE (UNII: 2S7830E561)	
TALC (UNII: 7SEV7J4R1U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	

Product Characteristics

Color	white (off white)	Score	2 pieces
Shape	OVAL	Size	19mm
Flavor		Imprint Code	CPC;339
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-846-02	250 in 1 BOTTLE; Type 0: Not a Combination Product	05/17/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/17/2021	

Labeler - CVS Pharmacy, Inc (062312574)

Revised: 1/2026

CVS Pharmacy, Inc