

**ANTIMONIUM TARTARICUM - antimony potassium tartrate pellet**

**Remedy Makers**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**ANTIMONIUM TARTARICUM 30C (Antimony Potassium Tartrate)**

Free from yeast, wheat, corn, and soy.

**DIRECTIONS:** Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician.

Children 2 years and older take 1/2 adult dose.

**INDICATIONS:** To be used according to standard homeopathic indications for self limiting conditions such as those indicated on the front panel or as directed by a physician.

**Warnings:** \*Use only if cap and seal are unbroken. \* Keep this and all medications out of reach of children.

\* If symptoms persist for more than 3 days, consult your physician.

\*As with any drug, if your are pregnant or nursing a baby, seek the advice of a health professional before using this product.\*Store tightly closed in a cool, dark place.

Made according to The Homeopathic Pharmacopoeia of the United States by: Remedy Makers, Pomona, CA 91768

REMEDY MAKERS™



NDC 10191-1845-2

**ANTIMONIUM TAR-  
TARICUM**

*(Antimony Potassium Tartrate)*

**RATTLING COUGH,  
BRONCHITIS, CONGESTION,  
OR OTHER INDICATIONS**

**30CH**

Approx. 1.0 x 10<sup>16</sup> g per gram  
2 Drams (1/4 ounce)

Approx. (167 PELLETS)  
Lot# LA-LABLD-Exo-12/2018

www.remedymakers.com  
HOMEOPATHIC  
MEDICINE

Free from yeast, wheat, corn, and soy.

**DIRECTIONS:** Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

**INDICATIONS:** To be used according to standard homeopathic indications for self-limiting conditions such as those indicated on the front panel or as directed by a physician.

**Warnings:** \*Use only if cap and seal are unbroken. \*Keep this and all medications out of reach of children. \*If symptoms persist for more than 3 days, consult your physician.

\*As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product. \*Store tightly closed in a cool, dark place.

Made according to The Homeopathic Pharmacopoeia of the United States by Remedy Makers, Pomona, CA 91768



**ANTIMONIUM TARTARICUM**

antimony potassium tartrate pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10 191-1845
<b>Route of Administration</b>	SUBLINGUAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	30 [hp_C]

### Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10 191-1845-2	167 in 1 VIAL, GLASS		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		04/23/2003	

**Labeler** - Remedy Makers (018543582)

Revised: 1/2010

Remedy Makers