

**STIMULANT LAXATIVE ENTERIC COATED- bisacodyl tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**441**

**Active ingredient (in each tablet)**

Bisacodyl 5 mg

**Purpose**

Stimulant Laxative

**Uses**

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use** if you cannot swallow without chewing

**Ask a doctor before use if you have**

- stomach pain, nausea, vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

**When using this product** • do not chew or crush tablet(s)

- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

**Stop use and ask a doctor if** • you have rectal bleeding or no bowel movement after using this product.

These could be signs of a serious condition.

- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water
- **do not take more than directed**
- adults and children 12 years and older: take 1 to 3 tablets in a single daily dose
- children 12 and under: ask a doctor

**Other information**

- store at controlled room temperature 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity

- package not child resistant

## Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, corn starch, D&C yellow #10 lake, FD&C yellow #6 lake, hypromellose, iron oxide black, lactose, magnesium stearate, methylparaben, PEG, polydextrose, polyvinyl acetate phthalate, propylparaben, propylene glycol, povidone, shellac, simethicone, silica, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate, wax.

## Questions or comments?

1-800-540-3765

## Package Label

NDC 57896-441-01

**GERI CARE®**

---

**BISACODYL 5 mg**  
STIMULANT LAXATIVE  
Enteric Coated Tablets

Compare to active ingredient  
in **Dulcolax®** Laxative \*

100 Tablets

**Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

*Drug Facts*

**Active ingredient (in each tablet) Purpose**  
Bisacodyl 5 mg.....Stimulant Laxative

**Uses** • for relief of occasional constipation and irregularity • this product generally produces bowel movement in 6 to 12 hours

**Warnings**  
Do not use if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea, vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

**When using this product** • do not chew or crush tablets(s) • do not use within 1 hour after taking an antacid or milk • it may cause stomach discomfort, faintness and cramps

**Stop use and ask a doctor if** • you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. • you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

\*This product is not manufactured or distributed by the owner registered trademark DULCOLAX®.

Dist. by: Geri-Care Pharmaceuticals Corp.  
1295 Towbin Avenue, Lakewood, NJ 08701

3 57896 44101 2

PEEL HERE FOR MORE DRUG FACTS

REV 1023L

**Drug Facts (continued)**

**Directions** • take with a glass of water  
• do not take more than directed  
• adults and children 12 years and older: take 1 to 3 tablets in a single daily dose  
• children 12 and under: ask a doctor

**Other information**

- store at controlled room temperature 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- package not child resistant

**Inactive ingredients:** acacia, ammonium hydroxide, calcium carbonate, corn starch, D&C yellow #10 lake, FD&C yellow #6 lake, hypromellose, iron oxide black, lactose, magnesium stearate, methylparaben, PEG, polydextrose, polyvinyl acetate phthalate, propylparaben, propylene glycol, povidone, shellac, simethicone, silica, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate, wax.

**Questions or comments? 1-800-540-3765**

STOP PEELING

# STIMULANT LAXATIVE ENTERIC COATED

bisacodyl tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-441
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ACETATE PHTHALATE</b> (UNII: 58QVG85GW3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	5
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-441-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2011	
2	NDC:57896-441-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2016	
3	NDC:57896-441-25	1 in 1 CARTON	07/01/2015	
3		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:57896-441-26	25 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2017	
5	NDC:57896-441-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2000	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 11/2024

Geri-Care Pharmaceutical Corp