

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES IVORY- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES BEIGE- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES ALMOND- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES OCHER- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES MOCHA- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES DARK- octinoxate and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLÉ DE PEAU BEAUTÉ RADIANT CORRECTOR FOR EYES

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 1.9%	Sunscreen
TITANIUM DIOXIDE 2.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIMETHICONE•BUTYLENE GLYCOL•GLYCERIN•DIISOSTEARYL MALATE•PEG-9
POLYDIMETHYLSILOXYETHYL DIMETHICONE•PEG-10 DIMETHICONE•SORBITAN
SESQUIISOSTEARATE•TRIMETHYLSILOXYSILICATE•DIMETHICONE/VINYL
DIMETHICONE CROSSPOLYMER•TREHALOSE•CRATAEGUS MONOGYNA FLOWER
EXTRACT•SODIUM ACETYLATED HYALURONATE•ZINGIBER AROMATICUS
EXTRACT•PEG/PPG-14/7 DIMETHYL ETHER•ROSA ROXBURGHII FRUIT
EXTRACT•POLYQUATERNIUM-51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED
SILK•CAPRYLYL METHICONE•ALUMINUM HYDROXIDE•DISTEARDIMONIUM
HECTORITE•POLYSILICONE-2•STEARIC ACID•TRISODIUM EDTA•SODIUM
CITRATE•BHT•ALCOHOL•CITRIC ACID•TOCOPHEROL•TALC•SODIUM
METABISULFITE•HYDROGEN DIMETHICONE•TIN
OXIDE•THEANINE•PHENOXYETHANOL•METHYLPARABEN•ETHYLPARABEN•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503


PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - IVORY

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.



PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - BEIGE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made using bagasse paper (a non-wood paper).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A.

G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive Ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - GLYCERIN - DIMETHYLUMINYL DIOSYESTEARUM MALATE - PEG-5 POLYDIMETHYLSILOXANE DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOSEARATE - TRIMETHYLSILOXYLICATE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - TRIETHYLENE GLYCOL - CRATAEGUS MONOGYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINC OXIDE - ZINC OXIDE/AROMATIC EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHILION PROTEIN - HYDROLYZED SILK - CAPRYLYL METHICONE - ALUMINUM HYDROXIDE - DIETHYLAMMONIUM HECTOATE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM CITRATE - BHT - ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFITE



radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Drug Facts (continued)

Inactive Ingredients

HYDROGEN DIMETHICONE - TIN OXIDE - THEANINE - PHENOXETHANOL - METHYLPARABEN - ETHYLPARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

- Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mmハーフ 15mmX37.5mm+7mm

7 30852 14600 6

Questions or Comments? Call toll free 1-800-906-7503

Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

BEIGE

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
BEIGE

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14601 www.cledepeau-beaute.com

14601-41-5040
AAA

標準サイズ1.0倍 8mmハーフ 15mmX37.5mm+7mm

7 30852 14601 3

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - ALMOND

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY



This package is made using bagasse paper (a non-wood paper).

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A.

G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive Ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - GLYCERIN - DIMETHYL DIMETHICONE - PEG-9 POLYDIMETHYLSILOXANETHYL DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOESTEARATE - TRIMETHYLSILOXYSULFATE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - TREHALOSE - CRATAEGUS MONOGYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINCBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-61 - HYDROLYZED CONCHILIN PROTEIN - HYDROLYZED SILK - CARRHYLL METHICONE - ALUMINUM HYDROXIDE - DISTEAROXYDIMUM HECTORITE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM ESTER - SODIUM CITRATE - BHT - ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFATE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Drug Facts (continued)

Inactive Ingredients

HYDROXY
DIMETHICONE - TIN OXIDE - THEANINE - PHENOXETHANOL - METHYLPARABEN - ETHYLPARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

- Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14600 6

Call toll free 1-800-906-7503

Questions or Comments?

Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

ALMOND

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
ALMOND

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14602
www.cledepeau-beaute.com

14602-41-5040
AAA

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14602 0

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - OCHER

clé de peau

BEAUTÉ

radiant corrector

for eyes

BROAD SPECTRUM

SPF 28

SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made using recycled paper (except paper).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - Glycerin - DIMETHOXYL MALATE - PEG-9 - POLYDIMETHYSILOXANETHYL DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOESTEARATE - TRIMETHYLSILOXYSULFATE - DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER - TRIHALOSE - CRATAEGUS MONOCYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINGIBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGH FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHUIN PROTEIN - HYDROLYZED SILK - CARBONYL METHACRYLATE - ALLUMINUM HYDROXIDE - DISTEAROYL DIMONIUM HEPTOATE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM OXIDE - BHT - ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFITE

Drug Facts (continued)

Inactive ingredients

HYDROGEN DIMETHICONE - DIMETHOXYL - PHENOL - PHENOL/ETHANOL - METHYL PARABEN - ETHYL PARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08OZ.

標準サイズ1.0倍 8mmハ
15mmX37.5mm+7mm

7 30852 14600 6

Call toll free 1-800-906-7503

Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

OCHER

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
OCHER

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14603
www.cledepeau-beaute.com

14603-41-5040
AAA

標準サイズ1.0倍 8mmハ
15mmX37.5mm+7mm

7 30852 14603 7

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - MOCHA

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM

SPF 28

SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made using recycled paper (except paper).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - GINGERIN - DIMETHOXYL MALATE - PEG-9 - POLYDIMETHYSILOXETHYL DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOESTEARATE - TRIMETHYLSILOXYSULFATE - DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER - TRIHALOSE - CRATAEGUS MONOCYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINGIBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGH FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHILIN PROTEIN - HYDROLYZED SILK - CARBONYL METHACRYLATE - ALLUMINUM HYDROXIDE - DISTEAROYL DIMONIUM HEPTOATE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM CITRATE - BHT - ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFITE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08OZ.

Drug Facts (continued)

Inactive ingredients

HYDROGEN DIMETHICONE - MINOXIDE - PHEANILE - PHENOXYETHANOL - METHYL PARABEN - ETHYL PARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm/バー
15mm X 37.5mm X 7mm

7 30852 14600 6

Questions or Comments?
Call toll free 1-800-906-7503
Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

MOCHA

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
MOCHA

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14604
www.cledepeau-beaute.com

14604-41-5040
AAA

標準サイズ1.0倍 8mm/バー
15mm X 37.5mm X 7mm

7 30852 14604 4

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - DARK

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM

SPF 28

SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made using bagasse paper (a fiber-based paper).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. GLO. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - GLYCERIN - DIMETHYL DIMETHACRYLATE - PEG-9 POLYDIMETHYLSILOXANE - DIMETHYL DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOESTEATE - TRIMETHYLSILOXYSULFONATE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - TREHALOSE - CRATAEGUS MONOGYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINGIBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROOIBURGH FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED COCHINEAL PROTEIN - HYDROLYZED SILK - CAPRYLYL METHACRYLATE - ALUMINUM HYDROXIDE - DISTEAROYL DIMONIUM HECTOATE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM CITRATE - BHT - ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFITE

Drug Facts (continued)

Inactive ingredients

HYDROGEN DIMETHICONE - TIN OXIDE - PHEANINE - PHENOXETHANOL - METHYL PARABEN - ETHYL PARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14600 6

Drug Facts (continued)
Questions or Comments?
Call toll free 1-800-906-7503

14600-41-5040
AAA

radiant corrector for eyes

DARK

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
DARK

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. GLO. 14605 www.cledepeau-beaute.com

14605-41-5040
AAA

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14605 1

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES IVORY

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-421
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISO STEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSLINKED POLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYL PARABEN (UNII: A2I8C7H9T)	
ETHYL PARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-421-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part352	06/01/2018		

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES BEIGE			
octinoxate and titanium dioxide cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-422
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C0OX)			
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)			
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
TREHALOSE (UNII: B8WCK70T7I)			
CRATAEGUS MONO GYNA FLOWER (UNII: NT52AMP29J)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PRI6QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7H9T)
ETHYL PARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-422-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES ALMOND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-423
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)
TREHALOSE (UNII: B8WCK70T7I)
CRATAEGUS MONO GYNA FLOWER (UNII: NT52AMP29J)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7H9T)
ETHYL PARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-423-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES OCHER

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-424
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUISOESTEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYL PARABEN (UNII: A2I8C7H9T)	
ETHYL PARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-424-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES MOCHA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-425
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONO GYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PRI6QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7H9T)
ETHYL PARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-425-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES DARK

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-426
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	

DIISO STEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
CRATAEGUS MONO GYNA FLOWER (UNII: NT52AMP29J)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7HI9T)
ETHYL PARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-426-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

SHISEIDO AMERICA INC.	782677132	MANUFACTURE(58411-421, 58411-422, 58411-423, 58411-424, 58411-425, 58411-426) , ANALYSIS(58411-421, 58411-422, 58411-423, 58411-424, 58411-425, 58411-426)
--------------------------	-----------	---

Revised: 5/2018

SHISEIDO AMERICAS CORPORATION