

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES IVORY- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES BEIGE- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES ALMOND- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES OCHER- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES MOCHA- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES DARK- octinoxate and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

CLÉ DE PEAU BEAUTÉ RADIANT CORRECTOR FOR EYES

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 1.9%	Sunscreen
TITANIUM DIOXIDE 2.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIMETHICONE•BUTYLENE GLYCOL•GLYCERIN•DIISOSTEARYL MALATE•PEG-9
POLYDIMETHYLSILOXYETHYL DIMETHICONE•PEG-10 DIMETHICONE•SORBITAN
SESQUIISOSTEARATE•TRIMETHYLSILOXYSILICATE•DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER•TREHALOSE•CRATAEGUS MONOGYNA FLOWER EXTRACT•SODIUM
ACETYLATED HYALURONATE•ZINGIBER AROMATICUS EXTRACT•PEG/PPG-14/7
DIMETHYL ETHER•ROSA ROXBURGHII FRUIT EXTRACT•POLYQUATERNIUM-
51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED SILK•CAPRYLYL
METHICONE•ALUMINUM HYDROXIDE•DISTEARDIMONIUM HECTORITE•POLYSILICONE-
2•STEARIC ACID•TRISODIUM EDTA•SODIUM CITRATE•BHT•ALCOHOL•CITRIC
ACID•TOCOPHEROL•TALC•SODIUM METABISULFITE•HYDROGEN DIMETHICONE•TIN
OXIDE•THEANINE•PHENOXYETHANOL•METHYLPARABEN•ETHYLPARABEN•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - IVORY

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY



This package is made using bagasse paper (a non-wood paper).

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose

OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.
SHISEIDO AMERICAS

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - GLYCERIN - DIISOSTEARYL MALATE - PEG-9 - POLYDIMETHYLSILOXANETHYL DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOSTEARATE - TRIMETHYLSILOXANESULFONATE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - TREHALOSE - CRATAEGUS MONOGYNA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINGIBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHILINUM PROTEIN - HYDROLYZED SILK - CAPRYLYL METHICONE - ALUMINUM HYDROXIDE - DISTEARDIMONIUM HECTORITE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM CITRATE - BHT - ALCOHOL - CITRIC ACID

Drug Facts (continued)

Inactive ingredients

HYDROGEN DIMETHICONE - TIN OXIDE - THEANINE - PHENOXYETHANOL - METHYLPARABEN - ETHYLPARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other information

- protect this product in this container from excessive heat and direct sun.

• Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.




radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

標準サイズ1.0倍 8mmバー
15mm X 37.5mm X 7mm

7 30852 14600 6



PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - BEIGE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY



This package is made using bagasse paper (a non-wood paper).

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

■ children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • DIMETHYLSEALATE • PEG-9 • POLYDIMETHYLSILOXYMETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOESTEARATE • TRIMETHYLSILOXYSULFATE • DIMETHICONE/VINYL DIMETHICONE • DIMETHICONE • CROSSPOLYMER • TREHALOSE • CRATAEGUS MONOGYNA FLOWER EXTRACT • SODIUM ACETYLATED HYALURONATE • ZINGIBER AROMATICUS EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • CAPRYLYL METHICONE • ALUMINUM HYDROXIDE • DISTEARDIMONIUM HECTOATE • POLYSILOXANE-2 • STEARIC ACID • TRISODIUM EDTA • SODIUM CITRATE • BHT • ALCOHOL • CITRIC ACID • TOCOPHEROL • TALC • SODIUM METABISULFITE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Questions or Comments?
Drug Facts (continued)
Call toll free 1-800-906-7503

14600-41-5040
AAA

Drug Facts (continued)

Inactive ingredients

HYDROGEN DIMETHICONE • TIN OXIDE • THEANINE • PHENOXETHANOL • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

■ protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

横溝サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14600 6

radiant corrector for eyes

BEIGE

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
BEIGE

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14601
www.cledepeau-beaute.com

14601-41-5040
AAA

横溝サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14601 3

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - ALMOND

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.



radiant corrector for eyes

IVORY

This package is made using bagasse paper (a non-wood paper).

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • DIISOSTEARYL MALATE • PEG-9 • POLYDIMETHYLSILOXANEMETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOESTEARATE • TRIMETHYLSILOXYSULFATE • DIMETHICONE/VINYL DIMETHICONE • CROSSPOLYMER • TREHALULOSE • CRATAEGUS MONOGYNA FLOWER EXTRACT • SODIUM ACETYLATED HYALURONATE • ZINCIBER AROMATICUS EXTRACT • PEG/PPG-14/2 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHUJIN PROTEIN • HYDROLYZED SILK • CAPRYLYL METHICONE • ALUMINUM HYDROXIDE • DIBUTYLSEBIACATE • PANTOTHENIC ACID • TRISODIUM EDTA • SODIUM CITRATE • BHT • ALCOHOL • CITRIC ACID • TOCOPHEROL • TALC • SODIUM METABISULFITE



radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Drug Facts (continued)

Inactive ingredients

HYDROXYEN DIMETHICONE • DIN OODIE • THEANINE • PHENOXIMETHANOL • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity or application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14600 6

Call toll free 1-800-906-7503
Questions or Comments?
Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

ALMOND

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
ALMOND

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14602
www.cledepeau-beaute.com

14602-41-5040
AAA

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14602 0

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - OCHER

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made from recycled beverage paper (6 non-wood papers).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only**
- Do not use on damaged or broken skin
 - When using this product keep out of eyes. Rinse with water to remove.
 - Stop use and ask a doctor if rash occurs
 - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • Glycerin • DIMETHOXYETHANOL • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSTEARATE • TRIMETHYLSILOXYSILICATE • DIMETHICONE/PVME • DIMETHICONE • CROSSPOLYMER • TREHALOSE • CRATAEGUS MONOSYNA FLOWER EXTRACT • SODIUM ACETYLATED HYALURONATE • ZINGIBER AROMATICUS EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGH FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • CAPRYLYL METHICONE • ALUMINUM HYDROXIDE • DISTEARDIMONIUM HEPTOATE • POLYSILOXANE-2 • STEARIC ACID • SODIUM EDTA • SODIUM CITRATE • BUTYLALCOHOL • CITRIC ACID • TOCOPHEROL • CALCIUM METABISULFITE



radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Drug Facts (continued)

Inactive Ingredients

HYDROGEN DIMETHICONE • TIN OXIDE • THEANINE • PHENOXIMETHANOL • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

- Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14600 6

Call toll free 1-800-906-7503

Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

OCHER

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
OCHER

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10022 MADE IN U.S.A. G.L.O. 14603
www.cledepeau-beaute.com

14603-41-5040
AAA

標準サイズ1.0倍 8mm×15mm×37.5mm+7mm

7 30852 14603 7

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - MOCHA

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY

This package is made using recycled beverage paper (a non-wood paper).



clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

G.L.O. 14600

www.cledepeau-beaute.com

Drug Facts (continued)

Directions

- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • Glycerin • DISOCTYL SEBACATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISUBSEBACATE • TRIMETHYLSILOXYSILICATE • DIMETHICONE/PVME • DIMETHICONE • CROSSPOLYMER • TREHALOSE • CRATAEGUS MONOSYNA FLOWER EXTRACT • SODIUM ACETYLATED HYALURONATE • ZINGIBER AROMATICUS EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGH FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED GINCHOUIN PROTEIN • HYDROLYZED SILK • CAPRYLYL METHICONE • ALUMINUM HYDROXIDE • DISTYRENDIMONIUM HEPTOATE • POLYSILOXANE-2 • STEARIC ACID • SODIUM EDTA • SODIUM CITRATE • BHT • ALCOHOL • CITRIC ACID • TOCOPHEROL • TALC • SODIUM METABISULFITE

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Drug Facts (continued)

Inactive Ingredients

HYDROGEN DIMETHICONE • TIN OXIDE • THEANINE • PHENOXIMETHANOL • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

- Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm×
15mm×37.5mm±7mm

7 30852 14600 6

Call toll free 1-800-906-7503

Drug Facts (continued)

14600-41-5040
AAA

radiant corrector for eyes

MOCHA

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
MOCHA

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14604
www.cledepeau-beaute.com

14604-41-5040
AAA

標準サイズ1.0倍 8mm×
15mm×37.5mm±7mm

7 30852 14604 4

PRINCIPAL DISPLAY PANEL - 2.2 mL Tube Carton - DARK

clé de peau
BEAUTÉ

radiant corrector
for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

radiant corrector for eyes

IVORY



This package is made from recycled, biobased paper (6 non-wood papers).

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
IVORY

Drug Facts

Active Ingredients Purpose
OCTINOXATE 1.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

READ INSERTION.
SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14600
www.cledepeau-beaute.com

Drug Facts (continued)

Directions

■ on children under 6 months: Ask a doctor

Inactive Ingredients

WATER - DIMETHICONE - BUTYLENE GLYCOL - Glycerin - DIMETHOXYETHYLUMALATE - PEG-9 POLYDIMETHYLSILOXANE - DIMETHICONE - PEG-10 DIMETHICONE - SORBITAN SESQUISOSEARATE - TRIMETHYLSILOXYSILICATE - DIMETHICONE/UMIL DIMETHICONE CROSSPOLYMER - TREHALOSE - CRATAEGUS MONOSYMA FLOWER EXTRACT - SODIUM ACETYLATED HYALURONATE - ZINGIBER AROMATICUS EXTRACT - PEG/PPG-14/7 DIMETHYL ETHER - ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHOLIN PROTEIN - HYDROLYZED SILK - CAPRYLYL METHICONE - ALUMINUM HYDROXIDE - DNSTEARARDIUMUM HEGTORITE - POLYSILOXANE-2 - STEARIC ACID - TRISODIUM EDTA - SODIUM CITRATE - BUTYL ALCOHOL - CITRIC ACID - TOCOPHEROL - TALC - SODIUM METABISULFITE

clé de peau
BEAUTÉ

radiant corrector for eyes

BROAD SPECTRUM
SPF 28
SUNSCREEN

2.2mL NET WT. .08 OZ.

Questions or Comments?
Call toll free 1-800-906-7503

14600-41-5040
AAA

Drug Facts (continued)

Inactive Ingredients

HYDROGEN DIMETHICONE - TIN OXIDE - THEANINE - PHENOLMETHANOL - METHYLPARABEN - ETHYLPARABEN - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

■ protect this product in this container from excessive heat and direct sun.

Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.

標準サイズ1.0倍 8mm×
15mm×37.5mm+7mm
7 30852 14600 6

標準サイズ1.0倍 8mm×
15mm×37.5mm+7mm
7 30852 14605 1

radiant corrector for eyes

DARK

clé de peau BEAUTÉ
RADIANT CORRECTOR
FOR EYES
BROAD SPECTRUM SPF 28
SUNSCREEN
DARK

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
G.L.O. 14605
www.cledepeau-beaute.com

14605-41-5040
AAA

標準サイズ1.0倍 8mm×
15mm×37.5mm+7mm
7 30852 14605 1

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES IVORY

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-421
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-421-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES BEIGE

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-422
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	

POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-422-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES ALMOND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-423
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-423-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES OCHER

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-424
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C0OX)			
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)			
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
TREHALOSE (UNII: B8WCK70T7I)			
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)			
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)			
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
ALCOHOL (UNII: 3K9958V90M)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)			
TALC (UNII: 7SEV7J4R1U)			
SODIUM METABISULFITE (UNII: 4VON5FNS3C)			
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)			
STANNIC OXIDE (UNII: KM7N50LOS6)			
THEANINE (UNII: 8021PR16QO)			

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-424-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES MOCHA

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-425
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients		
Ingredient Name		Strength
WATER (UNII: 059QF0KO0R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
GLYCERIN (UNII: PDC6A3C0OX)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)		
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
TREHALOSE (UNII: B8WCK70T7I)		
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)		

SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
TALC (UNII: 7SEV7J4R1U)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
STANNIC OXIDE (UNII: KM7N50LOS6)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-425-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CORRECTOR FOR EYES DARK

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-426
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	48 mg in 2.2 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 2.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
CRATAEGUS MONOGYNA FLOWER (UNII: NT52AMP29J)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-426-60	1 in 1 CARTON	06/01/2018	
1		2.2 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2018	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-421, 58411-422, 58411-423, 58411-424, 58411-425, 58411-426) , analysis(58411-421, 58411-422, 58411-423, 58411-424, 58411-425, 58411-426)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION