

**TRIPLE ANTIBIOTIC PLUS MAXIMUM STRENGTH- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment
H E B**

HEB Triple Antibiotic Plus Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredient

white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to active ingredients in Neosporin®

Maximum Strength

H-E-B® Triple Antibiotic Plus

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

First Aid Antibiotic

Pain Relieving Ointment


Maximum Strength

H-E-B® Triple Antibiotic Plus

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

NET WT. 1 OZ (28g)

First Aid Antibiotic
Pain Relieving Ointment



TRIPLE ANTIBIOTIC PLUS MAXIMUM STRENGTH
bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-679
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	WHITE (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-679-64	1 in 1 CARTON	11/05/2010	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/05/2010	

Labeler - H E B (007924756)