COLGATE TOTAL WHITENING FRESH BOOST- stannous fluoride gel, dentifrice Colgate-Palmolive Company

Colgate® Total Whitening Fresh Boost

Drug Facts

Active ingredient

Stannous Fluoride 0.454% (0.15% w/v fluoride ion)

Purposes

Anticavity, Antigingivitis, Antisensitivity

Uses

- aids in the prevention of cavities
- helps prevent gingivitis
- helps interfere with harmful effects of plaque associated with gingivitis
- builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact

Warnings

When using this product for sensitivity, do not use longer than 4 weeks unless recommended by a dentist.

Stop use and ask a dentist if the sensitivity problem persists or worsens.

Sensitive teeth may indicate a serious problem that may need prompt care by a dentist.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a dentist if

- gingivitis, bleeding, or redness persists for more than 2 weeks
- you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs of periodontitis, a serious form of gum disease.

Directions

- adults and children 12 years of age and older: apply at least a 1-inch strip of the product onto a soft bristled toothbrush. Brush teeth thoroughly for at least 1 minute twice a day (morning and evening) or as recommended by a dentist. Make sure to brush all sensitive areas of the teeth.
- do not swallow.
- children under 12 years of age: consult a dentist.

Other information

- products containing the stannous fluoride may produce surface staining of the teeth.
 Adequate toothbrushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.
- this Colgate product is specially formulated to help prevent staining.

Inactive ingredients

Water, Sorbitol, Hydrated Silica, Glycerin, PEG-12, Tetrasodium Pyrophosphate, Flavor, Sodium Lauryl Sulfate, Zinc Phosphate, Cellulose Gum, Sodium Citrate, Microcrystalline Cellulose, Sodium Saccharin, Cocamidopropyl Betaine, Xanthan Gum, Citric Acid, Mica, Sucralose, Blue 1, Titanium Dioxide, Yellow 10.

Questions?

1-800-468-6502

Dist. by:

COLGATE-PALMOLIVE CO.

New York, NY 10022 U.S.A.

PRINCIPAL DISPLAY PANEL - 144 g Tube Carton

Colgate[®]

Anticavity, Antigingivitis and Antisensitivity Toothpaste

Total

24

HR

ANTIBACTERIAL PROTECTION[†]

WHITENING

+ FRESH BOOST

ADA

Accepted

American

Dental

Association ®

✓CAVITIES ✓PLAQUE ✓GINGIVITIS ✓ENAMEL
✓TARTAR ✓FRESH BREATH ✓WHITENS ✓SENSITIVITY RELIEF

NET WT 5.1 OZ (144 g)

GEL



✓ CAVITIES ✓ PLAQUE ✓ GINGIVITIS ✓ ENAMEL





WHITENING +FRESH BOOST

NET WT 5.1 OZ (144g) GEL









ANTIBACTERIAL PROTECTION[†]

WHITENING +FRESH BOOST

NET WT 5.1 OZ (144 g)





✓ CAVITIES ✓ PLAQUE ✓ GINGIVITIS ✓ ENAMEL √TARTAR ✓FRESH BREATH ✓WHITENS ✓SENSITIVITY RELIEF

Colgate

Whole Mouth Health‡ Fights bacteria on: & TEETH & TONGUE & CHEEKS & GUMS

GLUTEN FREE SUGAR FREE RESPONSIBLY MADE





PROUDLY MADE BY AMERICAN WORKERS





Your community may not yet accept tubes for recycling. Check locally. Learn more at Colgate.com/goodnes

Drug Facts

Active ingredient Stannous Fluoride 0.454%...... (0.15% w/v fluoride ion) Purposes Anticavity, Antigingvitis, Antisensitivity

Uses

- Uses
 sids in the prevention of cavities
 helps prevent ginguits
 helps interfere withmermful effects of plaque associated with gingivitit
 builds increasing protection against painful sensitivity of the teeff to
 cold, heat, acids, sweets, or contact

Warnings

When using this product for sensitivity, do not use longer than 4 weeks unless recommended by a dentist.

Drug Facts (continued)

Stop use and ask a dentist if the sensitivity problem persists or worsers. Sensitive teeth may indicate a serious problem that may need prompt care by a dentist. Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a dentist if • gingvitis, bleeding, or refuess persists for more that 2 weeks • you have painful or wadkin gums, but from the gum life, loose beth, or increasing spacing between the teeth. These may be signs of periodortitis, a serious form of gum disease.

Directions

acults and dildren 12 years of age and older apply at least a 1-inch strip of the product orde a soft bristle floorthoush. Brush teeth thoroughly for at least 1 minute twice a day from ring and evening or as recommended by a dentist.

Wake sure to brush all sensitive areas of the teeth.

do not owallow.

children under 12 years of age: consult a dentist.

Drug Facts (continued)

Other information

products containing stannous fluoride may produce surface staining of the teeth. Adequate toothbrushingmay prevent these stans which are not harmful or permanert and may be removed by your sentist, this Colgate product is specially formulated to help prevent staining.

Inactive ingredients Water, Sorbitol, Hydrated Silica Glysefin, PEG-12, Tetrasodium Pyrophosphale, Flavor, Sodium Lauryl Sulfate, Zinc Phosphate, Celulose Gum, Sodium Citrate, Microcrystalfine Celulose, Sodium Sacciarin, Cocamidiopropyl Betaine, Xanthan Gum, Citric Acid, Mica, Sucralose, Blue 1,

Questions? 1-800-468-6502

ada

Helps prevent and reduce pl


tps reduce tooth sensitiv Helps remove tooth surface si

Hidps redike plaque flat leads to qinglivilis; rotifies erransi; helps relieve sensitivily with continued see, Noi intended for preventionor treatment of nore serious oral conditions. fwith twice daily brushing after 4 weeks of use. 5 to learn more, visit www.coignlepaimolive.com/responsibly-made









COLGATE TOTAL WHITENING FRESH BOOST

stannous fluoride gel, dentifrice

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35000-179
Route of Administration	DENTAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
STANNOUS FLUORIDE (UNII: 3FTR44B32O) (FLUORIDE ION - UNII: 080VPU408O)	FLUORIDE ION	1.1 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
SODIUM PYROPHOSPHATE (UNII: O352864B8Z)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ZINC PHOSPHATE (UNII: 1E2MCT2M62)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

SUCRALOSE (UNII: 96K6UQ3ZD4)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	

Product Characteristics			
Color	GREEN	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35000-179- 48	1 in 1 CARTON	12/01/2021	12/30/2024
1		136 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:35000-179- 66	1 in 1 CARTON	12/27/2021	12/31/2026
2		144 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:35000-179- 65	2 in 1 CARTON	11/26/2021	12/31/2026
3		144 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH DRUG	M021	11/26/2021	12/31/2026	

Labeler - Colgate-Palmolive Company (001344381)

Revised: 9/2024 Colgate-Palmolive Company