

**BANDA-SIL GEL SILVER WOUND DRESSING- argentum metallucum gel  
AG Essence Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Directions:**

Clean wound area of dirt and debris. Apply a layer of hydrogel to the affected area. Cover with a sterile gauze or appropriate secondary dressing and secure in place. Banda-Sil Silver Wound Gel may be left in place for up to 3 days. Change more frequently depending on wound drainage.

**Indications for use:**

For relief of symptoms due to wounds, burns, scrapes, ulcerations or minor infections.

**Disclaimer:** These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease.

**Warnings:** For external use only. Keep out of reach of children. Consult a doctor if condition worsens or does not improve in seven (7) days. Ask a doctor for before use if you have deep or puncture wounds serious bleeding or serious burns.

Complex Ag 21, Agua, Polycationic Polymers, Glycerin, L-Arginine

**Indications:** For relief of these symptoms due to minor wounds, burns, scrapes, ulcerations or minor infections.

Burning Stinging

Itching Redness

Minor Pain

Minor Inflammation

**Warnings:** For external use only. Keep out of reach of children.

Topical Antiseptic

Homeopathic Medicine

**Active:** Argentum Metallucum (Metallic Silver 10X 20X 30X HPUS)

**Banda-Sil Silver Wound Gel Box**



**SILVER GEL**

**SILVER GEL**

**SILVER GEL**

**SILVER GEL**

PROMOTES HEALTHY HEALING

PROMOTES HEALTHY HEALING

PROMOTES HEALTHY HEALING

PROMOTES HEALTHY HEALING

HOMEOPATHIC MEDICINE

NATURALLY DERIVED + NON-TOXIC + HYPOALLERGENIC

**BANDA-SIL**  
SILVER WOUND GEL

**Drug Facts**

**Active Ingredient . . . Purpose**  
Argentum Topical  
Metallicum Antiseptic  
(Metallic Silver  
10X 20X 30X HPUS)

Argentum Metallicum is officially approved by the Homeopathic Pharmacopoeia Convention of the United States (HPCUS) for all indications below.

**Indications for use:** For relief of these symptoms due to minor wounds, burns, scrapes, ulcerations, or minor infections.  
■ burning\* ■ stinging\*  
■ itching\* ■ redness\*  
■ minor pain\*  
■ minor inflammation\*

\*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**Inactive Ingredients:** Complex Ag21, Water, Polycationic Polymers, Glycerin, L-Arginine

**Warnings: For External Use Only. Keep out of reach of children.**

Consult a doctor if condition worsens or does not improve in seven (7) days. Ask a doctor before use if you have deep or puncture wounds, serious bleeding, or serious burns.

Homeopathic Medicine



HOMEOPATHIC MEDICINE

NATURALLY DERIVED + NON-TOXIC + HYPOALLERGENIC

**BANDA-SIL**  
SILVER WOUND GEL

**DIRECTIONS FOR USE:**

Clear wound area of dirt and debris.

Apply a layer of hydrogel to the affected area.

Cover with a sterile gauze or appropriate secondary dressing and secure in place.

Banda-Sil® Silver Wound Gel may be left in place for up to 3 days.

Change more frequently depending on wound drainage.

Store at room temperature 55-88° F (13-31°C)

Keep out of direct sunlight.

Banda-Sil® Silver Wound Gel is photosensitive and will darken with prolonged exposure to light. This does not affect the performance of the gel.

Staining may occur on light-colored clothing or surfaces.

Manufactured in the USA and distributed by Banda-Sil, LLC Sandston, VA 23150 USA

Any questions?  
Call us at 1-855-326-7855 or email us at [info@bandasilusa.com](mailto:info@bandasilusa.com)  
[bandasilwoundcare.com](http://bandasilwoundcare.com)



NET WT. 0.75 OZ (21.5 G)



## Banda-Sil Silver Wound Gel

### Ingredients:

ACTIVE: Argentum Metallicum 10x, 20x and 30x HPUS

INACTIVE: Ag21 Complex, Aqua, Polycationic Polymers, Glycerin, L-Arginine

### Purpose

Gel Wound Dressing

Homeopathic medicine

### Warnings:

For external use only

Keep out of reach of children

## BANDA-SIL GEL SILVER WOUND DRESSING

argentum metallucum gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72363-004
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SILVER</b> (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	1 g in 21.5 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ARGININE</b> (UNII: 94ZLA3W45F)	0.215 g in 21.5 g
<b>WATER</b> (UNII: 059QF0KO0R)	16.835 g in 21.5 g
<b>POLYQUATERNIUM-4 (1600 MPA.S AT 2%)</b> (UNII: YE8J8372VI)	1.5 g in 21.5 g
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	1.95 g in 21.5 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72363-004-03	1 in 1 BOX	06/30/2021	
1	NDC:72363-004-01	21.5 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/25/2021	

**Labeler** - AG Essence Inc (068562165)

## Establishment

Name	Address	ID/FEI	Business Operations
AG Essence Inc.		068562165	manufacture(72363-004)

Revised: 4/2024

AG Essence Inc