

ANTICAVITY FLUORIDE RINSE- sodium fluoride mouthwash
Lidl US, LLC

Dentalux_Lidl 163.005/163AF-AG
Anticavity Fluoride Rinse

Active Ingredient

Sodium fluoride 0.02% w/v (0.01% fluoride ion)

Purpose

Antcavity

Use

aids in the prevention of dental cavities

Warnings

for this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use twice daily after brushing your teeth with a toothpaste
- vigorously swish 10 ml (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit it out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- store at controlled room temperature 20° - 25° C (68° - 77° F)
- cold weather may temporarily cloud this product

Inactive ingredients

water, alcohol (21.6 %v/v), sorbitol, poloxamer 407, eucalyptol, flavor, methyl salicylate, menthol, phosphoric acid, sodium saccharin, thymol, disodium phosphate, sucralose, red 40, blue 1

Questions?

Call 1-844-344-5071

Disclaimer

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Listerine .

Adverse Reactions

DISTRIBUTED BY

Lidl US, LLC

Arlington, VA 22202

1-844-344-5071

www.Lidl.com

Lidl Love it! Guarantee

- money refunded
- item replaced

save.water.lidl

how2recycle.info

Discard Seal, Empty & Replace Cap

Plastic Bottle

DSP-TN-21091 DSP-MO-20087

Principal display panel

ANTICAVITY MOUTHWASH

SODIUM FLUORIDE AND ACIDULATED PHOSPHATE TOPICAL SOLUTION

ANTICAVITY FLUORIDE

by LIDL

COMPARE TO LISTERINE TOTAL CARE ANTICAVITY MOUTHWASH

Kills Bad Breath and Strengthens Teeth to Help Prevent Cavities

- Helps restore enamel
- Helps prevent cavities

IMPORTANT: read directions for proper use

33.8 FL OZ (1.06 QT) 1L



principal display panel

dentalux

by LIDL ® MUTLI-CARE

SODIUM FLUORIDE AND ACIDULATED PHOSPHATE TOPICAL SOLUTION

ANTIICAVITY FLUORIDE MOUTHWASH

Compare to Listerine ® Total Care Anticavity Mouthwash*

- Kills bad breath
- Strengthen teeth
- Helps resotre enamel
- Helps prevent cavities

Sealed with printed neckband for your protection

Helps prevent cavities, restores enamel, & kills bad breath germs

NDC 71141-159-32

33.8 FL OZ (1.06 QT) 1L

dentaurx

by **LIDL**[®]

MULTI-CARE

SODIUM FLUORIDE AND ACIDULATED
PHOSPHATE TOPICAL SOLUTION

ANTICAVITY FLUORIDE MOUTHWASH



- Kills bad breath
- Strengthens teeth
- Helps restore enamel
- Helps prevent cavities

**Helps prevent
cavities, restores
enamel, &
kills bad
breath germs**

SEALED WITH
PRINTED NECKBAND
FOR YOUR PROTECTION

NDC 71141-150-02
L0020910FA

33.8 FL OZ (1.06 QT) 1L

Drug Facts

Active ingredient

Sodium fluoride 0.02% w/v (0.01% w/v fluoride ion).....

Purpose

Anticavity

Use aids in the prevention of dental cavities

Warning

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use twice daily after brushing your teeth with toothpaste
 - vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - do not eat or drink for 30 minutes after rinsing
 - instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
 - supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information

- store at controlled room temperature 20°-25° C (68°-77° F)
- cold weather may temporarily cloud this product

Inactive ingredients water, alcohol (21.6 %v/v), sorbitol, poloxamer 407, eucalyptol, flavor, methyl salicylate, menthol, phosphoric acid, sodium saccharin, thymol, disodium phosphate, sucralose, red 40, blue 1

Questions? Call 1-844-344-5071

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Listerine®

DISTRIBUTED BY
LIDL US, LLC
ARLINGTON, VA 22202
1-844-344-5071
www.lidl.com

L0020918BA 5107803



LIDL
Love it!
— Guarantee —

- ✓ money refunded
- ✓ item replaced

DSP-TN-21091 DSP-MO-20087

ANTICAVITY FLUORIDE RINSE

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71141-159
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
EUCALYPTOL (UNII: RV6J6604TK)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
MENTHOL (UNII: L7T10EIP3A)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
THYMOL (UNII: 3J50XA376E)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71141-159-32	1000 mL in 1 PACKAGE; Type 0: Not a Combination Product	02/09/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/09/2017	

Labeler - Lidl US, LLC (079389709)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(71141-159)

Revised: 2/2026

Lidl US, LLC