

**ACID CONTROLLER COMPLETE DUAL ACTION- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**Walgreen Company**

-----  
**Walgreen Co. Acid Controller Complete Drug Facts**

**Active ingredient (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purpose**

Acid reducer

Antacid

**Uses**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens

- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: calcium 320 mg; magnesium 70 mg
- Phenylketonurics: Contains phenylalanine 2.2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

DUAL ACTION

Acid Controller Complete

Famotidine 10 mg / Calcium Carbonate 800 mg / Magnesium Hydroxide 165 mg Tablets

Acid Reducer + Antacid

Just one tablet relieves heartburn due to acid indigestion

50 CHEWABLE TABLETS

Actual Size

BERRY FLAVOR

Compare to Pepcid Complete® active ingredients



WALGREENS PHARMACIST RECOMMENDED\*

**DUAL ACTION**

# Acid Controller Complete

Famotidine 10 mg / Calcium Carbonate 800 mg /  
Magnesium Hydroxide 165 mg Tablets  
Acid Reducer + Antacid

- Just one tablet relieves heartburn due to acid indigestion

**50 CHEWABLE TABLETS**

Actual Size  **BERRY FLAVOR**

Compare to Pepcid Complete® active ingredients<sup>‡</sup>

NDC 0363-0321-71

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts (continued)**


**Inactive ingredients**  
anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**  
1-800-719-9260

Gluten Free  
\*Walgreens Pharmacist Survey Study, November 2012.  
‡‡ This product is not manufactured or distributed by Johnson & Johnson • MERCK Consumer Pharmaceuticals Co., distributor of Pepcid Complete®.  
DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2013 Walgreen Co.

32171 94 F2

3



ITEM 287456

191716017

7

ORG0713-F

**PEEL BACK HERE**

**Drug Facts** DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each chewable tablet)	Purpose
Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**  
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

**Do not use**  
 ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.  
 ■ These may be signs of a serious condition. See your doctor. ■ with other acid reducers

**Ask a doctor before use if you have** ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with lightheadedness, sweating, or dizziness  
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**  
 ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**  
 ■ adults and children 12 years and over:  
 ■ do not swallow tablet whole: chew completely  
 ■ to relieve symptoms, chew 1 tablet before swallowing  
 ■ do not use more than 2 chewable tablets in 24 hours  
 ■ children under 12 years: ask a doctor

**Other information**  
 ■ each tablet contains: calcium 320 mg; magnesium 70 mg  
 ■ Phenylketonurics: Contains phenylalanine 2.2 mg per tablet  
 ■ read the directions and warnings before use  
 ■ read the bottle label. It contains important information.  
 ■ store at 20-25°C (68-77°F)  
 ■ protect from moisture

## ACID CONTROLLER COMPLETE DUAL ACTION

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0321
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

## Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
DEXTRATES (UNII: G263MI44RU)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

## Product Characteristics

Color	PINK (mottled)	Score	no score
Shape	ROUND (bi-layered)	Size	17mm
Flavor	BERRY	Imprint Code	L321
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0321-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	07/31/2008	
2	NDC:0363-0321-65	30 in 1 BOTTLE; Type 0: Not a Combination Product	11/12/2008	
3	NDC:0363-0321-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2013	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	07/30/2008	

**Labeler** - Walgreen Company (008965063)