NIGHTTIME SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled SPIRIT PHARMACEUTICALS LLC

NIGHTTIME SLEEP-AID

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCL 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. 1(800)222-1222

Directions

• adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Inactive ingredients

FD&C Blue#1, gelatin, glycerin, polyethylene glycol-400, propylene glycol, sorbitol, titanium dioxide, water

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL

NDC 68210-4160-8

Maximum Strength

Nighttime Sleep-aid

Diphenhydramine HCl 50 mg - Nighttime Sleep-Aid

Helps you fall asleep Safe, Effective & Non-habit forming

8 softgels

one softgel per dose



NDC 68210-4160-8

Maximum Strength

Nighttime Sleep-aid

Diphenhydramine HCI 50 mg - Nighttime Sleep-Aid

Helps you fall asleep Safe, Effective & Non-habit forming

8 softgels one softgel per dose



NIGHTTIME SLEEP AID

diphenhydramine hydrochloride capsule, liquid filled

| Product | Information |
|---------|-------------|
|---------|-------------|

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68210-4160 |
|--------------|----------------|--------------------|----------------|
| | | | |

Route of Administration ORAL

| Activa | Ingredient/Active | MAIATV |
|--------|-----------------------|--------|
| ACLIVE | III GI EGIETIL/ACTIVE | MOIELV |

| Ingredient Name Basis of Strength Strength |
|--|
|--|

DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

DIPHENHYDRAMINE HYDROCHLORIDE

50 mg

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | |
| GELATIN (UNII: 2G86QN327L) | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | |
| SORBITOL (UNII: 506T60A25R) | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |
| WATER (UNII: 059QF0KO0R) | | | |

| Product Characteristics | | | | |
|-------------------------|------|--------------|----------|--|
| Color | blue | Score | no score | |
| Shape | OVAL | Size | 13mm | |
| Flavor | | Imprint Code | 206;903 | |
| Contains | | | | |

| l | Packaging | | | | |
|---|-----------|----------------------|--|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:68210- 4160-8 | 1 in 1 CARTON | 06/14/2021 | |
| | 1 | | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M010 | 06/14/2021 | |
| | | | |

Labeler - SPIRIT PHARMACEUTICALS LLC (179621011)

Revised: 12/2023 SPIRIT PHARMACEUTICALS LLC