

**KANDESN CC CREAM MEDIUM- sunscreen broad spectrum spf30 cream**  
**Sunrider Manufacturing L.P.**

-----  
**Kandesn CC Cream Medium**

**USES**

**USES:**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreased the risk of skin cancer and early skin aging caused by the sun.

**DIRECTIONS**

**DIRECTIONS:**

- apply liberally 15 minutes before sun exposure
- Reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

**ACTIVE INGREDIENTS:**

Titanium Dioxide 11.4%

Zinc Oxide 5.5%

**OTHER INGREDIENTS:**

Water (Deionized)

Caprylic/Capric Triglyceride,

Octyldodecyl Neopentanoate,

VP/Eicosene Copolymer,

Cyclopentasiloxane,

Glyceryl Stearate,

PEG-100 Stearate,

Squalane (Veg. Origin),

Cetyl Alcohol,

Iron Oxides (CI 77491, 77492, 77499)

Dimethicone,

Alumina,  
Glycerin,  
Olea Europaea (Olive) Fruit Oil,  
Persea Gratissima (Avocado) Oil,  
Simmondsia Chinensis (Jojoba) Seed Oil,  
Tocopheryl Acetate (Natural),  
Phenoxyethanol,  
Magnesium Aluminum Silicate,  
Polyhydroxystearic Acid,  
Phenyl Trimethicone,  
Citric Acid,  
Hexyldecanol,  
Ticaxan Xanthan Powder  
Cyclomethicone,  
Propylene Glycol,  
Tocopherol,  
Lysine PCA,  
Ceramide-3,  
Panicum Miliaceum (Millet) Seed Extract,  
Ceratonia Siliqua (Carob) Gum,  
Phospholipids,  
Ruscus Aculeatus Root Extract (Butcherbroom),  
Avena Sativa (Oat) Kernel Protein,  
Symphytum Officinale Extract (Comfrey),  
Plantago Ovata Seed Extract (Plantain),  
Hydrolyzed Wheat Protein,  
Xanthan Gum,  
Trisodium EDTA,  
Triethoxycaprylylsilane,  
Ethylhexylglycerin,  
d-Tocopherol (Vitamin E)  
Lysine PCA,  
Natural Scent Green Tea,

Cucumber Sage  
Sodium Benzoate Powder NF,  
Panicum Miliaceum (Millet) Seed Extract,  
Ceramide 3,  
Cellulose Gum,  
Phospholipids,  
TEA-Carbomer,  
Melon Berry,  
Silica,  
Avena Sativa (Oat) Kernel Protein,  
Sodium Polyacrylate,  
Ruscus Aculeatus Root Extract (Butcherbroom),  
Symphytum Officinale Rhizome (Comfrey) Root Extract,  
Hydrolyzed Wheat Protein,  
Plantago Ovata (Plantain) Seed Extract,  
Ceratonia Siliqua (Carob) Gum,  
Potassium Sorbate,  
Proline,  
Serine,  
Glutamine,  
Leucine

**WARNINGS:**

FOR EXTERNAL USE ONLY

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

**CC Cream Medium**

Kandesn®

# CC CREAM

SUNSCREEN  
BROAD SPECTRUM  
SPF 30

medium

1.25 fl. oz./37 mL

## Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## Other information

- protect this product from excessive heat and direct sun

Manufactured by  
Sunrider Manufacturing, L.P.  
Midlothian, Texas 76065, USA  
Product Inquiry: 1-310-781-8096



**SUNRIDER®**

US S870770134



### Drug Facts

(continued)

#### Inactive ingredients

Water (Deionized), Caprylic/Capric Triglyceride, Octyldodecyl Neopentanoate, VP/Eicosene Copolymer, Cyclopentasiloxane, Glyceryl Stearate, PEG-100 Stearate, Squalene (Nag. Origin), Cetyl Alcohol, Iron Oxides (CI 77491, 77492, 77499), Dimethicone, Alumina, Glycerin, Olea Europaea (Olive) Fruit Oil, Persea Gratissima (Avocado) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopheryl Acetate (Natural), Phenoxethanol, Magnesium Aluminum Silicate, Polyhydroxysebacic Acid, Phenyl Trimethicone, Citric Acid, Hexyldecylol, Tocosan Xanthan Powder, Cyclomethicone, Propylene Glycol, Tri sodium EDTA, Triethoxycaprylsilane, Ethylhexylglycerin, d-Tocopherol (Vitamin E), Lysine PCA, Natural Soant Green Tea, Cucumber Sage, Sodium Benzoate Powder NF, Pancreum Milaceum (Millet) Seed Extract, Ceramide 3, Cellulose Gum, Phospholipids, TEA-Carbomer, Melon Berry, Slicia, Avena Sativa (Oat) Kernel Protein, Sodium Polyacrylate, Ruscus Aculeatus Root Extract (Butcherbroom), Symphytum Officinale Rhizome (Comfrey) Root Extract, Hydrolyzed Wheat Protein, Plantago Ovata (Plantain) Seed Extract, Ceratonia Siliqua (Carob) Gum, Potassium Sorbate, Poline, Serine, Glutamine, and Leucine.

#### Other information

- protect this product from excessive heat and direct sun

#### Questions or comments?

Call 1-310-781-8096



SUNRIDER®

#### Recommendation:

Wear it alone or apply over your favorite moisturizer. For gentle, efficient removal, use any makeup remover. For moderate coverage, smooth on bare skin or mix with your moisturizer. For full coverage, wear under a foundation.



the  
beauty  
within™

Manufactured by  
Sunrider Manufacturing, L.P.  
Midlothian, Texas 76065  
USA



US S870770034

Kandesn®

CC  
CREAM

SUNSCREEN  
BROAD SPECTRUM  
SPF 30

medium

1.25 fl. oz. / 37 mL

### Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 8.38%	Sunscreen
Zinc Oxide 4.6%	

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor



Please recycle.

KANDESN CC CREAM MEDIUM

sunscreen broad spectrum spf30 cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name		Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE 114 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE 55 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
CAROB (UNII: 5MG5Z946UO)	
PROLINE (UNII: 9DLQ4CIU6V)	
WATER (UNII: 059QF0KO0R)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SQUALANE (UNII: GW89575KF9)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
IRON OXIDES (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALUMINA (UNII: LMI26O6933)	
GLYCERIN (UNII: PDC6A3C0OX)	
OLEA EUROPAEA (OLIVE) FRUIT OIL (UNII: 6UYK2W1W1E)	
PERSEA GRATISSIMA (AVOCADO) OIL (UNII: 6VNO72PFC1)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CITRIC ACID (UNII: 2968PHW8QP)	
HEXYLDECANOL (UNII: 151Z7P1317)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TRISODIUM EDTA (UNII: 420IP921MB)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

<b>.DELTA.-TOCOPHEROL</b> (UNII: JU84X1IION)	
<b>LYSINE PCA</b> (UNII: 89WUG4A348)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>SAGE OIL</b> (UNII: U27K0H1H2O)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>MILLET</b> (UNII: TJR6B3R47P)	
<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>EGG PHOSPHOLIPIDS</b> (UNII: 1Z74184RGV)	
<b>CARBOMER</b> (UNII: 0A5MM307FC)	
<b>MELON</b> (UNII: 5CIT1X6U5V)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>RUSCUS ACULEATUS ROOT</b> (UNII: ZW12V95I1Q)	
<b>COMFREY ROOT</b> (UNII: M9VVZ08EKQ)	
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW)</b> (UNII: J2S07SB0YL)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>PLANTAGO OVATA SEED</b> (UNII: UD50RBY30F)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>GLUTAMINE</b> (UNII: ORH81L854J)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-013-01	1 in 1 PACKAGE	12/20/2021	
1		41.75 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part352	09/01/2016	

**Labeler** - Sunrider Manufacturing L.P. (786951475)