

**MEIJER SPF 70- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Avobenzone 3.0% Homosalate 15.0% Octisalate 5.0% Octocrylene 10.0% Oxybenzone 6.0%

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn. If used as directed, with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only. Do not use on damaged or broken skin.

**When using this product**

Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Inactive ingredients**

Water, Glyceryl Stearate, Microcrystalline Cellulose, Butylene Glycol, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Diethylhexyl Syringylidenemalonate, Behenyl Alcohol, Butylated PVP, Palmitic Acid, Stearic Acid, C12-16 Alcohols, Cellulose Gum, Caprylic/Capric Triglyceride, Lecithin, Retinyl Palmitate, Tocopherol, Sodium Ascorbyl Phosphate, Disodium EDTA, Chlorphenesin.

**Other Information**

protect this product from excessive heat and direct sun

**Principle Display Panel**



Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzene 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.	
<b>Directions</b> • apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor	
<b>Inactive ingredients</b> Water, Glyceryl Stearate, Microcrystalline Cellulose, Butylene Glycol, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Diethylhexyl Syringidene malonate, Behenyl Alcohol, Butylated PVP, Palmitic Acid, Stearic Acid, C12-16 Alcohols, Cellulose Gum, Caprylic/Capric Triglyceride, Lecithin, Retinyl Palmitate, Tocopherol, Sodium Ascorbyl Phosphate, Disodium EDTA, Chlorphenesin.	
<b>Other information</b> • protect this product from excessive heat and direct sun	
Made in USA	
DST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER AVE NW GRAND RAPIDS, MI 49544 www.meijer.com	

## MEIJER SPF 70

avobenzene, homosalate, octisalate, octocrylene, oxybenzone lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-017
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 mL in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 mL in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mL in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 mL in 100 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-100 STEARATE (UNII: YD01N1999R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
DOCOSANOL (UNII: 9G10E216XY)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
C12-16 ALCOHOLS (UNII: S4827SZE3L)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-017-56	236 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2012	

**Labeler** - Meijer Distribution Inc (006959555)