

HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid Walgreens

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a dentist or doctor

Other information

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

3% Hydrogen Peroxide

TOPICAL SOLUTION USP

FIRST AID ANTISEPTIC

ORAL DEBRIDING AGENT

- Use as a gargle or rinse
- For treatment of minor cuts & abrasions

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

FL OZ (mL)

DISTRIBUTED BY: WALGREEN CO.,

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Package Label

VALUE SIZE

NDC 0363-0268-32

Walgreens

3% Hydrogen Peroxide

TOPICAL SOLUTION USP
FIRST AID ANTISEPTIC
ORAL DEBRIDING AGENT

- For treatment of minor cuts & abrasions
- Use as a gargle or rinse

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

PLD-D220C LB008531

32 FL OZ (1 QT) 946 mL

Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient

Hydrogen peroxide 3%.....First aid antiseptic/oral debriding agent

Purpose

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

- Do not use**
- in the eyes or apply over large areas of the body
 - longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years should be supervised in the use of this product
- children under 2 years of age: consult a doctor or dentist

Other information

■ keep tightly closed and in a dark place at room temperature

■ do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.
Walgreens Pharmacist Recommended.
Our pharmacists recommend the Walgreens brand. W3ORG0821-F
ITEM 911447 W10369-0819-F PLD-E220C LB008532



WALGREENS 3% Hydrogen Peroxide

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2015	
2	NDC:0363-0268-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	04/30/2015	

Labeler - Walgreens (008965063)

Revised: 2/2025

Walgreens