

BIOCENCE- eucalyptol thymol spray
Bio-Germ Protection LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

BIOCENCE (as PLD) - LIQUID (59998-202)

ACTIVE INGREDIENTS

EUCALYPTOL 0.091%

THYMOL 0.063%

PURPOSE

ANTISEPTIC

USES

- A MULTIPLE USE ANTISEPTIC
- CONTAINING PREPARATION DESIGNED FOR FREQUENT USE WITHOUT WATER AS AN ANTISEPTIC HANDWASH AND FIRST AID ANTISEPTIC.
- HELPS TO PROTECT AGAINST SKIN INFECTION AND TO HELP PREVENT CROSS CONTAMINATION IN CUTS, SCRAPES, BURNS, AND OR SECONDARY INFECTIONS.

WARNINGS

FOR EXTERNAL USE ONLY.

- DO NOT USE IN EYES OR APPLY OVER LARGE AREAS OF THE BODY.
- IN CASE OF DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS BURNS, CONSULT A PHYSICIAN.
- STOP OR CONSULT A PHYSICIAN IF CONDITIONS PERSIST OR GET WORSE.
- DO NOT USE LONGER THAN ONE WEEK UNLESS DIRECTED BY A PHYSICIAN.

- KEEP OUT OF REACH OF CHILDREN.
- IF SWALLOWED GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- CLEAN THE AFFECTED AREA.
- APPLY A SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1 TO 3 TIMES DAILY.
- BANDAGE LIGHTLY.
- KEEP BANDAGE WET WITH SOLUTION.
- SPRAY A SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1 TO 3 TIMES DAILY.
- MAY BE COVERED WITH STERILE BANDAGE.

- IF BANDAGED, LET DRY FIRST.

OTHER INFORMATION

- SHAKE WELL BEFORE USE.
- STORE AT 1-50°C (33-122°F)

INACTIVE INGREDIENTS

BEESWAX, CASTOR OIL (RICINUS COMMUNIS), CITRUS GRANDIS, EUCALYPTUS RADIATA LEAF OIL, GAULTHERIA PROCUMBENS (WINTERGREEN) LEAF OIL, GLYCERIN, LIMONENE, MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL, MENTHA PIPERITA (PEPPERMINT) OIL, ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT, THYMUS VULGARIS (THYME) OIL, TWEEN, WATER (AQUA).

QUESTIONS?

CALL (844) BIOCENTE/ (844) 246-2362 P.S.T. 9AM - 5PM MONDAY-THURSDAY OR VISIT WWW.BIOCENTE.COM

<p>Directions ■ Clean the affected area. ■ Apply a small amount of this product on the area 1 to 3 times daily. ■ Bandage lightly. ■ Keep bandage wet with solution. ■ May be covered with sterile bandage. ■ If bandaged, let dry first.</p>	<p>NDC: 59998-102-13</p> <p>BIOCENTE</p> <p>WS Multi-use Selective Antibacterial / Antiviral Human OTC Drug^{***}</p> <p>Safely Eradicates 99.9%</p> <p>of Multi-Resistant Organism (MDRO's) that cause majority of HAI's and CAI's in 30 seconds or less.^{***}</p> <p>ADVANCE WOUND CARE TECHNOLOGY FOR WOUNDS AND OSTOMY SITES</p> <p>Increasing patient and healthcare provider safety while facilitating healing time and outcome.^{***}</p> <p>Designed To Give Protection through Prevention with Treatment.</p> <p>^{***} In Clinical Studies^{***}</p> <p>Non-Alcohol Base, Apply and Let Dry™ (100 ml)</p> <p>UNSPSC 851115 : CONTAGIOUS DISEASE PREVENTION AND CONTROL</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Eucalyptol 0.091%.....</td> <td>Antiseptic</td> </tr> <tr> <td>Thymol 0.063%</td> <td>Antiseptic</td> </tr> </tbody> </table>	Active Ingredients	Purpose	Eucalyptol 0.091%.....	Antiseptic	Thymol 0.063%	Antiseptic
Active Ingredients		Purpose						
Eucalyptol 0.091%.....		Antiseptic						
Thymol 0.063%	Antiseptic							
<p>Other Information</p> <p>■ Shake well before use.</p> <p>■ Store at 1-50° C (33-122° F)</p>	<p>Uses ■ A multiple use antiseptic. ■ Containing preparation designed for frequent use without water as an antiseptic hand-wash and first aid antiseptic. ■ Helps to protect against skin infection and to help prevent cross contamination in cuts, scrapes, burns and or secondary infections.</p>							
<p>Inactive ingredients</p> <p>Beeswax, Castor Oil (Ricinus Communis), Citrus Grandis, Eucalyptus Radiata Leaf Oil, Gaultheria Procumbens (Wintergreen) Leaf Oil, Glycerin, Limonene, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita (Peppermint Oil), Rosmarinus Officinalis (Rosemary) Leaf Oil, Thymus Vulgris (Thyme) Oil, Tween, Purified Water (USP).</p>	<p>Warnings</p> <p>For external use only. ■ Do not use in eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a physician. ■ Stop or consult a physician if conditions persists or get worse. ■ Do not use longer than one week unless directed by a physician. ■ Keep out of reach of children. ■ If swallowed get medical help or contact a Poison Control Center right away.</p>							
<p>Questions? Call 844-246-2362 P.S.T. 9AM-5PM Monday-Thursday or visit www.biocence.com</p>	<p>© 2014 Biocence Technology All Rights Reserved Manufactured for: Biocence Technology Santa Monica CA 90403 Made in the USA</p>							

<p>NDC: 59998-102-12</p> <p>BIOCENTE</p> <p>WS Multi-use Selective Antibacterial / Antiviral Human OTC Drug^{***}</p> <p>Safely Eradicates 99.9%</p> <p>of Multi-Resistant Organism (MDRO's) that cause majority of HAI's and CAI's in 30 seconds or less.^{***}</p> <p>^{***} In Clinical Studies^{***}</p>	<p>ADVANCE WOUND CARE TECHNOLOGY FOR WOUNDS AND OSTOMY SITES</p> <p>Increasing patient and healthcare provider safety while facilitating healing time and outcome.^{***}</p> <p>Designed To Give Protection through Prevention with Treatment.</p> <p>Non-Alcohol Base, Apply and Let Dry™ (50 ml)</p> <p>UNSPSC 851115 : CONTAGIOUS DISEASE PREVENTION AND CONTROL</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Eucalyptol 0.091%.....</td> <td>Antiseptic</td> </tr> <tr> <td>Thymol 0.063%</td> <td>Antiseptic</td> </tr> </tbody> </table> <p>Uses ■ A multiple use antiseptic. ■ Containing preparation designed for frequent use without water as an antiseptic hand-wash and first aid antiseptic. ■ Helps to protect against skin infection and to help prevent cross contamination in cuts, scrapes, burns and or secondary infections.</p> <p>Warnings</p> <p>For external use only. ■ Do not use in eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a physician. ■ Stop or consult a physician if conditions persists or get worse. ■ Do not use longer than one week unless directed by a physician. ■ Keep out of reach of children. ■ If swallowed get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ Clean the affected area. ■ Apply a small amount of this product on the area 1 to 3 times daily. ■ Bandage lightly. ■ Keep bandage wet with solution. ■ May be covered with sterile bandage. ■ If bandaged, let dry first.</p>	Active Ingredients	Purpose	Eucalyptol 0.091%.....	Antiseptic	Thymol 0.063%	Antiseptic	<p>Other Information</p> <p>■ Shake well before use.</p> <p>■ Store at 1-50° C (33-122° F)</p> <p>Inactive ingredients</p> <p>Beeswax, Castor Oil (Ricinus Communis), Citrus Grandis, Eucalyptus Radiata Leaf Oil, Gaultheria Procumbens (Wintergreen) Leaf Oil, Glycerin, Limonene, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita (Peppermint Oil), Rosmarinus Officinalis (Rosemary) Leaf Oil, Thymus Vulgris (Thyme) Oil, Tween, Purified Water (USP).</p> <p>Questions? Call 844-246-2362 P.S.T. 9AM-5PM Monday-Thursday or visit www.biocence.com</p> <p>© 2014 Biocence Technology All Rights Reserved Manufactured for: Biocence Technology Santa Monica CA 90403 Made in the USA</p>
		Active Ingredients	Purpose						
Eucalyptol 0.091%.....	Antiseptic								
Thymol 0.063%	Antiseptic								
<p>© 2014 Biocence Technology All Rights Reserved Manufactured for: Biocence Technology Santa Monica CA 90403 Made in the USA</p>									

NDC: 59998-102-10

BIOCENCE

WS Multi-use Selective Antibacterial / Antiviral Human OTC Drug**

Safely Eradicates 99.9%
of Multi-Resistant Organism (MDRO's) that cause majority of HAI's and CAI's in 30 seconds or less.***

ADVANCE WOUND CARE TECHNOLOGY FOR WOUNDS AND OSTOMY SITES

Increasing patient and healthcare provider safety while facilitating healing time and outcome.***

Designed To Give Protection through Prevention with Treatment.

Non-Alcohol Base, Apply and Let Dry™ (10 ml)

UNSPSC 851115: CONTAGIOUS DISEASE PREVENTION AND CONTROL

Drug Facts	
Active Ingredients	Purpose
Eucalyptol 0.091% Thymol 0.063%	Antiseptic Antiseptic
Uses ■ A multiple use antiseptic. ■ Containing preparation designed for frequent use without water as an antiseptic hand-wash and first aid antiseptic. ■ Helps to protect against skin infection and to help prevent cross contamination in cuts, scrapes, burns and/or secondary infections.	
Warnings For external use only. ■ Do not use in eyes or apply over large areas of the body. ■ In case of deep or puncture wounds, animal bites or serious burns, consult a physician. ■ Stop or consult a physician if conditions persists or get worse. ■ Do not use longer than one week unless directed by a physician. ■ Keep out of reach of children. ■ If swallowed get medical help or contact a Poison Control Center right away.	

Directions ■ Clean the affected area. ■ Apply a small amount of this product on the area 1 to 3 times daily. ■ Bandage lightly. ■ Keep bandage wet with solution. ■ May be covered with sterile bandage. ■ If bandaged, let dry first.
Other Information ■ Shake well before use. ■ Store at 1-50° C (33-122° F)
Inactive Ingredients Beeswax, Castor Oil (Ricinus Communis), Citrus Grandis, Eucalyptus Radiata Leaf Oil, Gaultheria Procumbens (Wintergreen) Leaf Oil, Glycerin, Limonene, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha Piperita (Peppermint Oil), Rosmarinus Officinalis (Rosemary) Leaf Oil, Thymus Vulgris (Thyme) Oil, Tween, Purified Water (USP).
Questions? Call 844-246-2362 P.S.T. 9AM-5PM Monday-Thursday or visit www.biocence.com
© 2014 Biocence Technology All Rights Reserved Manufactured for: Biocence Technology Santa Monica CA 90403 Made in the USA

BIOCENCE

eucalyptol thymol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59998-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUCALYPTOL (UNII: RV6J6604TK) (EUCALYPTOL - UNII:RV6J6604TK)	EUCALYPTOL	0.091 g in 100 mL
THYMOL (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	0.063 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
YELLOW WAX (UNII: 2ZA36H0S2V)	
CASTOR OIL (UNII: D5340Y219G)	
GRAPEFRUIT (UNII: O82C39RR8C)	
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLV6E6)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
TEA TREE OIL (UNII: VIF565UC2G)	
THYME OIL (UNII: 2UK410MY6B)	
WATER (UNII: 059QF0KO0R)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59998-202-14	118 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/26/2012	
2	NDC:59998-202-13	100 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/26/2012	
3	NDC:59998-202-12	50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/26/2012	
4	NDC:59998-	10 mL in 1 BOTTLE, GLASS; Type 0: Not a	10/26/2012	

4	202-10	Combination Product	10/20/2012	
5	NDC:59998-202-64	1893 mL in 1 JUG; Type 0: Not a Combination Product	02/13/2020	
6	NDC:59998-202-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/06/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/26/2012	

Labeler - Bio-Germ Protection LLC (175770234)

Revised: 12/2025

Bio-Germ Protection LLC