

CAREALL ACETAMINOPHEN- acetaminophen tablet
New World Imports, Inc

Drug Facts

Active Ingredient

Acetaminophen 325mg

Purpose

Pain reliever / Fever reducer

Keep out of Reach of Children

Keep out of reach of children. Overdose warning: In case of overdose, contact a doctor or Poison Control Center immediately. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Uses

- Temporary relief of minor aches and pains associated with: headache, muscular aches, backache, minor pain from arthritis, the common cold, toothache, premenstrual and menstrual cramps
- Temporarily reduces fever

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children.

Severe liver damage may occur if:

- Adult takes more than 4,000mg of acetaminophen in 24 hours
- Child takes more than 5 doses in 24 hours
- Taken with other drugs containing acetaminophen
- Adult has 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters or rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are allergic to acetaminophen.

Ask a doctor before use if user has: liver disease

Ask a doctor or pharmacist before use if:

- the user is taking the blood thinning drug warfarin.

- is a child with pain of arthritis

Stop use and ask a doctor if:

- Adults pain gets worse or lasts for more than 10 days.
- Childs pain gets worse or last fr more than 5 days.
- Fever gets worse or lasts for more than 3 days.
- New symptoms occur.
- Redness or swelling is present.

If pregnant or breast-feeding,ask a health professional before use.

Overdose warning:taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical action is critical for adults as well as for children, even if you do not notice any signs or symptoms.

Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours while symptoms last. Do not take more than 10 tablets in 24 hours, unless directed by a doctor. do not take for more than 10 days unless directed by a doctor.

Children 6-11 years of age:Take 1 tablet every 4 to 6 hours while symptoms last. Do not take more than 5 tablets in 24 hours. Do not use more than 5 days unless directed by a doctor.

Children under 6 years of age: Ask a doctor

Corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

NDC 51824-061-01

CAREALL®
Acetaminophen

Regular Strength

- ▶ Pain Reliever
- ▶ Fever Reducer

*Compare to the active ingredient of Regular Strength Tylenol®



100 325mg Tablets

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) *Purpose*
Acetaminophen 325mg.....Pain reliever/fever reducer

Uses For the temporarily relief of minor aches and pains associated with
 ■ headache ■ muscular aches
 ■ backache ■ minor pain from arthritis ■ the common cold
 ■ toothache ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if
 ■ adult takes more than 5 doses in 24 hours, which is the maximum daily amount
 ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin reddening ■ blisters ■ rash
 if a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or non-prescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Drug Facts (continued on inside)

*This product is not distributed or manufactured by Johnson & Johnson Consumer Inc., owner of the registered trademark Regular Strength Tylenol®.

Distributed By: CareALL Products, 160 Athens Way, Nashville, TN 37228
 www.careallproducts.com



PEEL HERE Lot: 1

Drug Facts (continued)

Ask a doctor before use if the user has liver disease
 Ask a doctor or pharmacist before use if
 ■ the user is taking the blood thinning drug warfarin ■ is a child with pain of arthritis

Stop use and ask a doctor if
 ■ adult's pain gets worse or lasts more than 10 days ■ child's pain gets worse or lasts more than 5 days
 ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ any new symptoms occur

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)
Adults and children 12 years and over
 ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor

Children 6 years to under 12 years
 ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours ■ do not use for more than 5 days unless directed by a doctor

Children under 6 years
 ask a doctor

Other information ■ store at room temperature 20°–25°C (68°–77°F)

Inactive ingredients corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions/Comments Call 1-888-952-0050 Monday through Friday 9AM - 5PM

CAREALL ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-061
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

POVIDONE (UNII: FZ989GH94E)

SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (Round Circle)	Size	11mm
Flavor		Imprint Code	AZ;010
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-061-02	24 in 1 CASE	04/15/2016	
1	NDC:51824-061-01	100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/15/2016	

Labeler - New World Imports, Inc (075372276)

Revised: 12/2025

New World Imports, Inc