**BENZALKONIUM CHLORIDE AND LIDOCAINE HYDROCHLORIDE - benzalkonium chloride and lidocaine hydrochloride liquid**
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

---

**drug facts**

| **Active ingredient** | **Purpose** |
|---|---|
| Benzalkonium Cl 0.13% w/w | Antiseptic |
| lidocaine HCl 2.5% w/w | Pain reliever |


| **Active ingredient** | **Purpose** |
|---|---|
| Benzalkonium Cl 0.13% w/w | Antiseptic |
| lidocaine HCl 2.5% w/w | Pain reliever |


**Uses** first aid to help prevent skin infection, and for temporary relief of pain and itching associated with minor - cuts - scrapes - burns

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** - adults and children 2 years and older; clean the affected area; apply a small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) - children under 2 years, ask a doctor.


**Uses** first aid to help prevent skin infection, and for temporary relief of pain and itching associated with minor - cuts - scrapes - burns


**Warnings**
**For external use only.**

**Ask a doctor before use if you have** - deep or puncture wounds - animal bites - serious burns

**When using this product** - do not use in or near the eyes - do not apply over large areas of the body or in large quantities - do not apply over raw surfaces or blistered areas.

**Stop use and ask a doctor if** - condition worsens - symptoms persist for more than 7 days, or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right awayImmediately.

**Directions** - adults and children 2 years and older; clean the affected area; apply a small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first)- children under 2 years, ask a doctor.

**Other Information** protect from excessive heat

**Inactive Ingredients** disodium EDTA, fragrance, nonoxynol-9, propylene glycol, purified water

FRONT LABEL


BACK LABEL




**BENZALKONIUM CHLORIDE AND LIDOCAINE HYDROCHLORIDE**

benzalkonium chloride and lidocaine hydrochloride liquid

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:59779-255 |
| **Route of Administration** | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|---|---|
| **Ingredient Name** | **Basis of Strength** | **Strength** |
| **BENZALKONIUM CHLORIDE** (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 26 mg in 1 mL |
| **LIDOCAINE HYDROCHLORIDE** (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE | 25 mg in 1 mL |

| Inactive Ingredients | |
|---|---|
| **Ingredient Name** | **Strength** |
| **WATER** (UNII: 059QF0KO0R) | |
| **PROPYLENE GLYCOL** (UNII: 6DC9Q167V3) | |
| **EDETATE DISODIUM** (UNII: 7FLD91C86K) | |
| **NONOXYNOL-9** (UNII: 48Q180SH9T) | |

| Packaging | | | | |
|---|---|---|---|---|
| **#** | **Item Code** | **Package Description** | **Marketing Start Date** | **Marketing End Date** |
| **1** | NDC:59779-255-06 | 120 mL in 1 BOTTLE, DISPENSING | | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC monograph final | part333A | 07/08/2010 | |

## Labeler - CVS Pharmacy (062312574)

## Registrant - Pharma Pac, LLC (140807475)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Pharma Pac, LLC | | 140807475 | manufacture |

Revised: 7/2010 CVS Pharmacy