# CHLORHEXIDINE GLUCONATE SOLUTION 0.75% ANTISEPTIC- chlorhexidine gluconate solution 0.75% antiseptic solution USA Medical Supply LLC

-----

### **Drug Facts**

### Active ingredient

Chlorhexidine gluconate solution, 0.75%

### **Purpose**

**Antiseptic** 

### Use

• **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

### Warnings

### For external use only

### Allergy alert:

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

### Do not use

• if you are allergic to chlorhexidine gluconate or any other ingredient in this product

### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

### Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

• use with care in premature infants and infants under 2 months of age. These products may cause irritation or chemical burns.

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

### Inactive ingredients

citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

### Questions or comments?

call **1-800-581-2528**, 24 hours a day, 7 days a week

### Package/Label Principal Display Panel

Dr. Dean

**Chlorhexidine Gluconate** 

Solution

0.75%

Up to 6 Hour Protection

### **Antimicrobial Skin Soap**

### FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook, IL 60062

www.usamedical supply.com

4 fl oz (118 mL)

NDC 81657-001-01

**MADE IN THE USA** 

**FDA APPROVED** 

California Prop 65 WARNING

Keep from freezing.



 facial swelling healthcare personnel handwash Allergy alert: Warnings Use Chlorhexidine gluconate Drug Symptoms may include: Lift Here For Drug Facts For external use only solution, 0.75% Active ingredient wheezing/difficulty breathing facial swelling hives his product may cause a severe allergic reaction helps reduce bacteria that potentially can cause disea-Purpose

Facts

2111-800-581-2528, 24 hours a day, 7 days a week geizeast mort deas

Questions or comments?

Directions

help or contact a Poison Control Center right away Keep out of reach of children. If swallowed, get medical do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious

If solution should contact these areas, rinse out

promptly and thoroughly with water

instilled in the middle ear through perforated eardrums remain in the eye or may cause deatness when and permanent eye injury if permitted to enter and keep out of eyes, ears, and mouth. May

cause serious

When using this product

if you are allergic to chlorhexidine gluconate or any other ingredient in this product

Do not use

If an allergic reaction occurs, stop use and seek medical help right away.

Drug

Facts (continued)

use with care in premature infants or in fants under 2 months of age. These products may cause irritation o chemical burns.

 wet hands with water Healthcare personnel hand wash:

dispense about 5 mL of product into cupped hands

wash in a vigorous manner for 30 seconds

rinse and dry thoroughly

lauramine oxide, purified water, ricinoleamidopropyl fragrance, hydroxyethylcellulose, isopropyl alcohol dtric acid, cocamide DEA, FD&C yellow #5, FD&C red rimethyl ammonium chloride Inactive ingredients store at 20-25°C (68-77°F)
 avoid excessive heat above 40°C (104°F)

Other information

Dr. Dean Chlorhexidine Gluconate Solution

0.75%

Up to 6 Hour Protection

## Antimicrobial Skin Soap FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook, IL 60062

www.usamedicalsupply.com

8 fl oz (236 mL)

NDC 81657-001-02

MADE IN THE USA

**FDA APPROVED** 

California Prop 65 WARNING

Keep from freezing.



Dr. Dean

**Chlorhexidine Gluconate** 

Solution

0.75%

Up to 6 Hour Protection

**Antimicrobial Skin Soap** 

FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook, IL 60062

www.usamedicalsupply.com

### 8 fl oz (236 mL)

NDC 81657-001-04

### **MADE IN THE USA**

**FDA APPROVED** 

### California Prop 65 WARNING

Keep from freezing.



## Dr. Dean

Chlorhexidine Gluconate Solution



## Antimicrobial Skin Soap

### FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply Northbrook, IL 60062 www.usamdsupply.com



8 fl oz (236 mL)



### **Drug Facts**

### Active ingredient Purpose

Chlorhexidine gluconate solution, 0.75%.

Antiseptio

### healthcare personnel handwash:

helps reduce bacteria that potentially can cause disease

### Warnings

For external use only

### Allergy alert:

This product may cause a severe allergic reaction.

Symptoms may include:

wheezing/difficulty breathing

facial swelling

■ hives ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

MARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov



DD1010

Lift Here for **Drug Facts** 

### Drug Facts (continued)

### Do not use

if you are allergic to chlorhexidine gluconate or any other ingredient in this product

### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL (7 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds
  - rinse and dry thoroughly

### Drug Facts (continued) Other information

■ store at 20-25°C (68-77°F)

■avoid excessive heat above 40°C (104°F)

### Inactive ingredients

citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

### Questions or comments?

call 1.800.581.2528, 24 hours a day, 7 days a week

Keep from freezing.

Distributed by USA Medical Supply Northbrook, IL 60062 www.usamdsupply.com

**Chlorhexidine Gluconate** 

Solution

0.75%

Up to 6 Hour Protection

**Antimicrobial Skin Soap** 

FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook, IL 60062

www.usamedicalsupply.com

128 fl oz (3785 mL)

NDC 81657-001-03

MADE IN THE USA

FDA APPROVED

California Prop 65 WARNING

Keep from freezing.



### Keep from freezing.

▲ WARNING: This product can expose you to cocamide DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

### **CHLORHEXIDINE GLUCONATE SOLUTION 0.75% ANTISEPTIC**

chlorhexidine gluconate solution 0.75% antiseptic solution

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:81657-001(NDC:61037-414) Route of Administration TOPICAL

Active Ingredient/Active Moiety					
	Ingredient Name	Basis of Strength	Strength		

CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE -	CHLORHEXIDINE	0.75 mg
UNII:R4KO0DY52L)	GLUCONATE	in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
COCO DIETHANOLAMIDE (UNII: 92005F972D)		
HYDROXYETHYL CELLULOSE (140 CPS AT 5%) (UNII: 8136Y38GY5)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)		
RICINOLEAMIDOPROPYLTRIMONIUM CHLORIDE (UNII: 930U7D1C3U)		
WATER (UNII: 059QF0KO0R)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)		
FD&C RED NO. 4 (UNII: X3W0AM1JLX)		

	Packaging					
7	tem Code	Package Description	Marketing Start Date	Marketing End Date		
:	NDC:81657- 001-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2014			
2	NDC:81657- 001-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2014			
3	NDC:81657- 001-03	3785 mL in 1 JUG; Type 0: Not a Combination Product	09/30/2014			
4	NDC:81657- 001-04	236 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/12/2017			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020111	09/30/2014	

### **Labeler -** USA Medical Supply LLC (117790416)

Revised: 6/2021 USA Medical Supply LLC