

CARE ONE CLEARLAX- polyethylene glycol 3350 powder, for solution
American Sales Company

American Sales Company ClearLax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - do not combine with starch-based thickeners used for difficulty swallowing
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

CAREone®

Compare to the active ingredient in MiraLAX®

CLEARLAX®

Polyethylene Glycol 3350

Powder for Solution, Osmotic Laxative

Relieves Occasional Constipation/Irregularity

Softens Stool



Grit Free Unflavored Powder

30 ONCE-DAILY DOSES

Gluten Free

OUR PHARMACISTS RECOMMEND

NET WT 17.9 OZ (510g)



CARE ONE CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-306-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/09/2009	
2	NDC:41520-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/09/2009	
3	NDC:41520-306-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	08/08/2013	
4	NDC:41520-306-18	153 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2014	02/01/2014
5	NDC:41520-306-17	289 g in 1 BOTTLE; Type 0: Not a Combination Product	01/25/2014	01/25/2014
6	NDC:41520-306-19	595 g in 1 BOTTLE; Type 0: Not a Combination Product	02/09/2014	02/09/2014
7	NDC:41520-306-04	850 g in 1 BOTTLE; Type 0: Not a Combination Product	08/28/2013	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA090685	10/09/2009		

Labeler - American Sales Company (809183973)

Revised: 2/2023

American Sales Company