

GELYNAQUIN ADVANCED NF - fhj3atI51c powder, for solution **JAQUIN DE FRANCIA S A**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g

Extracto de Guarana 0.150 g

Açaí Berry 0.050 g

Vitamina C 0.020 g

Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Boroio Liofilizado 0.150 g

Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

inactive ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food an Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional

before use.

before use.

Keep out of reach of children.

Directions

Take a 15g sachet. directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.

Active Ingredients

Chontaduro Liofilizado 0.150 g

Uses

Energizing. Food based on Liquid Glucose and Malt extract with Chontaduro, Guarana, Borojo and Acai berry.

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

than 5 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Directions

Take a 15g sachet, directly, dissolved in water or natural juice.

Other Information

Store between 20-25°C (68-77°F) in a dry place out of direct sunlight.

Inactive Ingredients

Borojo Liofilizado 0.150 g
Extracto de Guarana 0.150 g
Açaí Berry 0.050 g
Vitamina C 0.020 g
Excipientes c.s.p. 15.000 g

Questions

+57 23722223 - Cra 30 No. 58 - 94
www.jaquindefrancia.com - Cali, Colombia

Claims based on traditional homeopathic practice, not accepted medical evidence. Not evaluated by the Food and Drug Administration.



GELYNAQUIN ADVANCED NF

fhj3at151c powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82017-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BOVINE TYPE I COLLAGEN (UNII: FHJ3ATL51C) (BOVINE TYPE I COLLAGEN - UNII:FHJ3ATL51C)	BOVINE TYPE I COLLAGEN	0.1 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	0.06 g in 1 g
VITAMIN D (UNII: 9VU1KI44GP)	0.0001 g in 1 g
TURMERIC (UNII: 856YO1Z64F)	0.01 g in 1 g
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	0.01253 g in 1 g

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:82017-003-01	24 g in 1 BAG; Type 0: Not a Combination Product	06/21/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/21/2021	

Labeler - JAQUIN DE FRANCIA S A (880988964)

Registrant - JAQUIN DE FRANCIA S A (880988964)

Establishment			
Name	Address	ID/FEI	Business Operations
JAQUIN DE FRANCIA S A		880988964	manufacture(82017-003)

Revised: 6/2021

JAQUIN DE FRANCIA S A