RITEAID BLACK ELDERBERRY COLD AND FLU RELIEF- bryonia, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet RITE AID CORPORATION

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

RiteAid Black Elderberry Cold + Flu Relief

Drug	Facts
Diug	Iacts

Drug Facts

Active Ingredients

Active ingredients (In each tablet)	*Purpose
Bryonia 6X HPUS	Fever, chills, scratchy throat, muscle soreness
Gelsemium sempervirens 6X, 12X, 30X	Sneezing, non-productive cough, bronchial
HPUS	irritation
Sambucus nigra 3X, 6X HPUS	Fever, nasal congestion, coughing
Sulphur 12X HPUS	Sinus pressure, sore throat, nasal pressure
Zincum gluconicum 2X, 6X HPUS	Nausea, tiredness, exhaustion, bronchial constriction

*The letters 'HPUS' indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose

Bryonia - Fever, chills, scratchy throat, muscle soreness

Gelsemium sempervirens - Sneezing, non-productive cough, bronchial irritation

Sambucus nigra - Fever, nasal congestion, coughing

Sulphur - Sinus pressure, sore throat, nasal pressure

Zincum gluconicum - Nausea, tiredness, exhaustion, bronchial constriction

Uses*

According to homeopathic indications, these ingredients provide temporary relief of cold and flu symptoms such as: • Nasal and sinus congestion, runny nose, sore throat, coughing, sneezing, and chills and fever, after serious causes have been ruled out by a physician.

* These statements are based upon traditional homeopathic practice. They have not

been reviewed by the Food and Drug Administration.

Warnings

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

Sore throat warning - Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 4 years of age unless directed by a physician. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur.

Pregnant or breast-feeding

• If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

• **Keep out of reach of children**. • In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor

Stop use and ask a doctor if:

• You experience worsening symptoms. • Any new symptoms appear. • Symptoms last longer than 7 days.

Directions

Directions

• Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use. • For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end. • Dissolve entire tablet under tongue OR chew tablet and swallow. • Do not swallow tablet whole. • Take 1 tablet every three hours. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

Other information

• **Do not use if blister seal is broken.** • Store at room temperature 15 ° to 30 ° C (59 ° to 86 ° F). • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no


known side effects or contraindications. • Retain carton for full drug facts.

Inactive ingredients

Inactive ingredients

Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.

Principal Display Panel



		ACK RBERRY
2) + FLU
•		LIEF
		Natural Active Ingredients
Active I sempervire HPUS; Sulp	n gredients: 1s 6X, 12X, 30X I 1ur 12X HPUS; Zir	Bryonia 6X HPUS; Gelsemiun HPUS; Sambucus nigra 3X, 6) ncum gluconicum 2X, 6X HPUS
"HPUS" ind officially mo of the Unite	icates the active mographed in the d States.	ingredients of this product are e Homeopathic Pharmacopoeia
Children ur use. • For for cold or after the s tongue. • [every three	der the age of 4 best results, take flu and continue ymptoms end. • to not chew or st	children ages 4 and over 4: Consult a physician before at the start of the symptoms to take for another 48 hours Dissolve entire tablet unde wallow whole. • Take 1 table least 10 minutes before or a
remedies r results may	nutes after eatin nay not be effe vary.	g or drinking. • Homeopathic ctive for everyone. Individua
remedies r results may Other in •Do not u temperature are micro- Pharmacop non-toxic v	nutes after eatin nay not be effer vary. formation se if blister sea e 15° to 30° C (59 diluted in accord oeia of the Unit	g or drinking. • Homeopathia ctive for everyone. Individua al is broken • Store at roon ° to 86° F). • Active ingredients dance with the Homeopathia ted States and are therefore de effects or contraindications
remedies r results may Other in • Do not u temperaturi are micro- Pharmacop Pharmacop Pharmacoi en retain ca • Retain ca Inactive Black carrie	nutes after eatin nay not be effer vary. formation se if blister sea e 15° to 30° C (59 diluted in accord oeia of the Unit ith no known sic ton for full drug fa p ingredients ot extract (colora flavor, Lacto	g or drinking. • Homeopathia ctive for everyone. Individua I is broken • Store at room ⁹ to 86° F). • Active ingredient: dance with the Homeopathia ted States and are therefore de effects or contraindications acts.

RITEAID BLACK ELDERBERRY COLD AND FLU RELIEF

bryonia, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet

Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (Sou	rce)	NDC:11822	-3731
Route of Administration	ORAL				
Active Ingredient/Active	Majaty				
Active ingredient/Active	Molety				
Ingr	edient Name		Basis of S	Strength	Strength
SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA180		SAMBUCUS NIGRA	SAMBUCUS N FLOWERING T		3 [hp_X]
Inactive Ingredients					
	Ingredient Name			Str	ength
MAGNESIUM STEARATE (UNII: 700	097M6I30)				

BL		ROT A	NTHOCYANINS (UNII: 971DA56IOL)			
			E SODIUM (UNII: M280L1HH48)			
			CIFIED FORM (UNII: J2B2A4N98G)			
МІ	CROCRYS	TALLI	NE CELLULOSE (UNII: OP1R32D61U)			
EU		ELDER	BERRY JUICE (UNII: Z4IFJOAK1E)			
_						
Pr	roduct (Chara	acteristics			
Со	lor	purpl	e ((off purple off grey color with specks))	Score	score w	vith uneven pieces
Sh	аре	ROUN	D	Size	10mm	
Fla	avor	BERR	Y ((Elderberry))	Imprint Code		
Со	ontains					
	ackagin Item Co	-	Package Description	Marketing	Start	-
#	-	ode	Package Description 1 in 1 CARTON	Marketing Date	Start	Marketing End Date
# 1	Item Co	ode		Date 06/23/2021	Start	-
#	Item Co	ode	1 in 1 CARTON 30 in 1 BLISTER PACK; Type 0: Not a Combination	Date 06/23/2021	Start	-
# 1 1	Item Co NDC:11822 3731-1	ode 2-	1 in 1 CARTON 30 in 1 BLISTER PACK; Type 0: Not a Combination	Date 06/23/2021	Start	-
# 1 1	Item Co NDC:11822 3731-1	ode 2- ing	1 in 1 CARTON 30 in 1 BLISTER PACK; Type 0: Not a Combination Product	Date 06/23/2021		-

Labeler - RITE AID CORPORATION (014578892)

Revised: 6/2021

RITE AID CORPORATION