GENEXA INFANTS PAIN AND FEVER- acetaminophen suspension Genexa Inc.

Infants' Pain & Fever Oral Suspension

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- headache
- toothache
- flu
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- SHAKE WELL BEFORE EACH USE
- mL = milliliters
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- push air out of syringe. Insert syringe tip into the bottle opening, flip bottle upside down, pull white part of syringe to correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- replace cap tightly to maintain child-resistant packaging

Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL

Other information

store between 20-25°C (68-77°F)

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water

Ouestions?1-855-436-3921

 † This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Infants' Tylenol $^{\circledR}$ Pain + Fever Suspension.

SHAKE WELL BEFORE EACH USE.

Do not use if perforated band around the bottle is disturbed or missing.

Distributed by: Genexa Inc.

Atlanta, GA 30324 | genexa.com

U.S Patent No. 11,617,795

Made in the USA with globally sourced ingredients

NDC 69676-0042-9

Genexa ®

MEDICINE MADE CLEAN

Infants' Pain & Fever

Acetaminophen

160 mg per 5 mL* | Oral Suspension

Pain Reliever

Fever Reducer

Same active ingredient as Infants' Tylenol ®†


0% Artificial Additives

Always free of common allergens, artificial preservatives, flavors, & dyes

2 fl oz (59 mL)

*Same as Genexa Kids' Pain & Fever

Blueberry Flavor









Keep outer package for complete product information

Drug Facts Active ingredient (in each 5 mL)

Purpose

fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains

- the common cold headache
 - toothache
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

• more than 5 doses in 24 hours, which is the maximum

- daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions Symptoms may include:
• skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help

Sore throat warning: if sore throat is severe, persists for more

than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

pharmacist

new symptoms occur
 redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

- this product does not contain directions or complete warnings for adult use do not give more than directed (see
- overdose warning)

 SHAKE WELL BEFORE EACH USE
- mL = milliliters find the right dose on chart below. If
- possible, use weight to dose; otherwise, use age.
- push air out of syringe. Insert syringe tip into the bottle opening, flip bottle upside down, pull white part of syringe to the correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

replace cap tightly to maintain child-resistant packaging

Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL

Other information

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-3921

This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Infants' Tylenol® Pain + Fever Suspension.

Genexa

MEDICINE MADE CLEAN



Infants' Pain & Fever

Acetaminophen

160 mg per 5 mL* | Oral Suspension

Pain Reliever Fever Reducer

Same active ingredient as Infants' Tylenol®

O_% Artificial Additives

Always free of common allergens, artificial preservatives, flavors, & dyes



2 fl oz (59 mL)

Please recycle

*Same as Genexa Kids' Pain & Fever

Made in the USA with globally sourced ingredients



We think you should feel good what makes you feel better. The why we make medicine with the same active ingredients you ne but without the artificial ones v don't want. It's what people deser





Questions for our founder Text Max.

310-502-8844

SHAKE WELL BEFORE EACH USE.

Do not use if perforated band are the bottle is disturbed or missing





Distributed by: Genexa Inc. Atlanta. GA 30324 | genexa.com U.S Patent No. 11,617,795



GENEXA INFANTS PAIN AND FEVER

acetaminophen suspension

Product Information

HUMAN OTC DRUG **Product Type** Item Code (Source) NDC:69676-0042

Route of Administration

ORAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN

160 mg in 5 mL

Inactive Ingredients

Ingredient Name

Strength

BLUEBERRY (UNII: 253RUG1X1A)	
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	brown (Light brown)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676- 0042-9	1 in 1 CARTON	03/10/2025	
1		59 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/10/2025	

Labeler - Genexa Inc. (079751024)

Revised: 4/2025 Genexa Inc.