

**ALTIPRES- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid**  
**Alternative Pharmacal Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

<b>Active Ingredients (in each 5 mL tsp.)</b>	<b>Purpose</b>
Dextromethorphan HBr ..... 10 mg .....	Cough Suppressant
Guaifenesin ..... 200 mg .....	Expectorant
Phenylephrine HCl ..... 5 mg .....	Nasal Decongestant

**Purpose**

Cough Suppressant  
Expectorant  
Nasal Decongestant

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to the enlargement of the prostate gland
- a cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic as occurs with smoking, asthma, chronic bronchitis or emphysema

**When using this product, do not exceed recommended dosage**

**Stop use and ask doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition

**Do not use**

- if you are now taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI; ask a doctor or pharmacist before taking this product -Do not use- in a child under 2 years of age

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

- temporarily relieves nasal congestion due to the common cold and cough due to minor throat and bronchial irritation

**Directions** Do not exceed more than 6 doses in any 24-hour period

adults and children 12 years of age and over	take 2 teaspoonfuls (10 mL) every 4 hours
children 6 to under 12 years of age	take 1 teaspoonful (5 mL) every 4 hours
children 2 years to under 6 years of age	take 1/2 teaspoonful (2.5 mL) every 4 hours
children under 2 years of age	ask a doctor

**Inactive ingredients** citric acid, cherry flavor, FD and C red No. 40, glycerin, methylparaben, polyethylene glycol, propylparaben, purified water, sodium citrate and sucralos

**Questions or comments?** 1-305-403-3788

NDC 53163-104-16

# Altipres

- Cough Suppressant
- Expectorant
- Nasal Decongestant

Cherry Flavor

Sugar FREE  
Alcohol FREE  
Saccharin FREE  
Sorbitol FREE

16 fl. oz. (473 mL)

**Drug Facts**

**Active ingredients (in each 5 mL tsp.) Purpose**

Dextromethorphan HBr, USP.....10 mg.....Cough Suppressant

Guaifenesin, USP.....200 mg.....Expectorant

Phenylephrine HCl, USP.....5 mg.....Nasal Decongestant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes ■ temporarily relieves nasal congestion due to the common cold and cough due to minor throat and bronchial irritation

**Warnings** ■ **Do not use** ■ if you are now taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI; ask a doctor or pharmacist before taking this product -Do not Use- in a child under 2 years of age.

**Ask a doctor before use if you have** ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to the enlargement of the prostate gland ■ a cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic as occurs with smoking, asthma, chronic bronchitis or emphysema

**When using this product, do not exceed recommended dosage**

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ symptoms do not get better within 7 days or are accompanied by fever ■ cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

†Tussi-Pres® is a registered trademark of Kramer-Novis. This product is not manufactured, distributed or marketed by Kramer-Novis.

Code #: L-49 Rev. 08/17  
Lot #:  
Exp. Date:

**Drug Facts** (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** Do not exceed more than 6 doses in any 24-hour period.

adults and children 12 years of age and over	take 2 teaspoonfuls (10 mL) every 4 hours
children 6 to under 12 years of age	take 1 teaspoonful (5 mL) every 4 hours
children 2 years to under 6 years of age	take 1/2 teaspoonful (2.5 mL) every 4 hours
children under 2 years of age	ask a doctor

**Other information** ■ store at room temperature 15° - 30°C (59° - 86°F). Tamper evident by imprinted heat seal under cap. Do not use if there is evidence of tampering.  
**Pharmacist:** Preserve and dispense in tight light resistant container with child resistant cap as defined in the USP.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glycerin, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

**Questions or comments?** 1-305-403-3788

**Manufactured in USA For:** Alternative Pharmaceutical Corp., Miami, FL 33147. [www.alternativepharmaceutical.com](http://www.alternativepharmaceutical.com)

**THIS IS A BULK CONTAINER NOT INTENDED FOR DISPENSING.**



3 53163 10416 1

<b>ALTIPRES</b>			
dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53163-104
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
	GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 5 mL

<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	<b>PHENYLEPHRINE HYDROCHLORIDE</b>	5 mg in 5 mL
---	------------------------------------	-----------------

### Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY (Cherry Flavor)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53163-104-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/01/2013	

**Labeler** - Alternative Pharmacal Corporation (078528214)