

**STOPAIN CLINICAL MIGRAINE AND HEADACHE- menthol, unspecified form, atropa belladonna, iris versicolor root, sanguinaria canadensis root gel  
Troy Manufacturing, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**STOPAIN CLINICAL Migraine & Headache**

**Drug Facts**

**Active Ingredients**

Mentholum 1X HPUS-60.00%

Belladonna 3X HPUS-1.33%

Iris Versicolor 6X HPUS-1.33%

Sanguinaria Canadensis 6X HPUS-1.33%

**Purpose**

Frontal Headache

Temple/Occiput Pain

Sick Headache

Back of Head Pain

**Uses**

Temporarily relieves head pain associated with migraine and headache.

**Warnings**

For external use only. This product should not be used topically on children younger than 2 years of age nor should it be applied on any mucous membranes of any age child or adult. Seek the advice of your healthcare professional before using this product topically on children 2-12 years of age.

**Avoid contact with eyes.** If gel gets in eyes or on mucous membranes flush with cool water for 1-2 minutes

**Ask a doctor before use if**

you have never had migraines diagnosed by a health professional

- Do not apply to broken or irritated skin

- Do not apply to forehead or temples

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center.

**Stop use and consult a doctor if**

- condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present • excessive irritation of the skin occurs

**If pregnant or breast feeding**

ask a health professional before use.

**Directions**

- Adults and children over 12 years: Tear open packe • Dispense product onto finger tips • Apply to back of neck and behind each ear until product is absorbed • **Use entire contents of packet** • For best results, apply as soon as you feel discomfort
- If after 30 minutes the symptoms persist, apply second packet

**Inactive Ingredients:**

Acrylic acid/vinyl ester copolymer, ethanol (USP), hydroxypropylcellulose, pentylene glycol, triethanolamine, water (USP)

Store at room temperature.

Manufactured for Troy Healthcare, LLC • 130 Lions Drive Hazleton, PA 18202 • (800) 201-7246 • [stopainclinical.com](http://stopainclinical.com)

**Package Labeling:63936-9700-1**

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Mentholum 1X HPUS-60.00%.....	Frontal Headache
Belladonna 3X HPUS-1.33%.....	Temple/Occiput Pain
Iris Versicolor 6X HPUS-1.33%.....	Sick Headache
Sanguinaria Canadensis 6X HPUS-1.33%.....	Back of Head Pain
<b>Uses</b> Temporarily relieves head pain associated with migraine and headache.	
<b>Warnings</b>	
<b>Ask a doctor before use</b> if you have never had migraines diagnosed by a health professional ■ <b>Do not</b> apply to broken or irritated skin ■ <b>Do not</b> apply to forehead or temples	
<b>For external use only.</b> This product should not be used topically on children younger than 2 years of age nor should it be applied on any mucus membranes of any age child or adult. Seek the advice of your healthcare professional before using this product topically on children 2-12 years of age.	
<b>Avoid contact with eyes.</b> If gel gets in eyes or on mucus membranes flush with cool water for 1-2 minutes.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center.	
<b>Stop use and consult a doctor if</b> ■ condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin occurs	
<b>If pregnant or breast feeding</b> ask a health professional before use.	
<b>Directions</b>	
Adults and children over 12 years: Tear open packet ■ Dispense product onto finger tips ■ Apply to back of neck and behind each ear until product is absorbed ■ <b>Use entire contents of packet</b> ■ For best results, apply as soon as you feel discomfort ■ If after 30 minutes the symptoms persist, apply second packet	
<b>Inactive Ingredients:</b> Acrylic acid/vinyl ester copolymer, ethanol (USP), hydroxypropylcellulose, pentylene glycol, triethanolamine, water (USP)	
Store at room temperature.	
Manufactured for Troy Healthcare, LLC ■ 130 Lions Drive Hazleton, PA 18202 ■ (800) 201-7246 ■ stopainclinical.com	

**Does Not Contain:**

- Acetaminophen
- Addictive Opioids
- Aspirin
- Caffeine
- Other NSAIDs

**For Best Results:**

- Apply as soon as you feel discomfort
- If symptoms persist after 30 minutes, apply as needed up to 4 times daily

No known drug interactions.

Claims based upon traditional homeopathic support. The letters 'HPUS' indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.



CLINICAL  
**MIGRAINE &  
HEADACHE**

**TOPICAL PAIN RELIEVING GEL**

HOMEOPATHIC  
12 Single 1g Applications

For External Use Only

**DIRECTIONS FOR USE**



- Use entire contents of packet
- For best results, apply as soon as you feel discomfort
- If after 30 minutes symptoms persist, apply second packet

**DO NOT APPLY TO FOREHEAD OR TEMPLES**



©2018 Troy Healthcare, LLC  
2-565 REV 00

<b>Active Ingredients</b>	Mentholum 1X HPUS-60.00% Belladonna 3X HPUS-1.33% Iris Versicolor 6X HPUS-1.33% Sanguinaria Canadensis 6X HPUS-1.33%
<b>Uses:</b>	Temporarily relieves head pain associated with migraines and headaches
<b>Warnings:</b>	<b>Ask a doctor before use</b> if you have never had migraines diagnosed by a health professional ■ <b>Do not</b> apply to broken or irritated skin ■ <b>Do not</b> apply to forehead or temples ■ <b>Do not</b> use on children younger than 2 years of age nor should it be applied on any mucus membranes of any child or adult. Seek the advice of your healthcare professional before using this product topically on children 2 to 12 years of age.
<b>Avoid contact with eyes.</b>	If gel gets into eyes or on mucus membranes flush with cool water for 1-2 minutes.
<b>Keep out of reach of children.</b>	If swallowed, get medical help or contact a Poison Control Center.
<b>Stop use and consult a doctor if</b>	■ condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin occurs
<b>If pregnant or breast feeding</b>	ask a healthcare professional before use
<b>Directions:</b>	<b>Adults and children over 12 years:</b> Tear open packet ■ Dispense product onto finger tips ■ Apply to back of neck and behind each ear until product is absorbed ■ <b>Use entire contents of packet</b> ■ For best results, apply as soon as you feel discomfort ■ If after 30 minutes the symptoms still persist, apply second packet ■ See insert for more details
<b>Inactive Ingredients:</b>	Acrylic acid/vinyl ester copolymer, ethanol (USP), hydroxypropylcellulose, pentylene glycol, triethanolamine, water (USP)
Store at room temperature.	
Manufactured for Troy Healthcare, LLC ■ 130 Lions Drive Hazleton, PA 18202 ■ (800) 201-7246 ■ stopainclinical.com	

Homeopathic

CLINICAL  
**MIGRAINE &  
HEADACHE**

**TOPICAL PAIN RELIEVING GEL**

Single Application Net WT 1g



**Package Labeling: 63936-9700-2**

**Active Ingredients**

Mentholum 1X HPUS-60.00%  
 Belladonna 3X HPUS-1.33%  
 Iris Versicolor 6X HPUS-1.33%  
 Sanguinaria Canadensis 6X HPUS-1.33%

**Uses:** Temporarily relieves head pain associated with migraines and headaches

**Warnings:** Ask a doctor before use if you have never had migraines diagnosed by a health professional  
 ■ Do not apply to broken or irritated skin ■ Do not apply to forehead or temples

**For external use only.** This product should not be used topically on children younger than 2 years of age nor should it be applied on any mucus membranes of any child or adult. Seek the advice of your healthcare professional before using this product topically on children 2 to 12 years of age.

**Avoid contact with eyes.** If gel gets into eyes or on mucus membranes flush with cool water for 1-2 minutes.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center.

**Stop use and consult a doctor if** ■ condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin occurs

**If pregnant or breast feeding** ask a healthcare professional before use

**Directions:** Adults and children over 12 years: Tear open packet ■ Dispense product onto fingertips ■ Apply to back of neck and behind each ear until product is absorbed ■ Use entire contents of packet ■ For best results, apply as soon as you feel discomfort ■ If after 30 minutes the symptoms persist, apply second packet ■ See insert for more details

**Inactive Ingredients:** Acrylic acid/vinyl ester copolymer, ethanol (USP), hydroxypropylcellulose, pentylene glycol, triethanolamine, water (USP)

Store at room temperature.  
 Manufactured for Troy Healthcare, LLC ■ 130 Lions Drive Hazleton, PA 18202 ■ 800 201-7246 ■ stopainclinical.com

2-746 REV 00

# CLINICAL MIGRAINE & HEADACHE

Homeopathic

TOPICAL PAIN RELIEVING GEL

Single Application

Net WT 1g



## STOPAIN CLINICAL MIGRAINE AND HEADACHE

menthol, unspecified form, atropa belladonna, iris versicolor root, sanguinaria canadensis root gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63936-9700
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 [hp_X] in 1 g
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	3 [hp_X] in 1 g
<b>IRIS VERSICOLOR ROOT</b> (UNII: X43D4L3DQC) (IRIS VERSICOLOR ROOT - UNII:X43D4L3DQC)	IRIS VERSICOLOR ROOT	6 [hp_X] in 1 g
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	6 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>TROLAMINE</b> (UNII: 903K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9700-1	12 in 1 BOX	07/01/2018	
1		1 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:63936-9700-2	1 g in 1 PACKET; Type 0: Not a Combination Product	09/30/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/01/2018	

**Labeler** - Troy Manufacturing, Inc. (160075248)

**Registrant** - Troy Manufacturing, Inc. (160075248)

## Establishment

Name	Address	ID/FEI	Business Operations
Troy Manufacturing, Inc.		160075248	manufacture(63936-9700)

Revised: 1/2023

Troy Manufacturing, Inc.