# **EQUATE CLEARLAX-** polyethylene glycol 3350 powder, for solution WALMART INC.

-----

### Wal-Mart ClearLAX® Drug Facts

#### Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

#### **Purpose**

Osmotic Laxative

#### Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

#### **Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

#### Do not use

if you have kidney disease, except under the advice and supervision of a doctor

### Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

### Ask a doctor or pharmacist before use if you are

taking a prescription drug

### When using this product

you may have loose, watery, more frequent stools

### Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- · you get diarrhea
- you need to use a laxative for longer than 1 week

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

#### Other information

- store at 20°-25°C (68°-77°F)
- tamper -evident: do not use if printed foil seal under cap is missing, open or broken

### **Inactive ingredients**

natural and artificial orange flavor, sucralose

#### **Questions or comments?**

1-888-287-1915

### Package/Label Principal Display Panel

Equate™

ORANGE FLAVOR

Compare to MiraLAX® active ingredient

ClearLAX®

Polyethylene Glycol 3350

Powder for Solution.

Osmotic Laxative

#### Grit-Free Powder

- Relieves occasional constipation/irregularity
- Softens stool
- Sugar-Free
- Dye-Free

NET WT 17.9 OZ (510g)

30 ONCE-DAILY DOSES



### Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.

### Dissolves in Any Beverage

### **Drug Facts**

Active ingredient (in each dose) Polyethylene Glycol 3350.

Purpose

17 g (cap filled to line)......Osmotic Laxative

**Use** ■ relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days

#### Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea

■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than directed unless advised by your doctor 

the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)

#### Drug Facts (continued)

■ adults and children 17 years of age and older: ■ use once a day fill to top of white section in cap which is marked to indicate the correct dose (17 g) stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ensure that the powder is fully dissolved before drinking do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients natural and artificial orange flavor, sucralose

Questions or comments? 1-888-287-1915

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.

#### DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark MiraLAX®.

Patent Pending



: 7U9DA 2E Bl

164152 \*

6

### **EQUATE CLEARLAX**

polyethylene glycol 3350 powder, for solution

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:79903-114

ORAL **Route of Administration** 

#### **Active Ingredient/Active Moiety**

**Ingredient Name** 

**Basis of Strength Strength** 

**POLYETHYLENE GLYCOL 3350** (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)

POLYETHYLENE GLYCOL 3350 17 g in 17 g

**Inactive Ingredients** 

Ingredient Name Strength

SUCRALOSE (UNII: 96K6UQ3ZD4)

| Product Characteristics |        |              |  |  |
|-------------------------|--------|--------------|--|--|
| Color                   | WHITE  | Score        |  |  |
| Shape                   |        | Size         |  |  |
| Flavor                  | ORANGE | Imprint Code |  |  |
| Contains                |        |              |  |  |

| ı | Packaging               |  |                         |                       |  |  |
|---|-------------------------|--|-------------------------|-----------------------|--|--|
|   | # Item Code             | Package Description                                  | Marketing Start<br>Date | Marketing End<br>Date |  |  |
|   | <b>1</b> NDC:79903-114- | 238 g in 1 BOTTLE; Type 0: Not a Combination Product | 09/08/2022              |                       |  |  |
|   | NDC:79903-114-          | 510 g in 1 BOTTLE; Type 0: Not a Combination Product | 08/31/2022              |                       |  |  |

| Marketing I           | arketing Information                        |                         |                       |  |  |  |
|-----------------------|---|-------------------------|-----------------------|--|--|--|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |  |  |  |
| ANDA                  | ANDA090685                                  | 08/31/2022              |                       |  |  |  |
|                       |   |                         |                       |  |  |  |

## Labeler - WALMART INC. (051957769)

Revised: 9/2022 WALMART INC.