

## **MEDIFIRST ISOPROPYL ALCOHOL- isopropyl alcohol spray**

**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Medi-First Isopropyl Alcohol Spray**

#### ***Drug Facts***

Drug Facts

#### ***Active Ingredient***

Isopropyl Alcohol 70.0%

#### ***Purpose***

First aid antiseptic

#### ***Uses***

First aid to help prevent infection in minor cuts, scrapes, and burns

#### ***Warnings***

**For external use only.**

**Flammable keep away from fire or flame**

#### **Do not use**

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns consult a physician
- on large areas of the body
- for longer than one week unless directed by a doctor

#### **Stop use and ask a doctor if**

- condition persists or gets worse

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### ***Directions***

- clean affected area and spray 1 to 3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage
- not to be used on children under 12 years of age

#### ***Inactive ingredient***

purified water

## Questions or Comments?

1-800-634-7680

### Medi-First Isopropyl Alcohol Spray Label

MEDI-FIRST®

#### Isopropyl Alcohol

#### Pump Spray

Isopropyl Alcohol 70%

Flammable, keep away from fire or flame.

If taken internally, serious gastric disturbance will result.

Store at room temperature

59°-86°F (15°-30°C)

2 FL OZ (59.1ML)

**MEDI-FIRST®**

**Isopropyl Alcohol**

**Pump Spray**

**Isopropyl Alcohol 70%**  
**First Aid Antiseptic**

Flammable, keep away from  
fire or flame.

For external use only.  
If taken internally, serious  
gastric disturbance will result.

Store at room temperature  
59°-86°F (15°-30°C)

**2 FL OZ (59.1 ML)**

**Drug Facts**

Active ingredients	Purpose
Isopropyl Alcohol 70.0% .....	First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings**  
For external use only.  
Flammable keep away from fire or flame.  
**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns consult a physician ■ on large areas of the body ■ for longer than one week unless directed by a doctor  
**Stop use and ask a doctor if** ■ condition persists or gets worse  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ clean affected area & spray 1 to 3 times daily ■ if bandaged, let dry first ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

**Inactive ingredient** purified water

**Questions or comments?** 1-800-634-7680

  
3 47682 26802 2

Reorder #26802  
Mfg. for Medique Products  
Fort Myers, FL 33967 USA  
www.mediqueproducts.com  
MEETS ANSI Z308.1-2014  
Rev. 03/20

## MEDIFIRST ISOPROPYL ALCOHOL

isopropyl alcohol spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)			ISOPROPYL ALCOHOL	550.2 g in 1 L
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-268-06	0.118 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/12/2013	05/01/2018
2	NDC:47682-268-02	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/12/2013	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333A	04/12/2013	

**Labeler** - Unifirst First Aid Corporation (832947092)