

**MY MEDIC SUNSCREEN SPF 30- ethylhexyl methoxycinnamate, octocrylene, homosalate, butyl methoxy dibenzoyl methane and titanium dioxide gel
Sled Distribution, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

sunscreen spf 30

Active Ingredients

Ethylhexyl Methoxycinnamate 7.0%

Octocrylene 6.0%

Homosalate 5.0%

Butyl Methoxy Dibenzoyl Methane 2.5%

Titanium Dioxide 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes.

Rinse with water to remove.

- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply to skin liberally, avoiding the eye area.
- Wait at least 30 mins before sun exposure, or as directed by a physician.

- Re-apply after 80 minutes of swimming and/or sweating.
- re-apply immediately after towel drying and at least every 3 hours.

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Isopropyl Myristate, Beeswax, Glyceryl Stearate, Butyloctyl Salicylate, VP/Eicosene Copolymer, Steareth-20, PEG-100 Stearate, Steareth-2, Xanthan Gum, Aloe, Barbados Leaf Extract, Sodium Benzoate, Sodium Hyaluronate, Potassium Sorbate, Disodium EDTA.

Other information

- Protect the product in this container from excessive heat and direct sunlight.

SUNSCREEN

TEAR HERE

MY MEDIC™



SUNSCREEN SPF 30

Water & sweat resistant
SPF 30 sunscreen

Topical



PERFECT FOR



SWIMMING



RECREATION



DAY TO DAY



3.5 g
(.125 fl oz)

EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients	Purpose
Ethylhexyl Methoxycinnamate 7.0%	Sunscreen
Octocrylene 6.0%	
Homosalate 5.0%	
Butyl Methoxy Dibenzoyl Methane 2.5%	
Titanium Dioxide 1.0%	

Uses ■ Helps prevent sunburn.
 ■ If used as directed with other sunburn protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only.
 Do not use on damaged or broken skin.
 When using this product Keep out of eyes.
 Rinse with water to remove. Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply to skin liberally, avoiding the eye area.
 ■ Wait at least 30 mins before sun exposure, or as directed by a physician.
 ■ Re-apply after 80 minutes of swimming and/or sweating.
 ■ Re-apply immediately after towel drying and at least every 3 hours.

Other information Protect the product in this container from excessive heat and direct sunlight.

Inactive ingredients
 Water, Caprylic/Capric Triglyceride, Isopropyl Myristate, Beeswax, Glyceryl Stearate, Butyloctyl Salicylate, VP/Eicosene Copolymer, Steareth-20, PEG-100 Stearate, Steareth-2, Xanthan Gum, Aloe, Barbados Leaf Extract, Sodium Benzoate, Sodium Hyaluronate, Potassium Sorbate, Disodium EDTA.

MFG:20220317
 EXP:20250316

MADE IN CHINA
 DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC 120 North Redwood Rd. Ste. A, North Salt Lake, UT 84054

SCAN ME
 FOR MORE
 KNOWLEDGE
 SKILLS, & REFILLS



MY MEDIC SUNSCREEN SPF 30

ethylhexyl methoxycinnamate, octocrylene, homosalate, butyl methoxy dibenzoyl methane and titanium dioxide gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81417-125
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.07 g in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.06 g in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.05 g in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.01 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
STEARETH-20 (UNII: L0Q8IK9E08)	
PEG-100 STEARATE (UNII: YD01N1999R)	
STEARETH-2 (UNII: V56DFE46J5)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALOE (UNII: V5VD430YW9)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81417-125-01	3.5 g in 1 BAG; Type 0: Not a Combination Product	03/24/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/24/2022	

Labeler - Sled Distribution, LLC (079772888)

Registrant - Sled Distribution, LLC (079772888)

Establishment

Name	Address	ID/FEI	Business Operations
Sled Distribution, LLC		079772888	manufacture(81417-125)