

ACID REDUCER PLUS ANTACID- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable

Rite Aid Corporation

Rite Aid Corporation Acid Reducer Plus Antacid Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purposes

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, aspartame, dextrates, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients of Pepcid Complete®

ACID REDUCER PLUS ANTACID

famotidine 10 mg / calcium carbonate 800 mg / magnesium hydroxide 165 mg tablets (chewable)

acid reducer plus antacid

DUAL ACTION

Just one tablet relieves heartburn due to acid indigestion

ACTUAL SIZE

COOL MINT FLAVOR

50 CHEWABLE TABLETS

Drug Facts DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

Use relieves heartburn associated with acid indigestion and sour stomach

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers
 These may be signs of a serious condition. See your doctor.
Do not use
 if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.
 with other acid reducers

Ask a doctor before use if you have
 had heartburn over 3 months. This may be a sign of a more serious condition.
 heartburn with lightheadedness, sweating, or dizziness
 chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
 frequent chest pain frequent wheezing, particularly with heartburn
 unexplained weight loss nausea or vomiting
 stomach pain kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

PEEL BACK HERE

Compare to the active ingredients of Pepcid Complete®

ACID REDUCER PLUS ANTACID

famotidine 10 mg / calcium carbonate 800 mg / magnesium hydroxide 165 mg tablets (chewable)
 acid reducer plus antacid

DUAL ACTION
 Just one tablet relieves heartburn due to acid indigestion

COOL MINT FLAVOR

50 CHEWABLE TABLETS

Actual Size

Tips for Managing Heartburn
 Do not lie flat or bend over after eating
 Do not wear tight-fitting clothing around the stomach
 Do not eat before bedtime
 Raise the head of your bed
 Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
 Eat slowly and avoid big meals
 If overweight, lose weight
 Quit smoking

Drug Facts (continued)

Stop use and ask a doctor if
 your heartburn continues or worsens
 you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions
 adults and children 12 years and over:
 do not swallow tablet whole; chew completely
 to relieve symptoms, chew 1 tablet before swallowing
 do not use more than 2 chewable tablets in 24 hours
 children under 12 years: ask a doctor

Other information
 each tablet contains: calcium 330 mg; magnesium 80 mg
 Phenylethanamine: Contains Phenylethanamine 2 mg per tablet
 read the directions and warnings before use
 read the bottle. It contains important information.
 store at 20-25°C (68-77°F) protect from moisture

Drug Facts (continued)

Inactive ingredients: anhydrous lactose, aspartame, dextrates, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®.

U.S. Pat. No. D801,175

DISTRIBUTED BY:
 RITE AID
 200 NEWBERRY COMMONS
 ETTERS, PA 17319
 www.riteaid.com

SATISFACTION GUARANTEE
 If you're not satisfied, we'll happily refund your money.

ACID REDUCER PLUS ANTACID

famotidine, calcium carbonate, magnesium hydroxide tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0223
Route of Administration	ORAL		

Active Ingredient/Active Moiety

--	--	--	--

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
DEXTRATES (UNII: G263MI44RU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	ORANGE (PEACH WTH WHITE SPECKLES)	Score	no score
Shape	ROUND	Size	18mm
Flavor	MINT	Imprint Code	L546
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0223-0	50 in 1 BOTTLE; Type 0: Not a Combination Product	06/03/2010	
2	NDC:11822-0223-1	75 in 1 BOTTLE; Type 0: Not a Combination Product	06/03/2010	10/05/2016

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	06/03/2010	

Labeler - Rite Aid Corporation (014578892)

