

NOZIN NASAL SANITIZER (ANTISEPTIC)- alcohol liquid
Global Life Technologies Corp.

Drug Facts

Active ingredient

Alcohol 62%

Purpose

Antiseptic

Use

- to decrease bacteria on the nasal vestibule skin

Warnings

For external use only

- **Flammable. Keep away from fire or flame.**

Do not use

- in the eyes
- on mucous membranes
- if you have history of nasal bleeding or irritation
- if you have allergies to any of the ingredients

Stop use and ask a doctor if irritation and redness develop and persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wipe nostrils with tissue
- shake ampule well for 5 seconds
- remove ampule, flip and reinsert into sleeve to expose swab tip. Avoid touching swab tip.
- at dot on sleeve, squeeze firmly to crack inner ampule.
- point swab tip down, squeeze sleeve repeatedly to saturate swab tip
- Application steps: 1. Insert swab tip into RIGHT nostril. Do not go deeper than tip of swab. 2. With moderate pressure, swab around nostril eight (8) times clockwise. Cover all surfaces including inside tip of nostril. 3. squeeze to resaturate swab tip 4. insert ampule into RIGHT nostril again and swab eight (8) times counterclockwise 5. repeat steps 1, 2, 3, 4 in LEFT nostril 6. discard used ampule

- repeat all directions with second ampule, but skip tissue step.

Other information

- store in a cool, dry place between 15°C - 29°C (59°F - 84°F)

Inactive ingredients

jojoba, water, orange oil, lauric acid, benzalkonium chloride, vitamin E

Questions?

Call: 1-877-669-4648 Online: nozlin.com

Principal Display Panel - 0.6 mL Carton Label

Nozin®

NASAL SANITIZER®

NOZASEPTIN® FORMULA ADVANCED ANTISEPTIC

KILLS 99.99% OF GERMS

MOISTURIZING FORMULA

HELPS REDUCE RISK OF INFECTION

Push in
to open

Pull Out Shelf

To open, push in tab above.
Pull out along perforation.

RECOMMENDED BY HEALTH PROFESSIONALS

250 single use ampules
0.020 fl oz (0.6 mL) each
5.07 fl oz (150 mL) total

250 POPSWAB®
SINGLE USE AMPULES



Principal Display Panel - 0.6 mL Carton Label

Nozin®

NASAL SANITIZER®

ANTISEPTIC 0.6 ml

ONE **POPSWAB®**

SINGLE USE AMPULE

Nozin[®] ONE **POPSWAB**[®]
SINGLE USE AMPULE
NASAL SANITIZER[®] LOT #: A17
ANTISEPTIC 0.6 ml **EXP. 3/2022**



Principal Display Panel - 0.6 mL Carton Label

Nozin[®]

NASAL SANITIZER[®]

NOZASEPTIN[®] FORMULA ADVANCED ANTISEPTIC

KILLS 99.99% OF GERMS

HELPS REDUCE RISK OF INFECTION

FOR PATIENTS

Ampules individually
packed and barcoded

Push in
to open

Pull Out Shelf

To open, push in tab above.
Pull out along perforation.

Popswab[®] ampules
packed and barcoded

200 single use ampules
0.020 fl oz (0.6 mL) each
4.06 fl oz (120 mL) total



Principal Display Panel - 0.6 mL Carton Label

Nozin®

NASAL SANITIZER®

NOZASEPTIN® FORMULA ADVANCED ANTISEPTIC

**PATIENT PREOPERATIVE
NASAL VESTIBULE SKIN ANTISEPTIC
MOISTURIZING FORMULA**

HELPS REDUCE RISK OF INFECTION

0.04 fl oz (1.2 mL)

2 Popswab® single use ampules



Principal Display Panel - 12 mL Carton Label

Nozin®

NASAL SANITIZER®

NOZASEPTIN® FORMULA ADVANCED ANTISEPTIC

KILLS 99.99% OF GERMS

MOISTURIZING FORMULA

HELPS REDUCE RISK OF INFECTION

0.406 fl oz (12 mL)

20 COTTON SWABS

INCLUDED TO START



Principal Display Panel - 0.82 mL Pouch Label

Nozin®

NASAL SANITIZER®

NOZASEPTIN® FORMULA ADVANCED ANTISEPTIC

ALCOHOL 62%

POPSWAB® PRO™
SINGLE USE AMPULE

KILLS 99.99%
OF GERMS

MOISTURIZING

HELPS REDUCE
RISK OF INFECTION

0.028 FL OZ (0.82 mL)

ONE AMPULE

Nozin®

NASAL SANITIZER.

NOZASEPTIN® FORMULA ADVANCED ANTISEPTIC
ALCOHOL 62%

POPSWAB® PRO™
SINGLE USE AMPULE



**KILLS 99.99%
OF GERMS**
MOISTURIZING

**HELPS REDUCE
RISK OF INFECTION**

0.028 FL OZ (0.82 mL)



ONE AMPULE

Drug Facts

Active ingredient	Purpose
Alcohol 62%	Antiseptic
Use ■ helps reduce bacteria that can cause skin infection	
Warnings	
For external use only ■ Flammable. Keep away from fire or flame	
Do not use ■ in the eyes ■ on mucous membranes ■ if you have nasal bleeding or irritation ■ if you are allergic to any ingredient	
Stop use and ask a doctor if irritation or redness develops and persists for more than 72 hours	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions adults and children over 12 years of age: ■ shake well ■ with fingers placed on center of sleeve, crush ampule to pop ■ squeeze to wet swab ■ swab around each nostril rim 8X in each direction ■ rewet swab before every 8 rotations ■ do not extend into nose beyond swab tip. Apply to skin only.	
children under 12 years of age	supervise in use
children under 2 years of age	ask a doctor
Other information ■ store in a cool, dry place between 15°C - 29°C (59°F - 84°F)	
Inactive ingredients jojoba, water, orange oil, lauric acid, benzalkonium chloride, vitamin E	
Questions? Call: 1-877-669-4648 Online: Nozin.com	

HOW TO USE POPSWAB® PRO™ AMPULES



1 Shake
Shake well to mix. Use with sleeve in place.

2 Pop, Squeeze
Crush on sleeve to pop. Squeeze to wet swab.

3 Apply
Swab around each nostril rim 8X in each direction.

4 Rewet swab
Rewet swab before every 8 rotations.



Nozin®

Protect Every Patient™
Professional Healthcare Product

©2023–2025 Global Life Technologies Corp. All rights reserved. Made in the USA, Bethesda, MD 20814
Patent nos.: nozin.com/patents

25NNSPSP02

NOZIN NASAL SANITIZER (ANTISEPTIC)

alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82539-211
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)	Alcohol	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
jojoba oil (UNII: 724GKU717M)	
water (UNII: 059QF0K00R)	
orange oil (UNII: AKN3KSD11B)	

lauric acid (UNII: 1160N9NU9U)	
benzalkonium chloride (UNII: F5UM2KM3W7)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE (ORANGE)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82539-211-10	250 in 1 CASE	01/01/2017	
1		1 in 1 BLISTER PACK		
1		0.6 mL in 1 AMPULE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:82539-211-12	2 in 1 CASE	01/01/2019	
2		200 in 1 BOX		
2		1 in 1 BLISTER PACK		
2		0.6 mL in 1 AMPULE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
3	NDC:82539-211-02	2 in 1 CASE	01/01/2006	
3		250 in 1 BOX		
3		0.6 mL in 1 AMPULE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
4	NDC:82539-211-11	100 in 1 CASE	01/01/2019	
4		2 in 1 BLISTER PACK		
4		0.6 mL in 1 AMPULE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
5	NDC:82539-211-50	150 in 1 CASE	12/01/2023	
5		1 in 1 POUCH		
5		0.82 mL in 1 AMPULE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2006	

Labeler - Global Life Technologies Corp. (601645513)

