

**DR. OH BALM - camphor, capsaicin and menthol cream**  
**Ecometrics, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

Camphor 3.5% .. Topical Analgesic  
Menthol 1% .. Topical Analgesic  
Capsaicin 0.015% .. Topical Analgesic

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Camphor 3.5% . . . . .	Topical Analgesic
Menthol 1% . . . . .	Topical Analgesic
Capsaicin 0.015% . . . . .	Topical Analgesic
<b>Uses</b> Provides temporary relief of minor aches and pains	
<b>Directions</b> •Apply generously and gently massage until Dr. OH BALM disappears. •Apply no more then 3 times daily.	
<b>Other Information</b> Store in a cool, dry location away from sunlight.	
<b>Warnings</b>	
<b>For external use only</b> •Do not use on children under 12 years of age. •Do not use on broken, damaged or irritated skin. •Avoid contact with eyes or mucous membranes. •Do not bandage.	
<b>Stop use and consult a physician</b> • if skin redness or excessive irritation develops or if pain lasts for more than 7 days.	
<b>Keep out of reach of children.</b> •If balm is swallowed, get medical help or contact a poison control center immediately.	
<b>Inactive ingredients</b> •Castor Oil, Benzyl Benzoate & Cymbopogon Nardus [Citronella ] Oil & Citronellal & Citronellol & Dodecanal & Geraniol & Eucalyptus Globulus leaf Oil & Thymol Phenoxybenzene, Cetearyl Isononanoate & Ceteareth - 20 & Cetearyl Alcohol & Glyceryl Stearate & Glycerin & Ceteareth - 2 & Cetyl Palmitate, Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer & Squalane[plant origin] & Polysorbate 60, Propylene Glycol & Diazolidinyl Urea & Methylparaben & Propylparaben, Water.	

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Camphor 3.5% . . . . .	Topical Analgesic
Menthol 1% . . . . .	Topical Analgesic
Capsaicin 0.015% . . . . .	Topical Analgesic

**Uses** Provides temporary relief of minor aches and pains

**Directions** •Apply generously and gently massage until Dr. OH BALM disappears.  
•Apply no more then 3 times daily.

**Other Information**  
Store in a cool, dry location away from sunlight.

**Warnings**

**For external use only**  
•Do not use on children under 12 years of age.  
•Do not use on broken, damaged or irritated skin. •Avoid contact with eyes or mucous membranes. •Do not bandage.

**Stop use and consult a physician**  
• if skin redness or excessive irritation develops or if pain lasts for more than 7 days.

**Keep out of reach of children.**  
•If balm is swallowed, get medical help or contact a poison control center immediately.

**Inactive ingredients** •Castor Oil, Benzyl Benzoate & Cymbopogon Nardus [Citronella ] Oil & Citronellal & Citronellol & Dodecanal & Geraniol & Eucalyptus Globulus leaf Oil & Thymol Phenoxybenzene, Cetearyl Isononanoate & Ceteareth - 20 & Cetearyl Alcohol & Glyceryl Stearate & Glycerin & Ceteareth - 2 & Cetyl Palmitate, Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer & Squalane[plant origin] & Polysorbate 60, Propylene Glycol & Diazolidinyl Urea & Methylparaben & Propylparaben, Water.

Benzyl Benzoate and Cymbopogon Nardus [ Citronella ] Oil and Citronellal and Citronellol . . . and Dodecanal and Geraniol and Eucalyptus Globulus Leaf Oil and Thymol and Phenoxybenzene  
Castor Oil  
Cetearyl Isononanoate and Ceteareth - 20 and Cetearyl Alcohol and Glyceryl Stearate and Glycerin . . . and Ceteareth - 2 and Cetyl Palmitate  
Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer and Squalane [ plant origin ] and Polysorbate 60  
Propylene Glycol and Diazolidinyl Urea and Mehtylparaben and Propylparaben  
Water

NDC 17452-430-01  
Dr. OH BALM (TM)  
Excellent for muscle and tendon pain  
made with essential oils  
Patents pending

Information: [www.drohbalm.com](http://www.drohbalm.com)  
NET WT. 57g (2oz)

NDC 17452-430-01



# Dr. OH BALM™

Excellent for muscle and tendon pain  
made with essential oils

Patents pending Information: [www.drohbalm.com](http://www.drohbalm.com)

NET WT. 57g (2oz)

NDC 17452-430-01



# Dr. OH BALM™

Excellent for muscle and tendon pain  
made with essential oils

Patents pending Information: [www.drohbalm.com](http://www.drohbalm.com)

NET WT. 57g (2oz)



For external use only  
Do not use on broken, damaged or irritated skin.  
Avoid contact with eyes or mucous membranes.  
Do not bandage.

Stop use and consult a physician,  
if skin redness or excessive irritation develops or if pain last more than 7 days.  
For best results, refrain from strenuous activity while treating affected.

Topical analgesic. Provides temporary relief of minor aches and pains.

Apply generously and gently massage until Dr. OH BALM disappears.  
Apply no more than 3 times daily.

Other Information: Store in a cool, dry location away from sunlight.

Distributed by  
Dr. OH PATCH Inc.  
P.O. BOX 1646  
LORTON, VA 22079  
[www.drohbalm.com](http://www.drohbalm.com)  
Made in U.S.A.



NDC 17452-430-01



# Dr. OH BALM™

Excellent for muscle and tendon pain  
made with essential oils

Patents pending

Information: [www.drohbalm.com](http://www.drohbalm.com)

NET WT. 57g (2oz)

Distributed by Dr. OH PATCH Inc.  
P.O. BOX 1646  
LORTON, VA 22079  
[www.drohbalm.com](http://www.drohbalm.com)



Made in U.S.A.

\*for best results, refrain from strenuous activity while treating affected areas.

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Camphor 3.5% . . . . . Topical Analgesic Menthol 1% . . . . . Topical Analgesic Capsaicin 0.015% . . . . . Topical Analgesic
<b>Uses</b>	Provides temporary relief of minor aches and pains
<b>Directions</b>	•Apply generously and gently massage until Dr. OH BALM disappears. •Apply no more than 3 times daily.
<b>Other Information</b>	Store in a cool, dry location away from sunlight.
<b>Warnings</b>	
<b>For external use only</b>	•Do not use on children under 12 years of age. •Do not use on broken, damaged or irritated skin. •Avoid contact with eyes or mucous membranes. •Do not bandage.
<b>Stop use and consult a physician</b>	• If skin redness or excessive irritation develops or if pain lasts for more than 7 days.
<b>Keep out of reach of children.</b>	•If balm is swallowed, get medical help or contact a poison control center immediately.
<b>Inactive ingredients</b>	•Castor Oil, Benzyl Benzoate & Cymbopogon Nardus [Citronella] Oil & Citronellal & Citronellol & Dodecanal & Geraniol & Eucalyptus Globulus leaf Oil & Thymol Phenoxylbenzene, Cetearyl Isononanoate & Ceteareth - 20 & Cetearyl Alcohol & Glyceryl Stearate & Glycerin & Ceteareth - 2 & Cetyl Palmitate, Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer & Squalane[plant origin] & Polysorbate 60, Propylene Glycol & Diazolidinyl Urea & Methylparaben & Propylparaben, Water.



NDC 17452-430-01



# Dr. OH BALM™

Excellent for muscle and tendon pain  
made with essential oils

Patents pending

Information: [www.drohbalm.com](http://www.drohbalm.com)

NET WT. 57g (2oz)

Distributed by Dr. OH PATCH Inc.  
P.O. BOX 1646  
LORTON, VA 22079  
[www.drohbalm.com](http://www.drohbalm.com)



Made in U.S.A.

\*for best results, refrain from strenuous activity while treating affected areas.

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b>	Camphor 3.5% . . . . . Topical Analgesic Menthol 1% . . . . . Topical Analgesic Capsaicin 0.015% . . . . . Topical Analgesic
<b>Uses</b>	Provides temporary relief of minor aches and pains
<b>Directions</b>	Apply generously and gently massage until Dr. OH BALM disappears. Apply no more than 3 times daily.
<b>Other information</b>	Store in a cool, dry location away from sunlight.
<b>Warnings</b>	
<b>For external use only</b>	Do not use on children under 12 years of age. Do not use on broken, damaged or irritated skin. Avoid contact with eyes or mucous membranes. Do not bandage.
<b>Stop use and consult a physician</b>	if skin redness or excessive irritation develops or if pain lasts for more than 7 days.
<b>Keep out of reach of children.</b>	If balm is swallowed, get medical help or contact a poison control center immediately.
<b>Inactive ingredients</b>	Castor Oil, Benzyl Benzoate & Cymbopogon Nardus [Citronella] Oil & Citronellal & Citronellol & Dodecanal & Geraniol & Eucalyptus Globulus leaf Oil & Thymol Phenoxylbenzene, Cetearyl Isononanoate & Ceteareth - 20 & Cetearyl Alcohol & Glycerol Stearate & Glycerin & Ceteareth - 2 & Cetyl Palmitate, Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer & Squalane [plant origin] & Polysorbate 60, Propylene Glycol & Diazolidinyl Urea & Methylparaben & Propylparaben, Water.



Keep out of reach of children

Do not use on children under 12 years of age.

If balm is swallowed, get medical help or contact a poison control center immediately.

Apply generously and gently massage until Dr. OH BALM disappears.

Apply no more than 3 times daily.

## DR. OH BALM

camphor, capsaicin and menthol cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17452-430
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	3.5 g in 100 g
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.015 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
BENZYL BENZOATE (UNII: N863NB338G)	
CITRONELLA OIL (UNII: QYO8Q067D0)	
CITRONELLAL (UNII: QB99VZZ7GZ)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LAURYL ALDEHYDE (UNII: C42O120SEF)	
GERANIOL (UNII: L837108USY)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
THYMOL (UNII: 3J50XA376E)	
CETEARYL ISONONANOATE (UNII: P5O01U99N)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
SQUALANE (UNII: GW89575KF9)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BENZOPHENONE (UNII: 701M4TTV9O)	

**WATER** (UNII: 059QF0K00R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17452-430-01	57 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/23/2012	

**Labeler** - Ecometics, Inc. (064843923)

Revised: 4/2012

Ecometics, Inc.