

OUR FAMILY NIGHT TIME SEVERE COLD AND COUGH HONEY LEMON INFUSED WITH CHAMOMILE AND WHITE TEA FLAVORS- acetaminophen, diphenhydramine hcl, and phenylephrine hcl. granule, for solution

Quality Home Products

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

night time severe cold and cough honey lemon infused with chamomile and white tea flavors

Active ingredients (in each packet)

Purpose

Acetaminophen 650 mgPain reliever/Fever reducer
Diphenhydramine hydrochloride 25 mgAntihistamine/Cough suppressant
Phenylephrine hydrochloride 10 mgNasal decongestant

Uses

- temporarily relieves
 - minor aches and pains
 - headache
 - runny nose
 - itchy nose and throat
 - cough due to minor throat and bronchial irritation
- temporarily reduces fever
- minor sore throat pain
- nasal and sinus congestion
- sneezing
- itchy, watery eyes due to hay fever

Warnings

Liver warning: this product contains acetaminophen. Severe liver damage may occur if you take - more than 6 packets in 24 hours - with other drugs containing acetaminophen - 3 or more alcoholic drinks every day while using this product

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription and non prescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.
- with any other product containing diphenhydramine, even one used on the skin
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before us if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- cough that occurs with too much phlegm (mucus)

- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers.
- Taking the blood thinning drug warfarin

When using this product

- do not exceed recommended dosage
- avoid alcoholic drinks - marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days - redness or swelling is present
- new symptoms occur - symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed

- take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor.
- adults and children 12 years of age and over: dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years of age: consult a doctor
- If using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

Other information

- each packet contains: potassium 7 mg,
sodium 46 mg
- phenylketonurics: contains phenylalanine
13 mg per packet
- store at controlled room temperature
20-25C (68-77F). Protect from
excessive heat and moisture.

Drug Facts

Active ingredients (in each packet) **Purpose**
 Acetaminophen 650 mg Pain reliever/Fever reducer
 Diphenhydramine hydrochloride 25 mg Antihistamine/Cough suppressant
 Phenylephrine hydrochloride 10 mg Nasal decongestant

Uses
 • Temporarily relieves:
 • minor aches and pains • headache • minor sore throat pain
 • nasal and sinus congestion • cough due to minor throat and bronchial irritation • runny nose • sneezing • itchy, watery eyes due to hay fever • itchy nose and throat
 • Temporarily reduces fever

Warnings
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take • more than 6 packets in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use
 • with any other drug containing acetaminophen (prescription and nonprescription).
 • Ask a doctor or pharmacist before using with other drugs if you are not sure.
 • with any other product containing diphenhydramine, even one used on the skin
 • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
 • liver disease • heart disease • high blood pressure • thyroid disease
 • glaucoma • diabetes • trouble urinating due to an enlarged prostate gland
 • a breathing problem such as emphysema, asthma, or chronic bronchitis
 • cough that occurs with too much phlegm (mucus) • cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

Ask a doctor or pharmacist before use if you are
 • taking sedatives or tranquilizers • taking the blood thinning drug warfarin

When using this product
 • do not exceed recommended dosage
 • avoid alcoholic drinks • marked drowsiness may occur • alcohol, sedatives and tranquilizers may increase drowsiness. • be careful when driving a motor vehicle or operating machinery • excitability may occur, especially in children.

Stop use and ask a doctor if
 • nervousness, dizziness, or sleeplessness occurs • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur
 • symptoms do not get better or worsen • pain, cough or nasal congestion gets worse or lasts more than 7 days • cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 • do not use more than directed
 • take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor.
 • adults and children 12 years of age and over: dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
 • children under 12 years of age: consult a doctor.
 • if using a microwave, add contents of one packet to 8 oz. of cool water; stir briefly before and after heating. Do not overheat.

Other information
 • each packet contains: potassium 7 mg, sodium 46 mg
 • phenylephrine: contains phenyltolamine 15 mg per packet
 • store at controlled room temperature 20-25°C (68-77°F). Protect from excessive heat and moisture.

Inactive ingredients:
 Acesulfame K, aspartame, caramel color, citric acid, DSC Yellow 10, maltodextrin, natural flavors, sodium citrate, starch and sugar.

DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.

DISTRIBUTED BY
NASH FINCH COMPANY ©2009, 1996
 IFC BRANDS
 7600 FRANCE AVE. S, MPLS, MN 55435
 www.ourfamilyfoods.com
 Made in Canada

NDC 64525-0542-6 **Compare to Theraflu® Nighttime Severe Cold & Cough***

Our Family
 Quality Care Since 1994

NIGHTTIME SEVERE COLD & COUGH

ACETAMINOPHEN • PAIN RELIEVER-FEVER REDUCER
 DIPHENHYDRAMINE HCl • ANTIHISTAMINE • COUGH SUPPRESSANT
 PHENYLEPHRINE HCl • NASAL DECONGESTANT

**Nasal Congestion • Cough
 Runny Nose • Sneezing
 Body Ache • Sore Throat Pain
 Headache • Fever**

**Honey Lemon
 Infused with Chamomile
 and White Tea Flavors**

6 PACKETS
 See new warnings information.

SALE
Our Family
PLUS

* This product is not affiliated with Nevatis Consumer Health, Inc., owner of the registered trademark, Theraflu®.

If you are not satisfied with any Our Family Brand product, simply return it to the store where purchased. We will refund your money PLUS replace the item with a like item of the brand of your choice - FREE

194

C-3109-30508-6N



OUR FAMILY NIGHT TIME SEVERE COLD AND COUGH HONEY LEMON INFUSED WITH CHAMOMILE AND WHITE TEA FLAVORS
 acetaminophen, diphenhydramine hcl, and phenylephrine hcl. granule, for solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64525-0546
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	650 mg	
Diphenhydramine Hydrochloride (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	25 mg	
Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	10 mg	

Inactive Ingredients	
Ingredient Name	Strength

Acesulfame (UNII: MA3UYZ6K1H)	
Aspartame (UNII: Z0H242BBR1)	
citric acid monohydrate (UNII: 2968PHW8QP)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Sodium Citrate (UNII: 1Q73Q2JULR)	
Sucrose (UNII: C151H8M554)	

Product Characteristics

Color	yellow (Carmel Color) , yellow (D & C Yellow 10)	Score	
Shape		Size	
Flavor	HONEY (Natural Honey & Lemon Flavor) , LEMON (Natural Honey & Lemon Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64525-0546-6	6 in 1 BOX		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/31/2009	

Labeler - Quality Home Products (205554157)

Revised: 10/2009

Quality Home Products