

**BOSLEY MAN 5 MINOXIDIL TOPICAL SOLUTION- minoxidil solution**  
**Scientific Hair Research, LLC**

-----  
**BOSLEY Man 5% Minoxidil Topical Solution**

***Drug Facts***

***Active Ingredient***

Minoxidil 5% w/v

***Purpose***

Hair regrowth treatment for men

***Use***

to regrow hair on the top of the scalp (vertex only, see picture on side of carton)

***Warnings***

**For external use only, For use by men only.**

**Flammable:**Keep away from fire or flame

**Do not use if:**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp, 5% minoxidil topical solution is not intended for frontal baldness or receding hairline
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, irritated or painful • you use other medicines on the scalp

**Ask a doctor before use if you have**

heart disease

**When using this product**

• do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with

large amounts of cool tap water • some people have experienced changes in hair color and/or texture

• it takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men, you may need to

use this product for at least 4 months before you see results. • the amount of hair regrowth is different for each person.

This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.**

If swallowed, get medical help, or contact a Poison Control Center right away.

***Directions***

- **apply one mL with dropper 2 times a day** directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

***Other information***

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton, It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men.
- in clinical studies of mostly white men age 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- **store at controlled room temperature 20° to 25°C (68° to 77°F).**

***Inactive ingredients***

Alcohol, Propylene Glycol, Purified Water

# Questions or comments?

Call toll-free **1-800-BOSLEY1**

- Visit Website at [www.bosleymd.com](http://www.bosleymd.com)

## Package Labeling:

### Drug Facts

Active Ingredient	Purpose
Minoxidil 5.0%w/v	Hair regrowth treatment for men

**Use** to regrow hair on the top of the scalp (vertex only, see picture on side of carton)

**Warnings**  
For external use only. For use by men only.  
**Flammable:** Keep away from fire or flame  
**Do not use if:** you are a woman • your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp; 5% minoxidil topical solution is not intended for frontal baldness or receding hairline • you have no family history of hair loss • your hair loss is sudden and/or patchy • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, infected, irritated or painful • you use other medicines on the scalp  
**Ask a doctor before use if you have heart disease**

**When using this product:** do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. • the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**  
• chest pain, rapid heartbeat, faintness, or dizziness occurs  
• sudden, unexplained weight gain occurs  
• your hands or feet swell  
• scalp irritation or redness occurs  
• unwanted facial hair growth occurs  
• you do not see hair regrowth in 4 months


**May be harmful if used when pregnant or breast-feeding.**  
**Keep out of reach of children.** If swallowed, get medical help, or contact a Poison Control Center right away.

**Directions** • apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information** - see hair loss pictures on side of this carton • before use, read all information on carton and enclosed leaflet • keep the carton. It contains important information, • hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men • in clinical studies of mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution  
• store at controlled room temperature 20° to 25°C (68° to 77°F).

**Inactive ingredients** Alcohol, Propylene Glycol, Purified Water

**Questions or comments?** Call toll-free 1-800-BOSLEY1  
• Visit Website at [www.bosleymd.com](http://www.bosleymd.com)



This Package Contains

- One 60 mL (2 fl oz) Bottle of Men's BosleyMan Extra Strength (one month supply).
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results (Read enclosed leaflet before use)

Made in USA  
BOLBOSLEY1 ©2023 Bosley, Inc. All rights reserved.  
BosleyMed.com  
Manufactured for Scientific Hair Research LLC, Los Angeles, CA 90066  
BP-SGF0054N UC-BMM002-01  
Rev. Date 10/03/23


MEN'S  
**BOSLEY**  
MAN

Extra Strength  
**5% MINOXIDIL TOPICAL SOLUTION, USP**  
HAIR REGROWTH TREATMENT

NDC XXXXX-XXX-XX

MEN'S  
**BOSLEY**  
MAN

Extra Strength  
**5% MINOXIDIL TOPICAL SOLUTION, USP**  
HAIR REGROWTH TREATMENT



Reactivates Hair Follicles To Stimulate Regrowth

Clinically Proven to Help Regrow Hair

Topical Solution  
Unscented

Not for Use by Women


**One Month Supply**  
One 60mL (2 fl. oz.) Bottle

MEN'S  
**BOSLEY**  
MAN


Extra Strength  
**5% MINOXIDIL TOPICAL SOLUTION, USP**  
HAIR REGROWTH TREATMENT

5% Minoxidil Topical Solution, USP is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. 5% Minoxidil Topical Solution, USP has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.


VERTEX



VERTEX



VERTEX



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% may not work.

**For Best Results:**  
Apply Directly to Scalp.  
Use Twice Daily

Lot No.  
Expiration  
Date

NDC XXXXX-XXX-XX

**BOSLEY**  
**MAN**  
**BOSLEY**

Men's  
**5% Minoxidil  
 Topical  
 Solution, USP**  
 EXTRA STRENGTH  
 Hair Regrowth  
 Treatment

Reactivates hair follicles  
 to stimulate growth  
 Clinically proven  
 to help regrow hair

TOPICAL SOLUTION  
 UNSCENTED

ONE MONTH SUPPLY  
 60 ML (2 FL. OZ.)

**Read and keep carton and leaflet for full  
 product information**

**Active Ingredient** Minoxidil 5% w/v

**Warnings**  
**For external use only. For use by men only.**

**Flammable:** Keep away from fire or flame

**Do not use if**  
 Do not use if - you are a woman - you  
 have no family history of hair loss - your hair  
 loss is sudden and/or patchy - you do not  
 know the reason for your hair loss - you are  
 under 18 years of age. Do not use on babies  
 and children. - your scalp is red, inflamed,  
 infected, irritated, or painful - you use other  
 medicines on the scalp

**Ask a doctor before use if you have** heart  
 disease

**When using this product**  
 - do not apply on other parts of the body  
 - avoid contact with the eyes. In case of  
 accidental contact, rinse eyes with large  
 amounts of cool tap water.  
 - some people have experienced changes in  
 hair color and/or texture  
**Stop use and ask a doctor if**  
 - chest pain, rapid heartbeat, faintness, or  
 dizziness occurs  
 - sudden, unexplained weight gain occurs  
 - your hands or feet swell  
 - scalp irritation or redness occurs  
 - unwanted facial hair growth occurs

**May be harmful if used when pregnant or  
 breast-feeding.**

**Keep out of reach of children.** If swallowed,  
 get medical help or contact a Poison Control  
 Center right away.

**Directions**  
 - apply one mL 2 times a day directly  
 onto the scalp in the hair loss area  
 - see carton and enclosed leaflet for  
 complete directions  
 - using more or more often will not  
 improve results  
 - continued use is necessary, or hair loss  
 will begin again

**Other Information**  
 Store at Controlled Room Temperature 20°  
 to 25°C (68° to 77°F)

**Inactive Ingredients** alcohol, propylene  
 glycol, purified water

**Questions?** Call toll-free phone number  
**1-800-BOSLEY1** or reach us online at  
 www.bosleymd.com

**For Best Results: Apply Directly to Scalp  
 Twice Daily**

Made in USA  
 800.BOSLEY1 ©2023 Bosley, Inc. All rights  
 reserved. BosleyMD.com.  
 Manufactured for Scientific Hair Research LLC,  
 Los Angeles, CA 90066  
 BP-SGF0054N BMMD-01  
 Rev. Date 10/03/23

## BOSLEY MAN 5 MINOXIDIL TOPICAL SOLUTION

minoxidil solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69113-431
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69113-431-	1 in 1 BOX	11/03/2023	

1	00	1 in 1 BUA	11/03/2023	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA076239		11/03/2023	

**Labeler** - Scientific Hair Research, LLC (961897647)

Revised: 10/2023

Scientific Hair Research, LLC