

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS GLOW DAILY  
GLOW SUNSCREEN PEARL CELL OX SHIELD BROAD SPECTRUM SPF 35-  
avobenzone, homosalate, octisalate and octocrylene liquid  
L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Homosalate 13%

Octisalate 5%

Octocrylene 6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## Other information

- protect the product in this container from excessive heat and direct sun
- store at 20°C - 25°C (68°F - 77°F)

## Inactive ingredients

water, glycerin, dicaprylyl carbonate, alcohol denat., synthetic fluorophlogopite, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, dimethicone, silica, zea mays (corn) starch, titanium dioxide, phenoxyethanol, dimethicone/PEG-10/15 crosspolymer, hydroxyacetophenone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, iron oxides, acrylamide/sodium acryloyldimethyltaurate copolymer, xanthan gum, arachidyl alcohol, chlorphenesin, caprylyl glycol, isohexadecane, behenyl alcohol, tocopherol, pentylene glycol, tetrasodium glutamate diacetate, diethylhexyl syringylidenemalonate, trisodium ethylenediamine disuccinate, arachidyl glucoside, citric acid, polysorbate 80, ammonium polyacryloyldimethyl taurate, cassia alata leaf extract, maltodextrin, sorbitan oleate, tin oxide, dipropylene glycol, glycine soja (soybean) oil, caprylic/capric triglyceride, disodium stearyl glutamate, sodium citrate, aluminum hydroxide

**Questions or comments?**

**1-888-LRP-LAB0 1-888-577-5226**

Monday - Friday (9 a.m. - 5 p.m. EST)

ANTHELIOS  
GLOW  
PEARL



LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

NEW

BROAD SPECTRUM  
SPF 35

35

ANTHELIOS  
GLOW  
DAILY GLOW SUNSCREEN

INSTANT GLOWING,  
RADIANT SKIN  
Helps protect against sun  
damage\*  
Primes skin for all day  
brighter look

PEARL  
CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants

Fragrance-free  
Suitable for sensitive skin  
\*when used as directed with other  
sun protection measures

1.35 FL.OZ. - 40 ml

**Drug Facts (continued)**

ammonium polyacryloyldimethyl taurate, cassia alata leaf extract, maltodextrin, sorbitan oleate, tin oxide, dipropylene glycol, glycine soja (soybean) oil, caprylic/capric triglyceride, disodium stearyl glutamate, sodium citrate, aluminum hydroxide

**Questions or comments?**

1-888-LRP LABO 1-888-577-5226  
Monday- Friday (9 a.m. - 5 p.m. EST)

2067530 16 Code F.I.L. V70065296/1

A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.


Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.



3

ANTHELIOS GLOW 35  
DAILY GLOW SUNSCREEN

Package: 	Skin Type: All
	Texture: Light Lotion
	Application: Face

**PROPERTIES.**

**1. Designed to Instantly Illuminate the Skin and Create a Sun-Kissed Glow.** This lightweight lotion leaves a radiant finish and has a subtle, flexible tint ideal for daily use. It helps protect against the effects of daily sun exposure. Blends seamlessly into the skin and provides hydration.

**2. Formulated for Adaptable and Multi-Purpose Use.** Designed for use with and without makeup for "glow from within" skin. Use alone to instantly illuminate skin, or use as a primer to enhance makeup finish. With consistent daily usage, improves the skin's natural radiance.

**3. CELL-OX SHIELD TECHNOLOGY UVA/UVB Protection + Antioxidants**  
**Broad Spectrum UV Filters** Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection.

**Powerful Antioxidant Protection**  
With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals caused by the sun that can accelerate skin aging.

<sup>1</sup> upper layers of skin

FRAGRANCE-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
SUITABLE FOR  
SENSITIVE SKIN  
DERMATOLOGIST TESTED  
FOR SAFETY

Made in USA of US and/or Imported Ingredients  
Distribution reserved to La Roche-Posay agreed distributors  
L'Oréal USA S/D, Inc., Dist.,  
10 Hudson Yards,  
New York, NY 10001,  
3612624668992

La Roche-Posay  
Laboratoire Dermatologique  
CAI 86270 La Roche-Posay, France  
TSA 75000 93584 ST OUEEN CEDEX FR  
www.laroche-posay.us

**Drug Facts**

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 13%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 6%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats and sunglasses
    - children under 6 months of age
- Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun
- store at 20° - 25° C (68° - 77° F)

**Inactive ingredients**

water, glycerin, dicaprylyl carbonate, alcohol denat., synthetic fluorophlogopite, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, dimethicone, silica, zea mays (corn) starch, titanium dioxide, phenoxyethanol, dimethicone/PEG-10/15 crosspolymer, hydroxyacetophenone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, iron oxides, acrylamide/sodium acryloyldimethyltaurate copolymer, xanthan gum, arachidyl alcohol, chlorphenesin, caprylyl glycol, isohexadecane, behenyl alcohol, tocopherol, pentylene glycol, tetrasodium glutamate diacetate, diethylhexyl syringylidenemalonate, trisodium ethylenediamine disuccinate, arachidyl glucoside, citric acid, polysorbate 80,

# GLOW DAILY GLOW SUNSCREEN PEARL CELL OX SHIELD BROAD SPECTRUM SPF 35

avobenzene, homosalate, octisalate and octocrylene liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82046-829
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	130 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>ZEA MAYS (CORN) STARCH</b> (UNII: O8232NY3SJ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%)</b> (UNII: 5F4963KLHS)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>BEHENYL ALCOHOL</b> (UNII: 9G1OE216XY)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVW35JOOJ)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	

<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>AMMONIUM POLYACRYLOYLDIMETHYL TAURATE</b> (UNII: F01RIY4371)	
<b>SENNALATA LEAF</b> (UNII: 4BXR6YZN92)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SORBITAN OLEATE</b> (UNII: 06XEA2VD56)	
<b>TIN OXIDE</b> (UNII: KM7N50LOS6)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-829-01	1 in 1 CARTON	04/28/2026	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/28/2026	

**Labeler** - L'Oreal USA Products Inc (002136794)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC.		624244349	manufacture(82046-829)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Unette Corporation		011401882	pack(82046-829)