

**MCKESSON LORATADINE- loratadine 10 mg tablet, film coated**  
**McKesson Medical Surgical**

-----  
**McKesson Loratadine 10 mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Loratadine 10 mg

***Purpose***

Antihistamine

***Uses***

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

***Warnings***

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease.

Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed.

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

**Adults and children (6 years and older):** 1 tablet daily; not more than 1 tablet in 24 hours.

**Children under 6 years:** Ask a doctor

**Consumers with liver or kidney disease:** Ask a doctor

***Other information***

- store between 68° and 77°F (20° and 25°C )

- protect from excessive moisture
- tamper evident sealed packets
- do not use any opened or torn packets

### Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch.

### Questions or comments?

Call 1-800-777-4908

NDC 68599-4784-6

McKesson

Loratadine 10 mg

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 per Pack

50 Packs Per Box

MFR # 82478

Retain carton for complete product information

Drug Facts		Drug Facts (continued)	
<b>Active ingredient (in each tablet)</b> Loratadine 10 mg	<b>Purpose</b> Antihistamine	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat	<b>Directions</b> <b>Adults and children (6 years and older):</b> 1 tablet daily; not more than 1 tablet in 24 hours. <b>Children under 6 years:</b> Ask a doctor	<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients. <b>Ask a doctor before use if you have liver or kidney disease.</b> Your doctor should determine if you need a different dose. <b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness. <b>Stop use and ask a doctor if</b> ■ an allergic reaction to this product occurs. Seek medical help right away.	
<b>Other information</b> ■ store between 68° and 77°F (20° and 25°C) ■ protect from excessive moisture ■ tamper evident sealed packets ■ do not use any opened or torn packets	<b>Consumers with liver or kidney disease:</b> Ask a doctor	<b>Inactive ingredients</b> corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch	
<b>Questions or comments?</b> Call 1-800-777-4908			

**MCKESSON**

**Loratadine 10 mg**

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82478

**MCKESSON**

**Loratadine 10 mg**

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82478

**MCKESSON**

**Loratadine 10 mg**

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82478

## MCKESSON LORATADINE

loratadine 10 mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68599-4784
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	RX;526
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-4784-6	50 in 1 BOX	08/02/2021	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/02/2021	

**Labeler** - McKesson Medical Surgical (023904428)

**Registrant** - Unifirst-First Aid Corporation (832947092)

Revised: 3/2022

McKesson Medical Surgical