

MCKESSON LORADATINE- loratainde tablet
MCKESSON LORATADINE- loratadine 10 mg tablet, film coated
McKesson Medical Surgical

McKesson Loratadine 10 mg

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children (6 years and older): 1 tablet daily; not more than 1 tablet in 24 hours.

Children under 6 years: Ask a doctor

Consumers with liver or kidney disease: Ask a doctor

Other information

- store between 68° and 77°F (20° and 25°C)
- protect from excessive moisture
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

lactose monohydrate, magnesium stearate, sodium starch glycolate, pregelatinized starch.

Questions or comments?

Call 1-800-777-4908

NDC 68599-4784-6

McKesson

Loratadine 10 mg

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 per Pack

50 Packs Per Box

MFR # 82478

Retain carton for complete product information

Drug Facts		Drug Facts (continued)	
Active ingredient (in each tablet) Loratadine 10 mg	Purpose Antihistamine	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat	Directions Adults and children (6 years and older): 1 tablet daily; not more than 1 tablet in 24 hours. Children under 6 years: Ask a doctor	Consumers with liver or kidney disease: Ask a doctor	
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.	Other information ■ store between 68° and 77°F (20° and 25°C) ■ protect from excessive moisture ■ tamper evident sealed packets ■ do not use any opened or torn packets		
When using this product do not take more than directed. Taking more than directed may cause drowsiness.	Inactive ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch		
Stop use and ask a doctor if ■ an allergic reaction to this product occurs. Seek medical help right away.	Questions or comments? Call 1-800-777-4908		
If pregnant or breast-feeding, ask a health professional before use.	Distributed by McKesson Medical-Surgical Inc. Richmond, VA 23233 PVN A0621 Made in India		

NDC 68599-4785-6

McKesson

Loratadine

10 mg

Removes sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies

1 | 50

PER PACK PACKS PER BOX MFR # 82477

Retain carton for complete product information

Drug Facts Active ingredient (in each tablet) Loratadine 10 mg Antihistamine Purpose Antihistamine Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if: ■ an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.	Drug Facts (continued) Directions Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Adults and children (6 years and older) 1 tablet daily; not more than 1 tablet in 24 hours. Children under 6 years: Ask a doctor. Consumers with liver or kidney disease: Ask a doctor. Other Information ■ Store between 68° and 77° (20° and 25°C). ■ protect from excessive moisture. ■ tamper evident sealed packets. ■ do not use any opened or torn packets. Inactive Ingredients lactose monohydrate, magnesium stearate, sodium starch glycolate, pre-gelatinized corn starch. Questions or comments? Call 1-800-777-4688
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MCKESSON 3

Loratadine 10 mg

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82477

MCKESSON 4 1/8

Loratadine 10 mg

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82477

MCKESSON 3 3/4

Loratadine 10 mg

Relieves sneezing, runny nose, itching and watering of the eyes due to upper respiratory allergies.

1 PER PACK | 50 PACKS PER BOX | MFR # 82477

Distributed by McKesson Medical-Surgical Inc.
 Richmond, VA 23233
 PVN A0324
 Made in India

MCKESSON LORADATINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-4785
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
WATER (UNII: 059QF0KO0R)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	G;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-4785-6	50 in 1 BOX	07/01/2025	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210722	07/01/2025	

MCKESSON LORATADINE

loratadine 10 mg tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-4784
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX;526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-4784-6	50 in 1 BOX	08/02/2021	09/30/2026
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/02/2021	09/30/2026

Labeler - McKesson Medical Surgical (023904428)

Registrant - Unifirst-First Aid Corporation (832947092)

Establishment

Name	Address	ID/FEI	Business Operations
Granules India limited		918609236	manufacture(68599-4785)

Revised: 10/2025

McKesson Medical Surgical