

GLEN PE- phenylephrine hydrochloride and pyrilamine maleate syrup
Glendale Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Glen PE

Drug Facts

| <i>Active ingredients (in each teaspoonful)</i> | <i>Purpose</i> |
|--|-----------------------|
| Pyrilamine Maleate 16 mg | Antihistamine |
| Phenylephrine Hydrochloride 5 mg | Nasal Decongestant |

Uses

temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes
- nasal congestion
- temporarily restores freer breathing through the nose
- reduces swelling of nasal passages

Warnings

Do not exceed recommended dosage.

Do not use this product

- to sedate a child or make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed 6 dosage in a 24-hour period.

| | |
|---|------------------------------|
| Adults and children 12 years of age and over: | 2 teaspoonfuls every 4 hours |
| Children under 12 years of age: | Consult a physician |

Other information

Store at 59°-86°F (15°-30°C) [see USP for Controlled Room Temperature]

Inactive ingredients

Citric acid, cotton candy flavor, FD&C Red #40, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol.

Questions? Comments?

To report a serious adverse event or obtain product information, Call 1-630-530-7000.

Distributed by:
 Glendale Inc
 Villa Park, IL 60181

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

NDC 70147-0224-16

Glen PE

**Antihistamine
 Nasal Decongestant**

**Each teaspoonful for oral
 administration contains:**

Pyrilamine Maleate 16 mg
 Phenylephrine HCl 5 mg

SUGAR FREE /

ALCOHOL FREE

Cotton Candy Flavored Liquid

Tamper evident by foil seal under cap.
Do not use if foil seal is broken or missing.

Distributed by:
Glendale Inc
Villa Park, IL 60181

16 fl oz. (473 mL)

NDC 70147-0224-16

Glen PE

Antihistamine
Nasal Decongestant

Each teaspoonful for oral administration contains:
 Pyrilamine Maleate 16 mg
 Phenylephrine HCl... 5 mg

SUGAR FREE /
ALCOHOL FREE

Cotton Candy Flavored Liquid

Tamper evident by foil seal under cap.
Do not use if foil seal is broken or missing.

Distributed by:

 Glendale Inc
 Villa Park, IL 60181

16 fl oz. (473 mL)

Drug Facts

| Active ingredients (in each teaspoonful) | Purpose |
|---|---------|
| Pyrilamine Maleate 16 mg Antihistamine Phenylephrine Hydrochloride 5 mg Nasal Decongestant | |

Uses temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:
 ■ runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes ■ nasal congestion ■ temporarily restores freer breathing through the nose ■ reduces swelling of nasal passages

Warnings
Do not exceed recommended dosage.

Do not use this product
 ■ to sedate a child or make a child sleepy ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
 ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ glaucoma
 ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are
 ■ taking any other nasal decongestant or stimulant ■ taking sedatives or tranquilizers

When using this product
 ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

Stop use and ask a doctor if
 ■ nervousness, dizziness, or sleeplessness occur ■ cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Do not exceed 6 dosage in a 24-hour period.

| | |
|---|------------------------------|
| Adults and children 12 years of age and over: | 2 teaspoonfuls every 4 hours |
| Children under 12 years of age: | Consult a physician |

Other information
 Store at 69°-86°F (16°-30°C) [see USP for Controlled Room Temperature]

Inactive ingredients
 Citric acid, cotton candy flavor, FD&C Red #40, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol.

Questions? Comments?
 To report a serious adverse event or obtain product information, Call 1-830-530-7000.

Rev. 10/16

GLEN PE

phenylephrine hydrochloride and pyrilamine maleate syrup

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70 147-224 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------------|---------------|
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 15 mg in 5 mL |
| PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 16 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SORBITOL (UNII: 506T60A25R) | |
| FD&C red no. 40 (UNII: WZB9127XOA) | |

Product Characteristics

| | | | |
|----------|--------------|--------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | COTTON CANDY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-------------------|--|----------------------|--------------------|
| 1 | NDC:70 147-224-16 | 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part341 | 12/05/2015 | |

Labeler - Glendale Inc (079987961)