

**ANTI-DIARRHEAL- loperamide hcl tablet**  
**Rite Aid Corporation**

-----

**Rite Aid 44-375**

***Active ingredient (in each caplet)***

Loperamide HCl 2 mg

***Purpose***

Anti-diarrheal

***Use***

controls symptoms of diarrhea, including Travelers' Diarrhea

***Warnings***

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

**Do not use**

if you have bloody or black stool.

**Ask a doctor before use if you have**

- a fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product,**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34-47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

***Other information***

- store between 20°-25°C (68°-77°F)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

***Questions or comments?***

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

***Principal Display Panel***

**NDC 11822-0375-8**

**\*Compare to the active ingredient in Imodium® A-D**

**RITE  
AID®  
PHARMACY**

**ANTI-  
DIARRHEAL**

**LOPERAMIDE HCL TABLETS 2 MG  
ANTI-DIARRHEAL**

FOR THE CONTROL OF THE  
SYMPTOMS OF DIARRHEA  
easy to swallow

not for households  
with young children

**ACTUAL SIZE**

**CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR  
SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Imodium® A-D. 50844 REV0619G37508

**DISTRIBUTED BY:**

RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011

**[www.riteaid.com](http://www.riteaid.com)**

**SATISFACTION  
GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.

***EASY OPEN***

- 1. Tear off a section.**
- 2. Peel back paper at  
arrow and push  
caplet through foil.**

# ANTI-DIARRHEAL



LOPERAMIDE HCl TABLETS, 2 mg

ANTI-DIARRHEAL  
FOR THE CONTROL OF THE  
SYMPTOMS OF DIARRHEA

24  
CAPLETS

NDC 11822-0375-8 Compare to the active ingredient in Imodium® A-D\*

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR  
SHOWS ANY SIGNS OF TAMPERING

# ANTI-DIARRHEAL

LOPERAMIDE HCl TABLETS, 2 mg

ANTI-DIARRHEAL  
FOR THE CONTROL OF THE  
SYMPTOMS OF DIARRHEA  
easy to swallow



**EASY OPEN**  
1. Tear off a section.  
2. Peel back paper at  
arrow and push  
caplet through foil.

**SATISFACTION  
GUARANTEE**  
If you're not satisfied, we'll  
happily refund your money.



ACTUAL SIZE

24  
CAPLETS

NOT FOR HOUSEHOLDS  
WITH YOUNG CHILDREN

DISTRIBUTED BY:  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

B-1702-375-08-R2  
REV0619637508

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Imodium® A-D. 50844 REV0619637508

**Questions or comments?** Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

**Inactive ingredients** corn starch, D&C yellow #10 aluminum lake, dibasic calcium phosphate hydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide


■ see end flap for expiration date and lot number

**Drug Facts (continued)**

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
■ **Other information** ■ store between 20°-25°C (68°-77°F)

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34-47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

■ find right dose on chart. If possible, use weight to dose; otherwise, use age.



Rite Aid 44 - 375

## ANTI-DIARRHEAL

loperamide hcl tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0375
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

### Product Characteristics

Color	GREEN (light)	Score	2 pieces
Shape	OVAL	Size	10mm
Flavor		Imprint Code	44;375

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0375-8	4 in 1 CARTON	05/03/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0375-3	2 in 1 CARTON	05/03/2005	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0375-5	1 in 1 CARTON	05/03/2005	
3		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:11822-0375-2	1 in 1 CARTON	05/03/2005	05/01/2022
4		48 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:11822-0375-6	1 in 1 CARTON	05/03/2005	05/01/2022
5		200 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:11822-0375-4	1 in 1 CARTON	05/03/2005	05/01/2022
6		96 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076497	05/03/2005	

**Labeler** - Rite Aid Corporation (014578892)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(11822-0375)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(11822-0375)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(11822-0375)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(11822-0375)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(11822-0375)

