PLAK SMACKER ANTI CAVITY FLUORIDE- sodium fluoride paste YOUNG PS ACQUISITION, LLC

Plak Smacker DINOSAUR ANTI-CAVITY FLUORIDE GEL TOOTHPASTE

Active Ingredient

Sodium Fluoride 0.24% (0.14% w/v Fluoride ion)

Purpose

Anticavity toothpaste

Purpose

Anti-Cavity Toothpaste

Use

Aids in the prevention of dental cavities.

Warnings

Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Do not use if inner foil is torn, cut, or missing.

Keep out of reach of children.

Keep out of the reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center immediately.

Do not use if inner foil is torn, cut or missing.

Directions

- Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or physician.
- Do not swallow
- To minimize swallowing use a pea sized amount in children under 6 years.
- Supervise children's brushing until good habits are established.
- Children under 2 years of age, consult a dentist or physician.

Inactive Ingredients

Sorbitol, Water, Hydrated silica, PEG-32, Cellulose Gum, Sodium Lauryl Sulfate, PEG-6,

Flavor, Sodium Saccharin, Methylparaben, Propyparaben, Blue1, Red 33

Questions or comments?

(800) 558-6684

PLAK SMACKER®


NO SUGAR ADDED

DINOSAUR

BUBBLE GUM FLAVOR

ANTI-CAVITY FLUORIDE GEL TOOTHPASTE

NET WT. 4.2 oz (119g)



BACK PANEL

Drug Facts

Active Ingredient Purpose Sodium Fluoride 0.24% Anti-Cavity

(0.14% w/v fluoride on)

Toothpaste

Use

Aids in the prevention of dental cavities.

Warnings

Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Polson Control Center immediately.

Do not use if inner foil is torn, cut or missing.

Directions

- Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or physician.
- Do not swallow.
- Do not swallow. To minimize swallowing use a pea
- sized amount in children under 6 years.

 Supervise children's brushing until good habits are established.
- Children under 2 years of age, consult a dentist or physician.

Inactive Ingredients
Sorbitol, Water, Hydrated Silica, PEG-32, Cellulose Gum, Sodium Lauryl Sulfate, PEG-6, Flavor, Sodium Saccharin, Methylparaben, Propylparaben, Blue 1, Red 33

CENTER Questions or comments? (800) 558-6654XT/COPY


Distributed by: Young Innovations, Inc. 2260 Wendt Street Algonquin, IL 60102 USA (800) 558-6684

REF 00158



www.youngspecialties.com DINO119G Rev.B NDC No: 72326-8002





www.youngspecialties.com Donquin, IL 60102 USA ang Innovations, Inc. NDC No: 72326-8002 0 Wendt Street JIN024G Rev.B 800) 558-6684 Distributed by:

Drug Facts

Active Ingredient Sodium Fluoride 0.24%

Purpose Anti-Cavity Toothpaste

1.4 mg in 1 g

(0.14% w/v fluoride idn)

Aids in the prevention of dental cavities.

Warnings

Keep out of reach of childre years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center immediately.

Do not use if inner foil is torn, cut or missing.

Directions

- Adults and children 2 years of age and older: Brush teeth thoroughly preferably after each meal or at least tw or as directed by a dentist or phy-
- Do not swallow.
- To minimize swallowing use a pea sized amount in children under 6 years.
- Supervise children's brushing until good habits are established.
- Children under 2 years of age, consult a dentist or physician.

Inactive Ingredients EXT

Sorbitol, Water, Hydrated Silica Cellulose Gum, Sodium Lauryl Sulfate, PEG-6, Flavor, Sodium SaconaFire A Methylparaben, Propylparaben, Blue 1 Red 33

Questions or comments? (800) 558-6684

PLAK SMACKER ANTI CAVITY FLUORIDE

sodium fluoride paste

Product Information

Product Type HUMAN OTC DRUG NDC:72326-8002 **Item Code (Source)**

Route of Administration DENTAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080) FLUORIDE ION

Inactive Ingredients				
Ingredient Name	Strength			
POLYETHYLENE GLYCOL 1450 (UNII: OJ4Z5Z32L4)				
HYDRATED SILICA (UNII: Y6O7T4G8P9)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
WATER (UNII: 059QF0KO0R)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
SORBITOL (UNII: 506T60A25R)				
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)				
CARBOXYMETHYLCELLULOSE (UNII: 05JZ17B19X)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	BUBBLE GUM	Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:72326- 8002-1	24 g in 1 TUBE; Type 0: Not a Combination Product	07/12/2023		
2	NDC:72326- 8002-2	120 g in 1 TUBE; Type 0: Not a Combination Product	07/12/2023		
3	NDC:72326- 8002-3	24 g in 1 TUBE; Type 0: Not a Combination Product	07/12/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M021	05/27/2018		

Labeler - YOUNG PS ACQUISITION, LLC (119620784)

Registrant - YOUNG PS ACQUISITION, LLC (119620784)