

**ACETAMINOPHEN 325MG RS- acetaminophen 325mg tablet**  
**McKesson Corporation dba SKY Packaging**

-----  
**Drug Facts**

**Active Ingredient (in each tablet)**

Acetaminophen 325mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporary relief of minor aches and pains associated with:

- headache
- backache
- muscular aches
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

**If a skin reaction occurs, stop use and seek medical help right away.**

**Do not use**

- if you are allergic to acetaminophen

- with other products containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if user has**

liver disease.

**Ask a doctor or pharmacist before use if**

the user is taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- symptoms do not improve
- pain gets worse or lasts for more than 10 days
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present
- a rare sensitivity reaction occurs
- **You may report side effects to 1-888-952-0050**

**If pregnant or breast-feeding**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children**

**Keep out of reach of children.** In case of accidental overdose, contact a doctor or Poison Control Center immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**Adults and children 12 years of age and over:** Take 2 tablets every 4 to 6 hours.

Do not take more than 10 tablets in 24 hours.

**Children 6-11 years of age:** Take 1 tablet every 4 to 6 hours as needed.

Do not take more than 5 tablets in 24 hours.

**Children under 6 years of age:** Do not use this regular strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.

**Other information**

- store at room temperature
- do not use if imprinted safety seal under cap is broken or missing

## Inactive ingredients

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

## PRINCIPAL DISPLAY PANEL

**Drug Facts**  
**Active ingredient in each tablet**  
 Acetaminophen 325 mg  
**Uses** Temporarily relieves minor aches and pains due to:  
 • headache • muscular aches • backache • minor pain of arthritis  
 • the common cold • toothache • premenstrual and menstrual cramps • temporarily reduces fever  
**Warnings**  
**How to use** Take this product containing acetaminophen. The maximum daily dose of this product is 12 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if • adult takes more than 4,000 mg of acetaminophen in 24 hours • child takes more than 5 doses in 24 hours, which is the maximum daily amount • takes with other drugs containing acetaminophen • adult has 3 or more alcoholic drinks every day while using this product.  
**Warnings** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin redness • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.  
 Do not use • with any other drug containing acetaminophen (prescription or non-prescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 • if you are allergic to acetaminophen or any of the inactive ingredients in this product.  
**Ask a doctor before use if you have:** liver disease.  
**Ask a doctor or pharmacist before use if you are:** taking the blood thinning drug warfarin.  
**Stop use and ask a doctor if •** pain gets worse or lasts more than 10 days in adults • pain gets worse or lasts more than 5 days in children under 12 years • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.  
**Important information:** Ask a health professional before use. • **Use only as directed.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**Directions**  
**Adults and children 12 years of age and older:** Take 2 tablets every 4 to 6 hours while symptoms last. Do not take more than 10 tablets in 24 hours, unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.  
**Children 6 years to under 12 years:** Take 1 tablet every 4 to 6 hours while symptoms last. Do not take more than 5 tablets in 24 hours. Do not use for more than 5 days unless directed by a doctor.  
**Other information** • Store at room temperature 20° - 25°C (68° - 77°F) • Do not use if blister is open • you may report side effects to 1-888-952-0050  
**Contains:** acetaminophen, corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid



## ACETAMINOPHEN 325MG RS

acetaminophen 325mg tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63739-087(NDC:69168-010)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY35J)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (Round Circle)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;010
<b>Contains</b>			

### Packaging

Marketing Start	Marketing End
-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63739-087-02	30 in 1 BOX	07/12/2021	03/31/2026
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/12/2021	03/31/2026

**Labeler** - McKesson Corporation dba SKY Packaging (140529962)

### Establishment

Name	Address	ID/FEI	Business Operations
Legacy Pharmaceutical Packaging, LLC		143213275	repack(63739-087) , relabel(63739-087)

Revised: 12/2024

McKesson Corporation dba SKY Packaging